



Matt Cordell Terminology Specialist

Improving useability and search functionality on the frontline

SNOMED CT Expo – Uruguay 29 October 2015





NEHTA

A corporate entity owned by the Australian Federal, state and territory governments, to identify and jointly develop the necessary foundations and services for a national eHealth capability

Identifiers
Authentication
Terminology
Secure Messaging
Clinical Documents
Supply Chain





Improving useability and search functionality on the frontline

Or

Improving SNOMED CT as an interface terminology





Identifying and Addressing issues

- Feedback from vendors and users
- Partnerships with "friendlies"





Feedback from users

- Confusion as to which term to select
- Unable to find the terms
- Frustration with inconsistencies



Synonyms are not Unique Too many synonyms has "overchoice" risk

Search for "raised blood pressure": 24184005 |Raised blood pressure| 38341003 |Raised blood pressure|

Search for "hypertension": Hypertension HTN – Hypertension Systemic arterial hypertension HT – Hypertension BP+ - Hypertension

nehta Addressing the confusion



Make sure searches are restricted to correct content

Preferred terms may not be unique across terminology Particularly between

- Clinical Findings and Morphologic Abnormalities
- Substances and Products

Possibly even

- Procedures and Substances
- Findings and Organisms

Depending on local editorial choices...



Synonyms and Language refset

Concepts may have more than one active description One description is tagged as preferred Leveraging synonyms improves search effectiveness






Searching on synonyms and the ADRS

| CM refset* | | Descriptions | ADRS |
|----------------------|---------------|-------------------------------|------------|
| 54200006 | \rightarrow | Tonic-clonic seizure | Preferred |
| 267064002 | | Tonic-clonic convulsion | Acceptable |
| | | Tonic-clonic seizures | Acceptable |
| | | Not passing urine | Acceptable |
| | | Retention of urine | Acceptable |
| | | Unable to pass urine | Acceptable |
| | | Urinary retention | Preferred |
| | /> | Cannot pass urine - retention | Acceptable |
| * Clinical manifesta | ation refset | Unable to empty bladder | Acceptable |





Searching on synonyms and the ADRS



* Adverse reaction agent refset





Additional Considerations

Limit to Preferred Terms

- Allow search queries to access all synonyms
- Limit result set to the Preferred Terms

Search for "raised blood pressure": Before Af

24184005 |Raised blood pressure| 38341003 |Raised blood pressure| After

24184005 |*Finding of increased blood pressure*| 38341003 |*Hypertension*|

Australian Implementation Guidance

3.3 Use all Synonyms but limit to Preferred Terms





Renal lesion

-> Kidney lesion (finding) Pelvic pain

- -> Pain in pelvis (finding)
- **Testicular cancer**

-> Malignant tumor of testis (disorder)

Concepts exist, but the synonyms don't. Therefore users can't find the content.



End stage COPD

-> End stage chronic obstructive airways disease (disorder)

Partial thickness burn of neck

-> Second degree burn of neck (disorder)





Cosmetic inconsistency

Search success inconsistency





A search for "First degree burn"


| En-GB Refset & En-US Refset | En-AU Refset |
|---|---|
| Burn erythema of wrist | Superficial burn of wrist |
| First degree burn of face | Superficial burn of face |
| Superficial burn of finger | Superficial burn of finger |
| Epidermal burn of multiple sites of wrist | Superficial burn of multiple sites of wrist |

nehta Search success inconsistency



| Search Term | SCT | SCTAU |
|---------------------|-----|-------|
| "Burn erythema" | 59 | 59 |
| "First degree burn" | 75 | 75 |
| "Superficial burn" | 54 | 88 |
| "Epidermal burn" | 8 | 8 |


n = 88





A (FullText) search for "severe COPD" - Top 5

| International Release | Australian Release | |
|---|--------------------|--|
| Acute exacerbation of COPD | Severe COPD | |
| COPD - Chronic obstructive pulmonary disease | COPD | |
| Acute severe exacerbation of severe persistent asthma | End stage COPD | |
| Panic disorder with agoraphobia, severe agoraphobic avoidance AND severe panic attacks | Mild COPD | |
| Better eye: severe visual impairment, Lesser eye: severe visual impairment | Moderate COPD | |





- Feedback from vendors and users
- Partnerships with "friendlies"
- Systematic analysis





Potential for "combinatorial explosion" of synonyms

Ongoing maintenance for international updates

Contact

- help@nehta.gov.au
- S 1300 901 001

