



Leading healthcare  
terminology, worldwide

# SNOMED CT Release File Specifications

Latest web browsable version: <http://snomed.org/rfs>

SNOMED CT document library: <http://snomed.org/doc>

Publication date: 2018-01-31

# Table of Contents

- 1. Logical Model of SNOMED CT Components..... 6
  - 1.1. Concepts.....6
  - 1.2. Descriptions .....7
  - 1.3. Relationships and Concept Definitions .....7
  - 1.4. Nature of Concept Definitions.....8
- 2. General Information about Release Files ..... 12
  - 2.1. Naming Conventions for Release Files and Packages .....13
  - 2.2. File Layout and Content .....20
  - 2.3. Field Data Types.....20
  - 2.4. Metadata and Enumerated Values .....21
  - 2.5. Module Identification .....22
  - 2.6. Meaning of the Active Field .....22
  - 2.7. History Mechanism .....23
  - 2.8. Release Types .....25
  - 2.9. Important Notices.....25
- 3. Component Release Files Specification ..... 26
  - 3.1. Associations Between Files .....26
  - 3.2. File Format Specifications.....27
  - 3.3. Metadata Hierarchy .....36
- 4. Reference Set Release Files Specification ..... 39
  - 4.1. General Features of Reference Sets.....39
  - 4.2. Reference Set Types .....44
- 5. Representing SNOMED CT identifiers ..... 108
  - 5.1. SCTID Data Type .....108
  - 5.2. SCTID Representation .....108
  - 5.3. SCTID Constraints .....110
  - 5.4. Check-digit .....110
  - 5.5. Partition Identifier .....117
  - 5.6. Namespace-Identifier .....118
  - 5.7. Item-Identifier Digits.....118
  - 5.8. Example SNOMED CT identifiers .....118
  - 5.9. The Namespace Hierarchy .....119
- Appendix A: Notes on Release Files ..... 120
  - Notes on modifierId.....120
  - RF1 Compatibility and Conversion Tools .....120
- Appendix B. Names of Release Files, Fields and Data Types..... 122
  - A.....122
  - B.....123
  - C.....123
  - D.....124
  - E.....125
  - I.....126

K.....	127
L.....	127
M.....	127
O.....	128
Q.....	129
R.....	129
S.....	130
T.....	131
U.....	133
V.....	134
W.....	134
Appendix C. Unicode UTF-8 encoding .....	136
Summary of Unicode Encoding Rules .....	136

The logo for SNOMED International, featuring the text "SNOMED International" in white on a blue background.Leading healthcare  
terminology, worldwide

The SNOMED CT Release File Specification formally defines the formats in which SNOMED CT is provided to licensees ([Affiliates](#)). For information about SNOMED CT licensing and availability of release files please refer to the [Member Licensing and Distribution Service \(MLDS\)](#) ( <http://snomed.org/licensing>).

Web browsable version: <http://snomed.org/rfs>

SNOMED CT Document Library: <http://snomed.org/doc>

© Copyright 2018 International Health Terminology Standards Development Organisation, all rights reserved.

This document is a publication of International Health Terminology Standards Development Organisation, trading as SNOMED International. SNOMED International owns and maintains SNOMED CT®.

Any modification of this document (including without limitation the removal or modification of this notice) is prohibited without the express written permission of SNOMED International. This document may be subject to updates. Always use the latest version of this document published by SNOMED International. This can be viewed online and downloaded by following the links on the front page or cover of this document.

SNOMED®, SNOMED CT® and IHTSDO® are registered trademarks of International Health Terminology Standards Development Organisation. SNOMED CT® licensing information is available at <http://snomed.org/licensing>. For more information about SNOMED International and SNOMED International Membership, please refer to <http://www.snomed.org> or contact us at [info@snomed.org](mailto:info@snomed.org).



# 1. Logical Model of SNOMED CT Components

The abstract logical model of [SNOMED CT components](#) is illustrated below. The model is centered around the representation of [concepts](#) and their associated [relationships](#) and [descriptions](#). In terms of the alignment between [release files](#) and the logical model:

- [SNOMED CT Release Format 2](#) is closely aligned with the logical model;
- A [mapping table](#) is provided with the [Release Format 1](#) file specification to map [RF1](#) file structures to the abstract model.




Figure 1-1: Abstract logical model of SNOMED CT components

## 1.1. Concepts

A [concept](#) is defined as a clinical idea to which a unique [concept identifier](#) has been assigned.

### Notes

1. SNOMED CT concepts are distributed in the [Concept File](#).
2. Concepts are associated with [descriptions](#) that contain human-readable [terms](#) describing the concept.
3. Concepts are related to one another by [relationships](#) that provide a formal logical definition of the concept.
4. Disambiguation:  
When working with SNOMED CT, it is recommended the default meaning of "concept" refers to a SNOMED

CT concept defined as noted above. However, the word "concept" is sometimes used in other more specific or more general ways as noted below.

- As an abbreviated name for the [concept identifier](#). For clarity when working with SNOMED CT, this is should be referred to as an "identifier", "id" or "code" (e.g. "concept id", "concept identifier" or "concept code");
- In its more general dictionary defined usage referring to an idea or class of real-world entities that may be represented by a [concept identifier](#). For clarity when working with SNOMED CT, this is should be referred to as an "idea" or "meaning" (e.g. "a clinical idea" or "clinical meaning" or "code meaning").

## 1.2. Descriptions

A [description](#) is defined as an association between a human-readable phrase ([term](#)) and a particular [SNOMED CT concept](#).

### Notes

1. Each *description* is represented by a separate row in the [Description File](#).
2. Each *description* has a unique [identifier](#) and connects a [concept](#) with a *term* of a specified [description type](#).

### Related Links

- General information about [Descriptions and Terms](#).
- The [Description File Specification](#).

## 1.3. Relationships and Concept Definitions

A [relationship](#) is defined as an association between a source [concept](#) and a destination [concept](#). The type of association is indicated by a reference to an [attribute concept](#).

### Notes

1. Each *relationship* provides defining information about the source [concept](#).
2. *Relationships* are represented by rows in the [Relationship File Specification](#).

### Example

The relationship in the table below states that part of the definition of the concept 74400008 |[appendicitis](#)| is that its 363698007 |[finding site](#)| is the 66754008 |[appendix structure](#)|.

**Table: Example of a Relationship (for clarity the US English preferred term is shown for each concept)**

sourceId	typeId	destinationId
74400008   <a href="#">appendicitis</a>	363698007   <a href="#">finding site</a>	66754008   <a href="#">appendix structure</a>

Each [concept](#) is defined by a set of [relationships](#) to other [concepts](#). The resulting definition may be sufficient to distinguish the [concept](#) from its parents and siblings in the [subtype hierarchy](#) in which case the [concept](#) is considered to be [sufficiently defined](#). If the definition is not sufficient to distinguish the [concept](#) from its parents and siblings, the [concept](#) is said to be [primitive](#). The [concept](#) contains a field that is set to indicate whether its definition status is [primitive](#) or [sufficiently defined](#). The figure below illustrates the abstract logical model of a

concept, including the defining relationships between concepts (represented by the associations labelled `sourceId`, `destinationId` and `typeId`) and the definition status (represented by the `definitionStatusId`).




Figure 1.3-1: General abstract logical model of a SNOMED CT concept definition

## Stated definition view

A stated *concept definition* is the set of relationships (and groups of relationships) that an author (modeler) has stated to be defining characteristics of a concept. The *stated view* is maintained in the SNOMED CT editing environment and is reviewed and modified during the process of editing a revised edition of SNOMED CT. The *stated view* is distributed in a format similar to the relationship file.

## Inferred distribution view

An inferred *concept definition* may include the set of non-redundant defining relationships (and relationship groups) that are known to be true. This includes those stated and others inferred by inheritance from stated supertype ancestors. However, any relationships (or relationship groups) that are supertypes of other relationships (or relationship groups) are redundant and are not included in this view.

A relationship that is part of a relationshipGroup is only regarded as redundant if the relationshipGroup as a whole subsumes another relationshipGroup. This is the view expressed in the standard SNOMED CT distribution and this same view also forms part of the long normal form.

## 1.4. Nature of Concept Definitions

A *concept definition* has one of the following two forms:

### 1. Sufficiently Defined

A *sufficiently defined concept* is a concept with a formal logic definition that is sufficient to distinguish its meaning from other similar concepts.



## Notes

- a. The meaning of **SNOMED CT concept** is expressed in a human-readable form by its **Fully Specified Name(FSN)** and has a formal logic definition represented by a set of defining **relationships** to other **concepts**. A *Sufficiently defined concept* has sufficient defining **relationships** to computably distinguish it from any **concepts** or **expressions** that are equivalent to or a subtype of the the defined concept.
- b. Contrast with **primitive concept**.

## Examples

The **concept** 74400008 |**appendicitis (disorder)**| is *sufficiently defined* by the following definition because any **concept** for which these defining relationships are true are either the disorder "appendicitis" or a subtype of "appendicitis".

**Table: Definition of: 74400008 | appendicitis (disorder) | - (sufficiently defined)**

74400008  appendicitis (disorder)
=== 116680003  is a  = 18526009  disorder of appendix
116680003  is a  = 302168000  inflammation of large intestine
116676008  associated morphology  = 23583003  inflammation
363698007  finding site  = 66754008  appendix structure

- If a concept has a *sufficient* definition, it is possible to infer whether another concept or a **postcoordinated expression** is a **subtype** of, or equivalent to, that **concept**.

## 2. Primitive

A **primitive concept** is a **concept** with a formal logic definition that is not sufficient to distinguish its meaning from other similar **concepts**.

### Note

- a. The meaning of **SNOMED CT concept** is expressed in a human-readable form by its **Fully Specified Name**.
- b. Each **concept** also has a formal logic definition represented by a set of defining **relationships** to other **concepts**. This logic definition is computer processable. A *primitive concept* does not have sufficient defining **relationships** to computably distinguish them from more general **concepts**(supertypes).
- c. See also **sufficiently defined concept**.

### Example

The concept 5596004 |**atypical appendicitis (disorder)**| is *primitive* because the following definition is not sufficient to distinguish "atypical appendicitis" from any other type of "appendicitis".

**Table: Definition of 5596004 | atypical appendicitis (disorder) | - (primitive)**

5596004  atypical appendicitis (disorder)
<<< 116680003  is a  = 74400008  appendicitis
116676008  associated morphology  = 23583003  inflammation
363698007  finding site  = 66754008  appendix structure

## Necessary Conditions

All SNOMED CT defining relationships currently released are necessarily (always) true for the concept defined. Relationships that are necessarily true are also known as necessary conditions.

A **necessary condition** is defined as a characteristic that is always true of a **concept**.

### Example

- The defining relationship 116676008 |morphology| = 72704001 |fracture| is a necessary condition of 71620000 |fracture of femur| because you do not have a 71620000 |fracture of femur| unless the morphological abnormality 72704001 |fracture| is present.

## Sufficient Sets of Conditions

In practice there can be several sufficient definitions for a concept. That is to say several different ways in which a concept could be sufficiently defined by different sets of **defining relationships**. For example:

Gastric ulcer is defined as follows:

```
397825006 |gastric ulcer|
=== 116680003 |is a| = 64572001 |disease|
    { 116676008 |associated morphology| = 56208002 |ulcer| ,
      363698007 |finding site| = 69695003 |stomach structure| }
```

This is a **sufficient** definition because any 56208002 |ulcer| in a 69695003 |stomach structure| is by definition a 397825006 |gastric ulcer|. Based on this definition:

Any **postcoordinated expression** that specified a disease involving an 56208002 |ulcer| with 363698007 |finding site| 69695003 |stomach structure| would be equivalent to or a **subtype** of 397825006 |gastric ulcer|.

However, a **query** for all disorders involving 78653002 |gastric mucosa| would incorrectly exclude 397825006 |gastric ulcer| as the site is specified as 78653002 |gastric mucosa| which is more specific than 69695003 |stomach structure|. In reality there is another sufficient set defining relationships:

```
397825006 |gastric ulcer|
=== 116680003 |is a| = 64572001 |disease|
    { 116676008 |associated morphology| = 56208002 |ulcer| ,
      363698007 |finding site| = 78653002 |gastric mucosa| }
```

but this is not currently represented in SNOMED CT. The reason for this is that currently the profile of description logic used by SNOMED CT does not support representation of multiple sufficient sets.

When multiple sufficient sets are supported, satisfying a single sufficient set enables an inference to be made that all necessary conditions must also be true. For example:

- The definition 363698007 |finding site| = 78653002 |gastric mucosa| is a **necessary** condition for 397825006 |gastric ulcer|:
  - This is true because all gastric ulcers necessarily involve the 78653002 |gastric mucosa|
- The definition 116676008 |morphology| = 56208002 |ulcer| and 363698007 |finding site| = 69695003 |stomach structure| is a **sufficient** definition for 397825006 |gastric ulcer|:
  - This is true because any ulcer in a stomach structure is a 397825006 |gastric ulcer|
- Therefore, an assertion that a person has an 56208002 |ulcer| with 363698007 |finding site| 69695003 |stomach structure| is **sufficient** to imply that they have a 397825006 |gastric ulcer|:
  - Since a gastric ulcer **necessarily** involves the 78653002 |gastric mucosa| it should be possible to deduce that a person with an "ulcer" with finding site 69695003 |stomach structure| has a disorder of with a site 78653002 |gastric mucosa|

However, as the current profile does not enable recognition of multiple sufficient sets, the general rule is to represent the most general sufficient set as this gives the greatest coverage for subsumption testing. This approach is taken because including more defining relationships, without distinguishing them from the sufficient set means some logically equivalent expressions will not compute as equivalent to or subsumed by the defined concept. This occurs in any cases where the expression does not include one of the attributes in the definition - even if it was not part of the logically sufficient set.

## 2. General Information about Release Files

This section covers several general topics related to SNOMED CT release files. The next two sections provide the detailed specifications of the release files:

### 3. Component Release Files Specification

Files that represent the main SNOMED CT components:

- Concepts
- Descriptions
- Relationships

### 4. Reference Set Release Files Specification

Files that customize and enhance SNOMED CT by representing:

- Subsets of concepts and descriptions
- Maps to other code systems
- Language and dialect preferences for different terms
- Annotation of components
- Associations between components
- Other forms of configuration and extensibility

Additional information is provided in the [Terminology Services Guide](#), a separate document that includes guidance on [Representing Terminology Data](#) and [Importing SNOMED CT Release Files](#).

#### **i** Historical Note on Current and Previous Release File Formats

The standard format in which [SNOMED CT](#) has been distributed since 2012 is known as [Release Format 2 \(RF2\)](#). It was developed in response to extensive feedback on the original release file format, now known as [Release Format 1 \(RF1\)](#), in which [SNOMED CT](#) was distributed between its first release in 2002 and 2012. The SNOMED CT International Edition is no longer distributed in RF1. However, a conversion tool to general RF1 style files from the RF2 release files was made available during a transition period.

The key enhancements in [RF2](#) were:

- More robust and consistent version representation;
- Inclusion of a moduleId and module dependency mechanism, which together enable modularization of releases while representing dependencies between modules;
- [Reference sets](#) to provide an extensible and versionable way to configure [SNOMED CT](#). Including support for subsets, maps, annotations, alternative hierarchies, etc.;
- Use of an added [hierarchy](#) to represent metadata about the structure of [SNOMED CT](#) itself.

In common with the earlier release format [RF2](#) specifies files that:

- Represent the components of [SNOMED CT](#): (concepts, descriptions and relationships)
- Provide standard representations for subsets, language preferences and maps to other codes and classifications.
- Are distributed as tab-delimited text files - which represent character content in accordance with the [Unicode UTF-8](#) specification;
- Use [SNOMED CT Identifiers](#) as the permanent [Identifier](#) of released core components;
- Support [extensions](#) to the [International Release](#) using [namespaces](#) allocated to licensees to denote the provenance of added components and to ensure [Identifier](#) uniqueness.

## 2.1. Naming Conventions for Release Files and Packages

The release file naming convention specified in this section applies to all [SNOMED International release files](#) starting with the January 2010 [International release](#). The release package naming convention specified was added subsequently to provide additional clarity through a structured name applied to the folder (and zip archive name) containing a set of release files. This package naming convention first applied to releases by SNOMED International during 2017.

These naming specifications provides the following benefits:

- A consistent naming convention across the [International edition](#) and each [National edition](#).
- Predictable file naming, providing a stable structure for naming over time between releases.
- A standard way to identify the source country and [namespace](#) of the organization responsible for a [release file](#).
- A consistent mechanism for representing version of release files and packages of release files.
- An human readable way to identify the content of a file, at a summary level.
- A mechanism for identifying the type of information stored in a [release file](#)(e.g. documentation, tooling, etc.).
- Guidance on file naming for [release files](#) in non-English [extensions](#).
- Assurance that file names will be unique across the [International release](#) and releases from individual [National release](#) centers and across separate releases from each center over time.
- An upgrade path, to enabled use of the same naming convention to be applied to both release files using the current [release format](#)( [RF2](#)), as well as the earlier release format ( [RF1](#)) while also enabling easy identification of which format is used in each file.

Quality Assurance checks, to ensure that this naming convention is enforced, will be performed as part of the [International release](#) process. Equivalent checks should be performed as part of each [National Release Center's](#) release process.

### **Note**

Prior to January 2010 other naming conventions were used. Implementers who need to review earlier releases should consult the documentation that accompanied the release that they need to review

## 2.1.1. Release Package Naming Conventions

### Overall Package Naming Pattern

```
SnomedCT_[Product][Scope(optional)][Format(optional)]_[ReleaseStatus]_[ReleaseDate]T[ReleaseTime][TimeZone]
```

### Package Name Elements

Element	Values	Description
Product	<any>	Camel case short title sufficient to identify the product.
Scope (optional)	Edition	The release files included in the package fully resolve all dependencies of all modules included in the package.
	Extension	The release files included in the package needs to be combined with the International Edition release package and any other packages required to resolve the dependencies declared by the <a href="#">Module Dependency Reference Set</a> .
Format (optional)	RF1	Required for any release packages containing <a href="#">Release Format 1</a> files.
	RF2	Current value for all release packages.
	<other>	Other values may be specified in future.
ReleaseStatus	ALPHA	<p>The package is an <a href="#">alpha release package</a>, which is defined as a <a href="#">SNOMED CT release package</a> that is only being released for initial review and testing by implementers and other stakeholders and must not be used in production clinical systems or in clinical settings.</p> <p><b>Notes</b></p> <ol style="list-style-type: none"> <li>1. The objective of an <i>alpha release</i> is to test the chosen approach and elicit feedback before committing to the content and/or release format for the additional material. It is likely that, prior to publication of a <a href="#">beta release</a>, significant changes will be made to address the feedback received, and issues identified by testing.</li> <li>2. <i>Alpha releases</i> should not be distributed to Affiliate Licensees or any third parties except those who have formally committed to take part in an approved evaluation process.</li> <li>3. <i>Alpha releases</i> must not be used in an operational environment that may incorporate the data into a record or create a dependency on continued maintenance of the additional components or derivatives.</li> <li>4. <i>Alpha releases</i> were formerly known as a “Technology Preview” releases.</li> </ol>
	BETA	<p>The package is a <a href="#">beta release package</a>, which is defined as a <a href="#">SNOMED CT release package</a> that is only being released for review and testing by implementers and other stakeholders, prior to release of a <a href="#">production release</a>, and must not be used in production clinical systems or in clinical settings.</p> <p><b>Notes</b></p> <ol style="list-style-type: none"> <li>1. The <i>beta release</i> status indicates the releasing organization expects to subsequently confirm it as a <a href="#">production release</a>. However, if a significant issue is reported in its format or content during the feedback period, the releasing party reserves the right to withdraw a <i>beta release</i>, or to replace it with an updated <i>beta release package</i>. Therefore, the releasing organization does not commit deciding whether this will be treated as a <a href="#">production release</a> until shortly before the due date for the next release. If a <i>beta release</i> is subsequently be confirmed as a <a href="#">production release</a>, all subsequent updates to the additional components and derivatives will be fully version tracked from date of that <i>beta release</i>.</li> <li>2. Anyone testing the use of a <i>beta release</i> must be prepared for withdrawal or significant changes that may occur to the additional components or derivatives. Therefore, this data should not be used in an operational environment in ways that create a dependency on continued maintenance of the additional components or derivatives.</li> <li>3. Beta releases should not be distributed to Affiliate Licensees or any third parties except those who have formally committed to take part in an approved evaluation process.</li> <li>4. Beta releases were formerly known as “Candidate Baseline” releases.</li> </ol>

	PRODUCTION	<p>The package is a <a href="#">production release package</a>, which is defined as a <a href="#">SNOMED CT release package</a> that is a final, formally endorsed release intended for live use in appropriately licensed operational systems.</p> <p><b>Notes</b></p> <ol style="list-style-type: none"> <li><i>Production release packages</i> represent the authoritative releases of the product, and implementers can use the components and derivatives in operational clinical systems with confidence in the subsequent maintenance of the product.</li> <li><i>Production release</i> status indicates that the releasing party (SNOMED International or the owner of the Extension) commits to maintain the release history of this release and all subsequent updates. Thus from the first <i>production release</i> onwards, the historical audit trail will be maintained throughout the product's lifetime.</li> </ol>
ReleaseDate	YYYYMMDD	The package release date, time and timezone formatted in accordance with <a href="#">ISO-8601</a> .
ReleaseTime	HHMMDD	
TimeZone	Z	

## 2.1.2. Release File Naming Convention

### Overall Naming Pattern

The basic pattern for [SNOMED CT release file](#) names consists of five elements, each separated by an underscore (" \_ ") and followed by a full stop (" . ") and a file extension:

```
[FileType]_[ContentType]_[ContentSubType]_[CountryNamespace]_[VersionDate].[FileExtension]
```

Each element in the above structure is described in more detail by table in the following section.

### FileType Element

The FileType element of the filename designates the type and intended use of the [release file](#) . It consists of a 3 to 5 alphanumeric code with letters in lowercase.

The code comprises the following three sub-elements. The Type sub-element is required in all cases, other elements are required where relevant and otherwise omitted.

**Table 2.1.2-1: FileType Element - Sub-elements and Permitted Values**

Sub-element	Values	Description
Status	<blank>	General release file
	x	Provisional release file (e.g. part of an <a href="#">alpha</a> or <a href="#">beta release package</a> ).
	z	Archival or unsupported file
Type	sct	Terminology Data File
	der	Derivative Work Data File (e.g. Reference set release file)
	doc	Documentation
	res	Implementation Resource Data File (e.g. a data file not following a SNOMED CT standard release file format)
	tls	Implementation Resource Tool (e.g. scripts or other software made available to process a release file)
Format	1	Release Format 1
	2	Release Format 2
	<blank>	Not specific to a release version

### ContentType Element

The ContentSubType element is mandatory for all FileTypes. It describes the content and purpose of the file. It consists of 2-48 alphanumeric characters in camel case.

The content of this element depends on the first element (FileType) of the filename, as described below:

**Table 2.1.2-2: ContentType Element - Permitted Values for FileType "sct"**

Value	Usage
Concept	The file conforms to the <a href="#">3.2.1. Concept File Specification</a> and contains data related to a set of <a href="#">concepts</a> .



Relationship	The file conforms to the <a href="#">3.2.3. Relationship File Specification</a> and contains <a href="#">relationships</a> that represent the <a href="#">distribution normal form</a> <a href="#">inferred view</a> of a set of concept definitions.
Description	The file conforms to the <a href="#">3.2.2. Description File Specification</a> and contains a set of <a href="#">descriptions</a> with description types <a href="#">Synonym</a> and <a href="#">Fully specified name</a> . Note that both these description types have a maximum <a href="#">term</a> length of 255 characters.
TextDefinition	The file conforms to the <a href="#">3.2.2. Description File Specification</a> and contains a set of <a href="#">descriptions</a> with description type . Note: This description type has a maximum <a href="#">term</a> length of 4096 characters.
StatedRelationship	The file conforms to the <a href="#">3.2.3. Relationship File Specification</a> and contains <a href="#">relationships</a> that represent the <a href="#">stated view</a> of a set of concept definitions. Note: It is likely this file will be phased out and replaced with a reference set containing a richer OWL representation of stated concept definition.
Identifier	The file conforms to the <a href="#">3.2.4. Identifier File Specification</a> . Note: This file does not contain any data rows in the International Edition.

**Table 2.1.2-3: ContentType Element - Permitted Values for FileType "der"**

Value	Description
Refset	The file conforms to the <a href="#">4.2.1. Simple Reference Set</a> specification and contains the members of one or more simple reference sets.
<pattern> Refset	The file conforms to the <a href="#">4.1.1. Basic Reference Set Member File Format</a> and include one or more additional columns, The number and order of the columns and their basic data types are specified by the <pattern> which precedes Refset. The <pattern> consists of a sequence of lowercase letters each of which represent an additional column with a datatype specified by the letter as listed below
Pattern letter	
c	A SNOMED CT component identifier ( <a href="#">SCTID</a> ) referring to a concept, description or relationship.
i	A signed integer.
s	A UTF-8 text string.
Examples	<ul style="list-style-type: none"> <li>• <b>cRefset</b> : A refset with one additional column containing a component identifier. This pattern supports refset types including: <a href="#">4.2.3. Attribute Value Reference Set</a> , <a href="#">4.2.4. Language Reference Set</a> and <a href="#">4.2.5. Association Reference Set</a>).</li> <li>• <b>ciRefset</b> : A refset with two additional columns, one containing a component identifier and one containing an integer. This pattern supports refset types including: <a href="#">4.2.6. Ordered Association Reference Set</a> .</li> <li>• <b>sRefset</b> : A refset with one additional column containing a string. This pattern supports refset types including: <a href="#">4.2.9. Simple Map Reference Set</a> and <a href="#">4.2.7. Annotation Reference Set</a> .</li> </ul>

**Table 2.1.2-4: ContentType Element - Permitted Values for FileTypes "doc", "res" and "tls"**

FileType	Value and Description
doc	The title of the document in CamelCase, abridges if necessary to fit within the length constraint. Note: Abbreviations should not be used unless they are essential to fit the title within the available length. <b>Examples of ContentType for Documents</b> <ul style="list-style-type: none"> <li>• doc_ <b>SnomedDecisionSupport</b> _Current-en-US_INT_20170331.pdf (Title: Decision Support with SNOMED CT)</li> <li>• doc_ <b>SearchDataEntryGuide</b> _Current-en-US_INT_20171122 (Title: SNOMED CT Search and Data Entry Guide)</li> </ul>
res tls	The value of the ContentType element may be determined on a case-by-case basis but, in conjunction with the ContentSubType element, should be adequate to identify the content and purpose of the file.

## ContentSubType Element

The ContentSubType element is mandatory for all FileTypes. It provides additional information to describe the content and purpose of the file, including the [language / dialect](#) , where appropriate. Its format is 2-48 alphanumeric characters in camel case (except for the capitalization rules specified below for [language](#) code). Hyphen (" - ") is a permitted character in conjunction with a language code, as described below.

**Table 2.1.2-5: ContentSubType Element - Sub-elements and Permitted Values for FileTypes "sct" and "der"**

Sub-elements	Values	Description
Summary		An optional short camel case summary of the usage of the file. The value of this sub-element may be determined on a case-by-case basis but, in conjunction with the ContentType element, should be adequate to identify the content and purpose of the file. Examples: <ul style="list-style-type: none"> <li>For references sets a brief indication about the type or purpose the reference set(s) in the file.</li> </ul> Note: If there is a summary the ReleaseType or DocStatus follows this Summary sub-element immediately without a space or other separator.
ReleaseType	Full	The file contains the Full view of the components or refset members within its scope (i.e. every version ever released).
	Snapshot	The file contains the Snapshot view of the components or refset members within its scope (i.e. only the most recent version released).
	Delta	The file contains the Delta view of the components or refset members within its scope (i.e. only additions/changes since previous release).
LanguageCode		Where it is necessary to specify the language or dialect used in a file, the appropriate language code must be included as the final sub-element of the ContentSubType. If a Summary or DocStatus sub-element is also included, the LanguageCode must be added after the last of those sub-elements and must be separated from it by a hyphen. <b>Representation of the LanguageCode</b> The language is specified with a 2 character <a href="#">ISO 639-1 language code</a> (e.g. es = Spanish, fr = French, da = Danish). If necessary, a dialect code is added after the language code and separated from it by a hyphen. Depending on the specificity required the dialect code comes from one of two sources: <ul style="list-style-type: none"> <li>If the dialect is general to an entire country, the two-letter <a href="#">ISO-3166 alpha-2 country code</a> is used to specify the dialect (e.g. en-US = US English, en-GB British English)</li> <li>If dialect is less common or not country specific, the <a href="#">IANA language subtag</a> should be used. Note this code consists strings of lower case letters. IANA is the Internet Assigned Numbers Authority. This approach follows Internet conventions.</li> </ul>

**Table 2.1.2-6: ContentSubType Element - Sub-elements and Permitted Values for FileType "doc"**

Sub-elements	Values	Description
Summary		An optional short camel case addition to the ContentType title. If there is a Summary the DocStatus follows this Summary sub-element immediately without a space or other separator.
DocStatus	Current	The document is up-to-date and complete for the current release of SNOMED CT, as indicated by the VersionDate element.
	Draft	The document is a draft version; it may be incomplete and has not been approved in a final version.
	Review	The document has been released for review and comments from SNOMED International Members, Affiliates and other stakeholders.
LanguageCode		Where it is necessary to specify the language or dialect used in a file, the appropriate language code must be included as the final sub-element of the ContentSubType. If a Summary or DocStatus sub-element is also included, the LanguageCode must be added after the last of those sub-elements and must be separated from it by a hyphen. Representation of the LanguageCode is described in detail in the final row of <a href="#">Table 2.1.2-5</a> .

**Table 2.1.2-7: ContentSubType Element - Sub-elements and Permitted Values for FileTypes "res" and "tls"**

Sub-elements	Values and Description
--------------	------------------------

Summary	The value of this sub-element may be determined on a case-by-case basis but, in conjunction with the ContentType element, should be adequate to identify the content and purpose of the file.
LanguageCode	If it is necessary to specify the language or dialect used in a resource data file or tool, the appropriate language code must be included as the final sub-element of the ContentSubType. If a Summary sub-element is also included, the LanguageCode must be added after the Summary sub-element and must be separated from it by a hyphen. Representation of the LanguageCode is described in detail in the final row of <a href="#">Table 2.1.2-5</a> .

## Examples of ContentSubType

- der2\_cRefset\_**AttributeValueSnapshot**\_INT\_20180131.txt
  - Summary=AttributeValue (type of refset),
  - Release type=Snapshot,
  - Language not stated
- sct2\_Description\_**Snapshot-en**\_INT\_20180131.txt
  - Release type=Snapshot,
  - Language=English
- der2\_cRefset\_**LanguageSnapshot-en**\_INT\_20180131.txt
  - Summary=Language (type of refset),
  - Release type=Snapshot,
  - Language=English
- doc\_lhtsdoGlossary\_**Current-en-US**\_INT\_20170817.pdf
  - DocStatus=Current,
  - Language=en-US.

## CountryNamespace Element

The CountryNamespace element is mandatory for all FileTypes. It identifies the organization responsible for developing and maintaining the file. It is a string of 2 to 10 alphanumeric characters consisting of the two sub-elements described below. At least one of these two sub-elements must be present. [SNOMED International](#) or a [National Release Center \(NRC\)](#) may optionally include both sub-elements where they consider this to be appropriate.

**Table 2.1.2-8: CountryNamespace Element - Sub-elements and Permitted Values**

Sub-element	Values	Description
CountryCode	INT	The file is maintained and distributed by SNOMED International.
	AA to ZZ	The file is maintained and distributed by the <a href="#">NRC</a> for the country represented by this <a href="#">ISO-3166 alpha-2 country code</a> . The code consists of exactly two uppercase characters from the latin alphabet.
	<blank>	The file is maintained and released by an SNOMED CT extension provider that is not an NRC.
NamespaceId	0000000 to 9999999	The file is maintained and released by an SNOMED CT extension provider that is not an NRC. In which case, this value is a 7 digit <a href="#">namespace identifier</a> allocated to that organization by SNOMED International. The file is maintained and distributed by either SNOMED International or an NRC and the distributing organization has chosen to include the namespace identifier to indicate that this is part of a release restricted to content in a single namespace.
	<blank>	The file is maintained and distributed by either SNOMED International or an NRC and the distributing organization has not chosen to include the namespace identifier to indicate that this is part of a release restricted to content in a single namespace.

## Version Date Element

The VersionDate element is mandatory for all FileTypes. It identifies the [SNOMED CT](#) version with which the file is intended to be used. Its format is an 8-digit number in the pattern "YYYYMMDD", in compliance with the [ISO-8601](#) standard.

- For Data Files (**sct, der** or **res**), and for Documentation (**doc**) with a *status* tag value of "**Current**", the value of this element should always be the same as the [SNOMED CT](#) version date with which the file is associated.
- For other file types, the *VersionDate* element will identify the (past) date of the [SNOMED CT release](#) for which the file was intended. A file distributed with a past version date has not been updated to reflect changes to [SNOMED CT](#) since that date, nor has it been validated as correct or appropriate for current use.

## File Extension

The extension element of the filename identifies the file format (encoding convention) of the file, such as " **txt** ", " **pdf** " or " **zip** ". It has a format of 1-4 alphanumeric characters.

**Table 2.1.2-9: File Extensions Applicable to Different FileTypes**

FileType	Values	Description
sct or der	txt	All RF2 formatted release files are distributed as plain text UTF-8 files with the .txt suffix.
doc	pdf	<a href="#">Portable Document Format</a> is the default format for documents distributed and made available for download in a format suitable for local viewing or printing.
	<other>	Other document formats including plain text (.txt) and HTML (.html) may be used where deemed appropriate. In all cases the file extension (suffix) used should be one of the widely recognized format. Unless there are exceptional requirements, the format should be accessible using freely available software.
res	txt	Most resources should be provided as plain text UTF-8 files with the .txt suffix.
	zip	Where appropriate a resource file, or a collection of such files, may be distributed as zip archive.
	<other>	Other data formats may be used where appropriate.
tls	<any>	No specific statements are made about the file extensions to be used for tooling files. However, in general such tools should be provided in a format that does not compromise system security. In most cases, tools should be provided through an interface such as GitHub and should not be included as part of general releases of the terminology.

## 2.2. File Layout and Content

All SNOMED CT Release Files:

- are [UTF-8](#) encoded, tab delimited text files.
- contain a column header row, providing field names for each column within the file. Lower camel case is used for the field names (e.g. [moduleId](#), [effectiveTime](#) ).
- use DOS style line termination. Each line is terminated with a carriage return character followed by a line feed character.
- Should have a last line that ends with a line terminator (CR/LF) before the end of file.

## 2.3. Field Data Types

The following data types are used in the [release files](#):

**Table 2.3-1: Data Types Used in Release Files**

Data Type	Description
<a href="#">SCTID</a>	A <a href="#">SNOMED CT identifier</a> , between 6 and 18 digits long, as described in <a href="#">5.2. SCTID Representation</a> .
<a href="#">UUID</a>	A Universally Unique Identifier is a 128-bit unsigned generated using a standard algorithm. <ul style="list-style-type: none"> <li>• UUIDs are represented as strings of hexadecimal characters split by - characters as points specified by the <a href="#">UUID standard</a> .</li> </ul>
<a href="#">Integer</a>	A 32-bit signed integer.

String	UTF-8 text of a specified length.
Boolean	A Boolean value, represented as one of two possible integer values (1 = true, 0 = false).
Time	<p>A date and time format expressed in line the basic representation specified in the <a href="#">ISO 8601 standard</a>.</p> <ul style="list-style-type: none"> <li>• Where only date is required the format is YYYYMMDD (e.g. 20180125 refers to 25th January 2018)</li> <li>• Where a time is also required the <i>YYYYMMDDThhmmssZ</i> (e.g. 20180125T123000Z refers to 12:30 UTC on 25th January 2018)</li> <li>• The time should be expressed as UTC, as indicated by the trailing "Z".</li> </ul>

## Related Links

- [Appendix C. Unicode UTF-8 encoding](#)

## 2.4. Metadata and Enumerated Values

SNOMED CT release files contain some [concepts](#) that are not intended for clinical use. These [metadata concepts](#) represent additional information that supports the structure and design of the terminology. All [metadata concepts](#) are subtype descendants of the top-level concept [900000000000441003 |SNOMED CT Model Component|](#).

### Concept Enumerations

One use of [metadata concepts](#) is to represent enumerated values that can be applied to particular fields in release files and this is known as [concept enumeration](#).

[Concept enumeration](#) is the use of [SNOMED CT concept Identifiers](#) to represent of a set of values for a property of a particular type of [SNOMED CT component](#).

### Notes

- *Concept enumeration* serves the same general purpose as more general approaches to providing enumerated lists of values. However, the use of concept identifiers, rather than a sequential or arbitrary set of numbers, allows the human readable meaning of each enumeration to be accessed in the same way as terms associated with clinical concepts. Additionally, use of a hierarchical parent to specify the permitted values, enables the range of values to be updated when necessary.
- The [SNOMED CT concepts](#) used to represent *concept enumerations* are usually [subtype children](#) (or [descendants](#)) of a relevant general [concept](#) in the [SNOMED CT metadata hierarchy](#). Each possible value is represented by a single child [concept](#).

### Example

#### Concept Enumeration Values for `Description.typeId`

```

900000000000446008 |Description type (core metadata concept)|
90000000000003001 |Fully specified name (core metadata concept)|
90000000000013009 |Synonym (core metadata concept)|
900000000000550004 |Definition (core metadata concept)|
  
```

### Other Uses of Metadata

[Metadata concepts](#) in other sub-hierarchies of [900000000000441003 |SNOMED CT Model Component|](#) are used for a range of purposes including:

- Subtypes of the concept 900000000000454005 |foundation metadata concept| are used to specify the names and types of [reference sets](#) that enable customization and configuration of the terminology. More details of this are provided in section 4. [Reference Set Release Files Specification](#)
- Subtype of the concept 410662002 |Concept model attribute| represent attributes that can be used as [relationship types](#) in concept definitions.

## Related Links

For more information, see [4.1 Concept enumerations](#) .

## 2.5. Module Identification

Each [SNOMED CT component](#) is managed and maintained in a [module](#) identified by its [moduleId](#) field.

A [SNOMED CT module](#) is defined as a group of [SNOMED CT components](#) and/or [reference set members](#) that, at a given point in time, are managed, maintained and distributed as a unit.

## Notes

1. [Components](#) and [reference set members](#) that are part of the same *module* share the same [moduleId](#) value.
2. The organization responsible for managing and maintaining components in a *module*, is the organization that created that *moduleId*.
3. Each components and reference set member is a part of one and only one *module* as at a given point in time.
4. All *modules*, except one International Edition *module*, have dependencies on other *modules* and these dependencies are specified by the [4.2.12. Module Dependency Reference Set](#).
5. An organization, that is authorized to create a [SNOMED CT Extension](#) is responsible for organize the components and reference set members that they create into one or more modules, in a way that best fits its business needs.
6. The organization responsible for a *module* can move a components or reference set member from that *module* to another *module* that it is responsible for, by creating a revised version of the components or reference set member with a different *moduleId*. The component is part of the new *module* from the *effectiveTime* of the revised version.
7. Subject to rules related to movement of components between two extensions or between an extension and the International Edition, it is possible for a components or reference set member to be moved between *modules* maintained by different organizations.

## 2.6. Meaning of the Active Field

Each [component](#) has an associated [active](#) field, which can take values of true (1) or false (0). The meaning of this flag is described by [component](#) type in the following table:

**Table 2.6-1: Behavior of Active and Inactive Components**

Component Type	Active value	Component <b>behavior when the most recent row representing a component has the specified active value</b>
Concept	True	<ul style="list-style-type: none"> <li>• The <a href="#">concept</a> is intended for <a href="#">active</a> use.</li> <li>• All <a href="#">active descriptions</a> for which the conceptId refers to this <a href="#">concept</a> are valid. Visibility of these <a href="#">active descriptions</a> depends on information contained in applicable refset members (for example, whether the <a href="#">description</a> is in a <a href="#">language dialect reference set</a> that is currently enabled in the vendor's system).</li> <li>• All <a href="#">active relationships</a> of which it is the <a href="#">sourceId</a> or <a href="#">destinationId</a> are applicable.</li> </ul>

Component Type	Active value	Component behavior when the most recent row representing a component has the specified active value
Concept	False	<ul style="list-style-type: none"> <li>The <b>concept</b> is not intended for <b>active</b> use. However, it remains a valid <b>concept</b> for historical purposes as part of the SNOMED CT commitment to the principle of 'concept permanence'.</li> <li>Valid <b>descriptions</b> of the <b>concept</b> remain <b>active</b> allowing it to be appropriately viewed in human-readable form.</li> <li>An <b>inactive concept</b> cannot be the <b>sourceId</b>, <b>destinationId</b> or <b>typeId</b> of an <b>active relationship</b>.</li> </ul>
Description	True	<ul style="list-style-type: none"> <li>The <b>description</b> contains a <b>term</b> that is a valid <b>description</b> of the <b>concept</b> referred to by the <b>conceptId</b>.</li> <li>An <b>active description</b> may refer to an <b>inactive concept</b>, in which case the <b>term</b> provides a valid <b>description</b> of that <b>inactive concept</b>. Text based searches should (by default) include only <b>active descriptions</b> that refer to <b>active concepts</b>.</li> </ul>
Description	False	<ul style="list-style-type: none"> <li>The <b>description</b> is not a valid and the associated <b>term</b> should no longer be regarded as being associated with the <b>concept</b> referred to by <b>conceptId</b>.</li> </ul>
Relationship	True	<ul style="list-style-type: none"> <li>The <b>relationship</b> represents a valid association of the type specified by the <b>typeId</b>, between two <b>concepts</b> referred to by the <b>sourceId</b> and <b>destinationId</b>;</li> <li>An <b>inactive concept</b> cannot be the <b>sourceId</b>, <b>destinationId</b> or <b>typeId</b> of an <b>active relationship</b>.</li> </ul>
Relationship	False	<ul style="list-style-type: none"> <li>The <b>relationship</b> is not valid. An <b>inactive relationship</b> should be ignored as it does not apply.</li> <li>This does not necessarily mean that the association indicated by the <b>relationship</b> does not apply. The <b>relationship</b> may be <b>inactive</b> because it is redundant and inferable based on other <b>active relationships</b>.</li> <li>An <b>inactive relationship</b> may refer to either <b>active</b> or <b>inactive components</b>.</li> </ul>
Refset member	True	<ul style="list-style-type: none"> <li>The refset member contains valid information applicable to the <b>component</b> referred to by the <b>referencedComponentId</b>.</li> <li>The <b>component</b> referred to by the <b>referencedComponentId</b> may be <b>active</b> or <b>inactive</b>. An <b>active</b> refset member cannot make an <b>inactive component</b> <b>active</b> but may provide related information that continues to be relevant (e.g. the reason for inactivation).</li> </ul>
Refset member	False	<ul style="list-style-type: none"> <li>The refset member is not valid. An <b>inactive</b> refset member should be ignored. The information it contains is not applicable to the <b>component</b> referred to by <b>referencedComponentId</b>.</li> </ul>

## 2.7. History Mechanism

The **effectiveTime** and **active** fields in the **release file** enable the use of a "log style" append-only data model to track all changes to each **component**, providing full traceability. Once released, a row in any of these files will always remain unchanged. Historic data is supplied in the **RF2 release files**, dating back to the first release in **RF1** format in 2002.

In order to change the properties of a current **component** (and, therefore, to create a new version of it), a new row is added to the applicable file, containing the updated fields, with the **active** field set to true and the timestamp in the **effectiveTime** field indicating the nominal date on which the new version was released.

To inactivate a **component**, a new row is added, containing the same data as the final valid version of the **component**, but with the **active** field set to false and the timestamp in the **effectiveTime** field indicating the nominal date of the release in which the final version ceased being valid.

Where editorial policy does not allow a particular property of a **component** to be changed whilst keeping the same **Identifier**, the **component** as a whole is inactivated (as described above), and a new row added with a new id, the **effectiveTime** set to the nominal date of the release in which this version of the **component** became valid, and the **active** field set to true.

It is thus possible to see both the current values and any historical values of a **component** at any point in time.

Content will not be future dated with respect to the release that it appears in, although a release itself may be released a few days before its nominal release date. Where there is a business requirement for specifying a future activation date for some **components**, this may be modeled using **reference sets**.

The following example demonstrates how the *history mechanism* works on the [Concept](#), but the same rules apply equally well to the [Description](#), [Relationship](#) and [Reference set](#) member files. In this example, the [descriptions](#) associated with the [moduleId](#) and [definitionStatusId](#) have been shown in place of their [SCTID](#) values.

A new [concept](#) (101291009) is added on the 1st July 2007:

**Table 2.7-1: History Example - Concept Added**

Id	effectiveTime	active	moduleId	definitionStatusId
101291009	20070701	1	Module 1	900000000000074008  Primitive

In the following release (on 1st January 2008), the [concept](#) is moved from |Module 1| to |Module 2|. Because the [moduleId](#) field is not immutable, the [concept](#) may be updated simply by adding a new record with the same Id.

**Table 2.7-2: History Example - Module Change**

Id	effectiveTime	active	moduleId	definitionStatusId
101291009	20070701	1	Module 1	900000000000074008  Primitive
101291009	20080101	1	Module 2	900000000000074008  Primitive

In the following release (on 1st July 2008), the [concept](#) is changed from being [Primitive](#) to being [Fully defined](#).

**Table 2.7-3: History Example - Definition Status Changed**

Id	effectiveTime	active	moduleId	definitionStatusId
101291009	20070701	1	Module 1	900000000000074008  Primitive
101291009	20080101	1	Module 2	900000000000074008  Primitive
101291009	20080701	1	Module 2	900000000000073002  Defined

In the following release (on 1st January 2009), the [concept](#) is deactivated:

**Table 2.7-4: History Example - Concept Made Inactive**

Id	effectiveTime	active	moduleId	definitionStatusId
101291009	20070701	1	Module 1	900000000000074008  Primitive
101291009	20080101	1	Module 2	900000000000074008  Primitive
101291009	20080701	1	Module 2	900000000000073002  Defined
101291009	20090101	0	Module 2	900000000000074008  Primitive

## Notes

1. At no stage in this process are previously written records ever amended. Once a record has been released in a [release file](#), it will continue to be released in exactly the same form in future [release files](#).
2. Changes are only recorded at the point of release in the [RF2 release files](#). If a [component](#) record is changed a number of times between releases (during an edit and review process), only the most recently amended record will be appended to the [release file](#), not individual records showing each separate edit to the released [component](#).
3. In the last example, as well as inactivating the concept ([active=0](#)), the [definitionStatusId](#) is changed from 900000000000073002 |Defined| to 900000000000074008 |Primitive|. In practice this change is not essential since the value of data columns is ignored when a [component](#) is inactive. Although the change is unnecessary and insignificant, it typically occurs since all the relationships of an inactive concept must also



be inactive, and as a result, from the perspective of the authoring environment the concept cannot be regarded as 900000000000073002 |Defined|.

## Related Links

- [3.1.4.1. Component features - History](#)

## 2.8. Release Types

Given the RF2's history tracking capability, it is possible to perform a number of different releases of content:

**Table 2.8-1: SNOMED CT Release Types**

Release type	Description
Full	A <b>full release</b> is a <b>release type</b> in which the <b>release files</b> contain every version of every component ever released.
Snapshot	A <b>snapshot release</b> is a <b>release type</b> in which the <b>release files</b> contain one version of every component released up to the time of the snapshot. The version of each component contained in a snapshot is the most recent version of that component at the time of the snapshot.
Delta	<p>A <b>delta release</b> is a <b>release type</b> in which the <b>release files</b> only contain rows that represent <b>component versions</b> and <b>reference set member versions</b> created since an identified previous release date.</p> <p><b>Notes</b></p> <ol style="list-style-type: none"> <li>1. Each <i>row</i> in a <i>delta release</i> file represents either a new <b>component</b> or <b>reference set member</b> or a change to an existing <b>component</b> or <b>reference set member</b> since the identified previous release date.</li> <li>2. A <i>delta release</i> identifies difference between two versions of the same <b>release package</b>. A <i>delta release</i> added to the <b>full release</b> for the "identified previous release date" is identical to the <b>full release</b> for the new version.</li> <li>3. The "identified previous release date", on which a <i>delta release</i> is based, is usually the most recent previous release. However, that may not always be the case. For example, where interim releases are made between two major releases there may be a combined <i>delta release</i> covering a period since a previous major releases.</li> </ol>

There are valid use cases for each type of **Release Type**. Each **International release** will incorporate all three of these **Release Types**, allowing users to choose the most appropriate format for their needs.

A **full release** will always be available from release centers. Optionally, other **Release Formats** may also be made available. Where out of cycle releases are made, these will follow the same format as standard cycle releases.

## 2.9. Important Notices

1. **SNOMED International** supplies **SNOMED CT** as a set of **release files** that are designed to be loaded into healthcare software applications such as **electronic health record** systems. This guide describes services that should be provided by software applications that implement **SNOMED CT**.
2. **SNOMED International** does not create or market healthcare software applications but seeks to promote implementation and innovation by promoting a market place in which **SNOMED CT** is equally accessible to all software developers, vendors and health service providers.
3. This guide refers to files that are included in the **International Release** of **SNOMED CT** provided to licensees by the **SNOMED International**. It also refers to additional files that are included in **SNOMED CT extensions** provided by **Members** and **Affiliates**. Details of the licensing arrangements for **SNOMED CT** and contact details for **Members** are available from **SNOMED International** web site ([www.snomed.org](http://www.snomed.org)).

### 3. Component Release Files Specification

This guide describes [SNOMED CT Release Format 2 \(RF2\)](#), to be used for official production releases of [SNOMED CT](#). This format is not mandated for internal terminology development usage or as an interchange mechanism between terminology development systems. [RF2](#) provides a format that is flexible, unambiguous and useful. It was designed to strengthen [SNOMED CT](#) by providing a simple and stable format that enables innovation through adaptations to cater for changing requirements [\[1\]](#).

The component release files are defined in the following sections:

[\[1\]](#) This specification was developed by harmonizing proposals reviewed by IHTSDO Enhanced Release Format Project Group, including:

- Enhanced Release Format Specification (SNOMED International Proposed Specification , 21 June 2007);
- Reference Set Specification (SNOMED International Proposed Specification , 31 July 2007);
- Alternate Release Format (proposed by NEHTA and their Australian Affiliates).

#### 3.1. Associations Between Files

The logical model of [associations](#) between the components in the release files are depicted in the following diagram. The component class represents columns present in all three component files. The individual classes (description, concept and relationship) only show the additional columns present in those files. The colored lines between descriptions and concepts and between relationships and concepts represent the link between the foreign keys (shown in bold) and the id of the concept. These provide the functional connections between components described in this document. The grey lines indicate additional links between columns that are populated with concept identifiers that provide enumerated values.




Figure 3.1-1: Logical Relationships Between Component Files

Each **concept** is represented by a row in the **Concept** and the concept is identified by the id column in that row. There can be more than one row with the same id but with different effectiveTime values, in which case each of these rows represents a version of that same concept. Thus each row represents a version of a clinical **concept**.

Each **concept** has two or more **descriptions** associated with it:

- At least one **Fully Specified Name**; and
- At least one **synonym**.

Each **description** is represented by a row in the **Description** and is identified by the id column in that row. There can be more than one row with the same id but with different effectiveTime values, in which case each of these rows represents a version of that same description. Thus each row represents a version of a description. Each description applies to one concept to which it is linked by the conceptId. All versions of a description must relate to exactly the same identified concept (i.e. the conceptId must not change between versions).

Each **relationship**, from a source **concept** to a destination **concept**, is represented by a row in the **Relationship**. There can be more than one row with the same id but with different effectiveTime values, in which case each of these rows represents a version of that same relationship. Thus each row represents a version of a relationship. The source, destination and type each relationship are identified respectively by the sourceId, destinationId and typeId columns. All versions of a relationship must have the same sourceId, destinationId and typeId. The typeId refers to **concept**, that is also held within the **Concept**. The only concepts that can be used as the relationship typeId are 116680003 |is a| or concepts that are subtypes of 410662002 |Concept model attribute|.

The most basic form of **relationship** is the 116680003 |is a| relationship. This relationship states that one **concept** is a subtype of another **concept**. Each subtype concept is connected to its parent subtype(s) by relationships with the typeId 116680003 |is a| and this form the main SNOMED CT **hierarchy**. In this **hierarchy**, a **child concept** may have more than one parent **concept**. The root of the **hierarchy** is 138875005 |SNOMED CT Concept|, which has a set of top level **children**, each forming its own **sub-hierarchy**. **Relationships** with typeId values that are subtypes of 410662002 |Concept model attribute| are referred to as attribute relationship and contribute to the formal definition of the source concept.

## 3.2. File Format Specifications

**i** An SQL schema, which represents the content of each of the files specified in the section as a relational table, is provided as part of the Terminology Services Guide (see [TSG 1.3 Example of a Full View Relational Representation](#)).

### 3.2.1. Concept File Specification

The **Concept File** holds the clinical **concepts** that make up **SNOMED CT**. A **concept** is given meaning by its **Fully Specified Name**, which is held in the **Description**. A **concept** may be distinguished from or refined by association with other **concepts** using **relationships**, which are held in the **Relationship**.

**Table 3.2.1-1: Concept file - Detailed Specification**

Field	Data type	Purpose	Mutabl e	Part of Primary Key
id	SCTID	Uniquely identifies the <b>concept</b> .	NO	YES (Full/Snapshot)
effectiveTime	Time	Specifies the inclusive date at which the component version's state became the then current valid state of the component	YES	YES (Full) Optional (Snapshot)
active	Boolean	Specifies whether the <b>concept</b> was <b>active</b> or <b>inactive</b> from the nominal release date specified by the <b>effectiveTime</b> .	YES	NO
moduleId	SCTID	Identifies the <b>concept</b> version's module. Set to a <b>descendant</b> of 90000000000443000   Module   within the metadata <b>hierarchy</b> .	YES	NO
definitionStatusId	SCTID	Specifies if the <b>concept</b> version is <b>primitive</b> or <b>sufficiently defined</b> . Set to a <b>descendant</b> of 90000000000444006   Definition status   in the metadata <b>hierarchy</b> .	YES	NO

Only one **concept** record with the same **id** field is current at any point in time. The current record will be the one with the most recent **effectiveTime** before or equal to the date under consideration. If the **active** field of this record is false ('0'), then the **concept** is **inactive** at that point in time.

When a **concept** is made **inactive**, the following operations take place:

- A new row is added to the **Concepts** file for the **concept**, with the **active** flag set to **inactive** and the **definitionStatusId** set to **primitive**;
- All **relationships** that have as source the **concept** to be inactivated will themselves be inactivated by adding a new row to the **Relationship** for each **relationship**, with the **active** flag set to **inactive**;
- All **active descriptions** associated with the **concept** will remain unchanged unless incorrect for the **concept**;
- Rows will be added as needed to the **Historical Association Reference Sets**, to model associations from the **inactive concept** to other **concepts**;
- **Active descriptions** that are still associated with the **inactive concept** will be added to the 90000000000490003 |Description inactivation indicator reference set|, with an associated value of 90000000000495008 |Concept non-current|

#### Related Links

- [3.1.1. Concepts](#)
- [Appendix C. Unicode UTF-8 encoding](#)
- [Concept](#)
- [1. Logical Model of SNOMED CT Components](#)

### 3.2.2. Description File Specification

The **Description** holds **descriptions** that describe **SNOMED CT concepts**. A **description** is used to give meaning to a **concept** and provide well-understood and standard ways of referring to a **concept**.

**Table 3.2.2-1: Description file - Detailed Specification**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	SCTID	Uniquely identifies the <b>description</b> .	NO	YES (Full/Snapshot)
effectiveTime	Time	Specifies the inclusive date at which the component version's state became the then current valid state of the component	YES	YES (Full) Optional (Snapshot)
active	Boolean	Specifies whether the state of the <b>description</b> was <b>active</b> or <b>inactive</b> from the nominal release date specified by the <b>effectiveTime</b> .	YES	NO
moduleId	SCTID	Identifies the <b>description</b> version's module. Set to a <b>child</b> of 900000000000443000   Module   within the metadata <b>hierarchy</b> .	YES	NO
conceptId	SCTID	Identifies the <b>concept</b> to which this <b>description</b> applies. Set to the <b>identifier</b> of a <b>concept</b> in the 138875005   SNOMED CT Concept   <b>hierarchy</b> within the <b>Concept</b> . Note that a specific version of a <b>description</b> is not directly bound to a specific version of the <b>concept</b> to which it applies. Which version of a <b>description</b> applies to a <b>concept</b> depends on its <b>effectiveTime</b> and the point in time at which it is accessed.	NO	NO
languageCode	String	Specifies the <b>language</b> of the <b>description</b> text using the two character ISO-639-1 code. Note that this specifies a <b>language</b> level only, not a <b>dialect</b> or country code.	NO	NO
typeId	SCTID	Identifies whether the <b>description</b> is <b>fully specified name</b> a <b>synonym</b> or other <b>description</b> type. This field is set to a <b>child</b> of 900000000000446008   Description type   in the Metadata <b>hierarchy</b> .	NO	NO
term	String	The <b>description</b> version's text value, represented in <b>UTF-8</b> encoding.	YES	NO
caseSignificanceId	SCTID	Identifies the <b>concept</b> enumeration value that represents the case significance of this <b>description</b> version. For example, the <b>term</b> may be completely case sensitive, case insensitive or initial letter case insensitive. This field will be set to a <b>child</b> of 900000000000447004   Case significance   within the metadata <b>hierarchy</b> .	YES	NO

Only one **description** record with the same **id** field will be current at any point in time. The current record will be the one with the most recent **effectiveTime** before or equal to the point in time under consideration.

If the **active** field of this record is false ('0'), then the **description** is **inactive** at that point in time. If the **active** field is true ('1'), then the **description** is associated with the **concept** identified by the **conceptId** field.

The **conceptId** field, the **languageCode** field and the **typeId** field will not change between two rows with the same **id**, in other words they are immutable. Where a change is required to one of these fields, then the component will be inactivated (by appending a row with the same **id** and the **active** field set to false) and another row will be added representing a new component with a new **id**. Only limited changes may be made to the **term** field, as defined by editorial rules.

Each **concept** will have at least one **active description** with a **typeId** of 90000000000013009 |synonym| and at least one **active description** with a **typeId** of 90000000000003001 |Fully specified name|.

Where a [concept](#) only has one [active description](#) with a [typeid](#) of 900000000000003001 |Fully specified name| across all [language](#) codes within a release, then that [Description](#) can be taken as the [Fully Specified Name](#) for all [languages](#) and [dialects](#), and need not be explicitly included in every [language reference set](#) associated with that release.

The [term](#) field will be restricted as follows:

- to an overall maximum length of 32Kb;
- to a maximum length, configurable for each [description type](#) as defined in the 900000000000538005 |Description format reference set| member associated with that [description type](#)- see the [Description Format Reference Set](#) specifications document for more details.
- The 900000000000538005 |Description format reference set| also defined the format of the [term](#) field (plain text, limited HTML, XHTML) for each [description type](#).
- Control characters (including TABs, CRs and LFs) will not appear in 900000000000540000 |Plain text| or 900000000000541001 |Limited HTML| format types.

## Related Links

- [3.1.2. Descriptions and Terms](#)
- [4.2.13. Description Format Reference Set](#)
- [Appendix C. Unicode UTF-8 encoding](#)
- [Description](#)

### 3.2.3. Relationship File Specification

The **Relationship** file holds one **relationship** per row. Each **relationship** is of a particular type, and has a source **concept** and a destination **concept**. An example of a **relationship** is given below: 371883000 |Outpatient procedure| 116680003 |Is a| 71388002 |Procedure|where:

- 371883000 |Outpatient procedure|is the source **concept**;
- 116680003 |Is a|is the **relationship type concept** and;
- 71388002 |Procedure|is the destination **concept**.

**Table 3.2.3-1: Relationship file - Detailed specification**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	SCTID	Uniquely identifies the <b>relationship</b> .	NO	YES (Full/Snapshot)
effectiveTime	Time	Specifies the inclusive date at which the component version's state became the then current valid state of the component.	YES	YES (Full/Optional (Snapshot))
active	Boolean	Specifies whether the state of the <b>relationship</b> was <b>active</b> or <b>inactive</b> from the nominal release date specified by the <b>effectiveTime</b> field.	YES	NO
moduleId	SCTID	Identifies the <b>relationship</b> version's module. Set to a <b>child</b> of 900000000000443000  Module  within the metadata <b>hierarchy</b> .	YES	NO
sourceId	SCTID	Identifies the source <b>concept</b> of the <b>relationship</b> version. That is the <b>concept</b> defined by this <b>relationship</b> . Set to the <b>identifier</b> of a <b>concept</b> .	NO	NO
destinationId	SCTID	Identifies the <b>concept</b> that is the destination of the <b>relationship</b> version. That is the <b>concept</b> representing the value of the attribute represented by the <b>typeId</b> column. Set to the <b>identifier</b> of a <b>concept</b> . Note that the values that can be applied to particular attributes are formally defined by the <b>SNOMED CT Machine Readable Concept Model</b> .	NO	NO
relationshipGroup	Integer	Groups together <b>relationship</b> versions that are part of a logically associated <b>relationshipGroup</b> . All <b>active</b> <b>Relationship</b> records with the same <b>relationshipGroup</b> number and <b>sourceId</b> are grouped in this way.	YES	NO
typeId	SCTID	Identifies the <b>concept</b> that represent the defining attribute (or relationship type) represented by this <b>relationship</b> version. That is the <b>concept</b> representing the value of the attribute represented by the <b>typeId</b> column. Set to the <b>identifier</b> of a <b>concept</b> . The concept identified must be either 116680003  Is a  or a subtype of 410662002  Concept model attribute . The concepts that can be used as in the <b>typeId</b> column are formally defined as follows: <div style="border: 1px solid black; padding: 2px; margin: 5px 0;">116680003  is a  OR &lt; 410662002  concept model attribute </div> Note that the attributes that can be applied to particular concepts are formally defined by the <b>SNOMED CT Machine Readable Concept Model</b> .	NO	NO
characteristicTypeId	SCTID	A <b>concept</b> enumeration value that identifies the characteristic type of the <b>relationship</b> version (i.e. whether the <b>relationship</b> version is defining, qualifying, etc.) This field is set to a <b>descendant</b> of 900000000000449001  Characteristic type  in the metadata <b>hierarchy</b> .	YES	NO

modifierId	SCTID	<p>A <a href="#">concept</a> enumeration value that identifies the type of <a href="#">Description Logic</a> (DL) restriction (some, all, etc.). Set to a <a href="#">child</a> of <a href="#">900000000000450001</a>   <a href="#">Modifier</a>   in the metadata <a href="#">hierarchy</a>.</p> <p>Currently the only value used in this column is <a href="#">900000000000451002</a>   <a href="#">Some</a>   and thus in practical terms this column can be ignored. For further clarification please see <a href="#">Notes on modifierId</a>.</p>	YES	NO
------------	-------	--	-----	----

Only one [relationship](#) record with the same id field will be current at any point in time. The current record will be the one with the most recent effectiveTime before or equal to the point in time under consideration.

If the [active](#) field of this record is false ('0'), then the [relationship](#) is [inactive](#) at that point in time. If the [active](#) field is true ('1'), then there is a [relationship](#) between the [SNOMED CT concepts](#) identified by [sourceId](#) and [destinationId](#).

The [sourceId](#), [destinationId](#), [relationshipGroup](#), [typeId](#), [characteristicTypeId](#) and [modifierId](#) will not change between two rows with the same id, in other words they are immutable. Where a change is required to one of these fields, then the current row will be de-activated (by appending a row with the same id and the [active](#) field set to false) and a new row with a new id will be appended.

The [relationshipGroup](#) field is used to group [relationships](#) with the same [sourceId](#) field into one or more logical sets. A [relationship](#) with a [relationshipGroup](#) field value of '0' is considered not to be grouped. All [relationships](#) with the same [sourceId](#) and non-zero [relationshipGroup](#) are considered to be logically grouped.

The [relationshipGroup](#) field will be an unsigned [Integer](#), and will not be limited to a single digit value. There is no guarantee that they will be assigned sequentially, and the values will not be unique across [concepts](#).

## Related Links

- [Editorial Guide: Defining Attributes by Hierarchy and Domain](#)
- [Editorial Guide: Individual Hierarchies](#)
- [SNOMED CT Machine Readable Concept Model](#)
- [3.1.3. Relationships](#)
- [Appendix C. Unicode UTF-8 encoding](#)
- [Relationship](#)



### 3.2.4. Identifier File Specification

#### Important Note

#### The Identifier File does not contain any data in the SNOMED CT International Release

The file structure is documented here only as a point of reference for others who may be using the files in an extension release.

This file provides a standardized way of associating alternative [Identifiers](#) from various schemes with [SNOMED CT components](#).

At any point in time, an alternative [Identifier](#) within a particular scheme will be associated with one and only one [SNOMED CT component](#). A [SNOMED CT component](#) may be associated with zero or more alternative [Identifiers](#) within a single scheme.

It is important to note that the [SNOMED CT component](#) and its alternative [Identifiers](#) all identify precisely the same real-world object.

Note: The Identifier file is not currently used in the [SNOMED CT International Release](#) as use of the more flexible [Simple map type references set](#) structure is preferred for links to alternative codes. The only known current use of this file is for internal identification of components during the content development process.

**Table 3.2.4-1: Identifier file - Detailed Specification**

Field	Data type	Purpose	Mutabl e	Part of Primary Key
<a href="#">identifierSchemeld</a>	SCTID	Identifier of the <a href="#">concept</a> enumeration value from the Metadata <a href="#">hierarchy</a> that represents the scheme to which the <a href="#">Identifier</a> value belongs. Set to a <a href="#">descendant</a> of 900000000000453004   Identifier scheme   within the metadata <a href="#">hierarchy</a> .	NO	YES (Full/ Snapshot)
<a href="#">alternatIdentifier</a>	String	String representation of the alternative <a href="#">Identifier</a> in its native scheme.	NO	YES (Full/ Snapshot)
<a href="#">effectiveTime</a>	Time	Specifies the inclusive date at which the alternative <a href="#">Identifier</a> was associated with the <a href="#">SNOMED CT component</a> .	YES	YES (Full) Optional (Snapshot)
<a href="#">active</a>	Boolean	Specifies whether the association was <a href="#">active</a> or <a href="#">inactive</a> from the point in time specified by the <a href="#">effectiveTime</a> .	YES	NO
<a href="#">moduleId</a>	SCTID	Identifies the source module that this association was created in. Set to a <a href="#">child</a> of 900000000000443000   Module   within the metadata <a href="#">hierarchy</a> .	YES	NO
<a href="#">referencedComponentId</a>	SCTID	Uniquely identifies the <a href="#">SNOMED CT component</a> with which the alternative <a href="#">Identifier</a> is associated.	NO	NO

Only one record with the same [identifierSchemeld](#) and [alternatIdentifier](#) fields will be current at any point in time. The current record will be the one with the most recent [effectiveTime](#) before or equal to the point in time under consideration.

If the [active](#) field of this record is false ('0'), then the association is [inactive](#) at that point in time. If the [active](#) field is true ('1'), then there is an identity at that point in time between the [referencedComponentId](#) (a [SNOMED CT component](#)) and the [alternatIdentifier](#) in the scheme identified by [identifierSchemeld](#).

### 3.2.5. Transitive Closure Files

#### Important Note

#### **Transitive Closure Files are not distributed in the SNOMED CT International Release**

The file structures documented here are points of reference for those generating transitive closure table from release data. SNOMED International provides a script file that can be used to generate the Snapshot Transitive Closure file from the snapshot Relationship File.

The [Transitive Closure](#) is the complete set of [relationships](#) between every [concept](#) and each of its super-type [concepts](#), in other words both its parents and [ancestors](#).

A transitive closure table is one of the most efficient ways to test for [subsumption between concepts](#).

#### Snapshot Transitive Closure File

SNOMED International provides an example of a [Transitive Closure Perl script file](#) that can be used to generating a snapshot view of the transitive closure from the snapshot release of the [Relationship](#). The output of this script conforms to the following following file structure. Note that the primary key for this table consists of both columns.

**Table 3.2.5-1: Transitive Closure File - Detailed Specification**

Field	Data type	Purpose	Part of Primary Key
subtypeld	SCTID	Id of the <a href="#">concept</a> playing the <a href="#">subtype</a> role. Set to an <a href="#">Identifier</a> of a <a href="#">concept</a> .	YES
supertypeld	SCTID	Id of the <a href="#">concept</a> playing the supertype role. Set to an <a href="#">Identifier</a> of a <a href="#">concept</a> .	YES

## Versioned Transitive Closure

A versioned view of the [Transitive Closure](#) can also be generated by combining the snapshot views for different effective times and removing redundant rows (e.g. where the transitive closure has not changed between release versions). The generated file could then be represented using the example specification below. Note that the unique key for this file would consist of the **subtypeld**, **supertypeld** and **effectiveTime**.

**Table 3.2.5-2: Versioned Transitive Closure File - Example Specification**

Field	Data type	Purpose	Part of Primary Key
subtypeld	SCTID	Id of the <a href="#">concept</a> playing the <a href="#">subtype</a> role. Set to an <a href="#">Identifier</a> of a <a href="#">concept</a> .	YES
supertypeld	SCTID	Id of the <a href="#">concept</a> playing the supertype role. Set to an <a href="#">Identifier</a> of a <a href="#">concept</a> .	YES
effectiveTime	Time	Specifies the inclusive date at which the <a href="#">transitive closure</a> record was added or changed its active state.	YES
active	Boolean	Specifies whether at the <a href="#">transitive closure</a> represented by the subtypeld and supertypeld became valid ( <a href="#">active</a> ) or invalid ( <a href="#">inactive</a> ) from the point in time specified by the <a href="#">effectiveTime</a> .	NO

## Related Links

- [7.5.2 Transitive closure implementation](#)

### 3.3. Metadata Hierarchy

As the [release file](#) formats contain a number of [concept](#) enumerations, it is necessary to define sets of [concepts](#) that represent the allowed values. As well as the enumerated values, other metadata supporting the extensibility mechanism and the [concept model](#) is required.

The [concept](#) 900000000000441003 |SNOMED CT Model Component (metadata)| is a [subtype](#) of the [root concept](#) (138875005 |SNOMED CT Concept|), and contains the metadata, supporting the release.

The [subtypes](#) of 900000000000441003 |SNOMED CT Model Component (metadata)| are described in the following table and the top three levels of the hierarchy are shown in the figure below this.

**Table 3.3-1: SNOMED CT Model Component (metadata) (900000000000441003)**

Id	Term	Comment
106237007  Linkage concept (linkage concept)	106237007  Linkage concept (linkage concept)	<p>Concepts that specify</p> <ul style="list-style-type: none"> <li>Semantic Relationships between concepts( 246061005  Attribute ); and</li> <li>Asserted associations between statements in a record ( 416698001  Link assertion )</li> </ul>
370136006  Namespace concept (namespace concept)	370136006  Namespace concept (namespace concept)	Concepts that specify the Extension Namespaces allocated by the SNOMED International.
900000000000442005  Core metadata concept (core metadata concept)	900000000000442005  Core metadata concept (core metadata concept)	Concepts that are referenced from enumerated fields within the International Release files (the <a href="#">Concept</a> , <a href="#">Description</a> , <a href="#">Relationship</a> , <a href="#">Identifier</a> ).
900000000000454005  Foundation metadata concept (foundation metadata concept)	900000000000454005  Foundation metadata concept (foundation metadata concept)	The metadata that supports the extensibility mechanism, and is discussed in more detail in the <a href="#">Reference Sets Guide</a> .

**Table 3.3-2: SNOMED CT Metadata Hierarchy (2018-01-31) - Core metadata concepts (top 3 levels only)**

90000000000441003	SNOMED CT Model Component
90000000000442005	Core metadata concept
90000000000447004	Case significance
90000000000448009	Case insensitive
90000000000017005	Case sensitive
90000000000020002	Initial character case insensitive
90000000000449001	Characteristic type
90000000000227009	Additional relationship
90000000000006009	Defining relationship
90000000000225001	Qualifying relationship
90000000000444006	Definition status
90000000000073002	Defined
90000000000074008	Primitive
90000000000446008	Description type
90000000000550004	Definition
90000000000003001	Fully specified name
90000000000013009	Synonym
900000000004453004	Identifier scheme
90000000000294009	SNOMED CT integer ID
90000000000002006	SNOMED CT UUID
900000000004450001	Modifier
900000000004452009	All
900000000004451002	Some
90000000000443000	Module
90000000000445007	IHTSDO maintained module
466707005	SNOMED CT Medical Devices module
900000000004454005	Foundation metadata concept  ... (see next table)

**Table 3.3-3: SNOMED CT Metadata Hierarchy (2018-01-31) - Foundation metadata concepts (top 3 levels only - some long lists replaced by ...)**

90000000000441003	SNOMED CT Model Component
90000000000442005	Core metadata concept  ... (see previous table)
90000000000454005	Foundation metadata concept
90000000000455006	Reference set
90000000000516008	Annotation type
90000000000521006	Association type
90000000000480006	Attribute value type
705109006	Code to expression type reference set
447250001	Complex map type reference set
609430003	Concept model reference set
90000000000538005	Description format
733614007	Expansion history reference set
609331003	Extended map type reference set
733613001	Intensional definition reference set
90000000000506000	Language type
705111002	Map correlation and origin type reference set
90000000000534007	Module dependency
723564002	MRCM reference set
733618005	Ordered association type reference set
733619002	Ordered component type reference set
447258008	Ordered type reference set
90000000000512005	Query specification type
90000000000456007	Reference set descriptor
90000000000496009	Simple map
446609009	Simple type reference set
90000000000457003	Reference set attribute
447257003	"Linked to" reference set attribute
90000000000511003	Acceptability
...	
723569007	Template
106237007	Linkage concept
246061005	Attribute
410663007	Concept history attribute
410662002	Concept model attribute
116680003	Is a
408739003	Unapproved attribute
416698001	Link assertion
417151001	Has explanation
...	
416872009	Is etiology for
417318003	Is manifestation of
370136006	Namespace concept
373872000	Core Namespace
370137002	Extension Namespace 1000000
...	
713754005	Extension Namespace 1000999

## 4. Reference Set Release Files Specification

This section of the SNOMED CT Release Files Specification provides details of the structure and content of [reference set](#) files distributed by SNOMED International as part of the SNOMED CT International Release. This is also the standard format in which producers of [SNOMED CT extension](#) are required to distribute any [reference sets](#) that they produce to their sublicensees<sup>1</sup>.

[Reference set](#) data structures provide a generic mechanism for configuration and extensibility of SNOMED CT to a wide range of different requirements. Reference sets act as building blocks that provide a common foundation that enables those developing SNOMED CT [extensions](#) to customize the way their users interact with [SNOMED CT](#). The flexibility offered by [reference sets](#) also enables adaptation of existing system to support changing requirements.

The reference set file formats are formally defined in following subsections.

<sup>1</sup> The files specified by this section form part of SNOMED CT Release Format 2 (RF2) - the standard release format for SNOMED CT since 2012. RF2 is a flexible, simple stable format with support for robust versioning. It enables innovation through adaptations to cater for changing requirements. This format is only mandated as the standard distribution format for SNOMED CT International and SNOMED CT Extensions. Internal representations of SNOMED CT resources within an application may vary provided such representations faithfully retain the information represented in the release files.

### 4.1. General Features of Reference Sets

This section provides summary information on the general features of [reference sets](#). Section [4.2. Reference Set Types](#) build on this providing detailed specifications of each of the internationally defined reference sets. However, for more detail of the purposes for which reference sets can be used and the ways in which the design of different reference set types meet practical requirements, please see the [Practical Guide to Reference Sets](#).

#### 4.1.1. Basic Reference Set Member File Format

The basic [reference set](#) data structure consists of the following fields:

**Table 4.1.1-1: Basic Reference Set Data Structure**

Field	Data type	Purpose	Mutable
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying the <a href="#">reference set</a> member.	NO
effectiveTime	Time	Specifies the inclusive date at which this change becomes effective.	YES
active	Boolean	Specifies whether the member's state was <a href="#">active</a> or <a href="#">inactive</a> from the nominal release date specified by the <a href="#">effectiveTime</a> field.	YES
moduleId	SCTID	Identifies the member version's module. Set to a <a href="#">child</a> of 900000000000443000   Module   within the metadata <a href="#">hierarchy</a> .	YES
refsetId	SCTID	Uniquely identifies the <a href="#">reference set</a> that this <a href="#">extension</a> row is part of. Set to a <a href="#">descendant</a> of 900000000000455006   Reference set   within the metadata <a href="#">hierarchy</a> .	NO
referencedComponentId	SCTID or UUID	Uniquely identifies the component that this row relates to, thus defining membership of this component in the <a href="#">Reference Set</a> . This field can be set to the <a href="#">Identifier</a> of a record within the <a href="#">Concept</a> , <a href="#">Description</a> , <a href="#">Relationship</a> or <a href="#">Reference Set</a> member file. However, the content of this field can be further restricted for each <a href="#">reference set</a> by the <a href="#">reference set</a> descriptor (see the " <a href="#">SNOMED CT Release Format 2 - Reference Set Specifications</a> " document for more details).	NO
Zero or more other fields dependent on reference set type	SCTID , String , or Integer	Optional field(s) serving purposes specific to the reference set type. For details see <a href="#">4.2. Reference Set Types</a> .	Depends on refset type

Each [reference set](#) is identified and named by a [concept](#) in the [metadata hierarchy](#). Therefore the reference set is identified by a concept identifier (an [SCTID](#)).

Each row in a reference set file represents a [reference set member](#).

- Individual reference set members are uniquely identified by a identifier represented as a [UUID](#).
- Each reference set member belongs to a single reference set, and it is linked to that reference set by the [refsetId](#) field.
- Each reference set member is also associated with a single referenced component by its [referencedComponentId](#) field. The referenced component may be a [concept](#), [description](#), [relationship](#). If the referenced component is a concept that identifies another reference set than that reference set may be considered to be the target of the reference.
- Like [components](#), reference set members can be versioned to inactivate or change the status of the member. So there may be several rows in a [full release](#) file and in this case the one with the most recent [effectiveTime](#) before or equal to the point in time under consideration represents state of that reference set member. If the [active](#) field of this row is false ('0'), then the reference set member is [inactive](#) at that point in time, which means that component it refers to is not a member of the reference set. If the [active](#) field is true ('1'), then the component referenced by the [referencedComponentId](#) field is deemed to be a member of the [reference set](#).

The [refsetId](#) and [referencedComponentId](#) fields will not change between two rows with the same id, in other words they are immutable. Where a change is required to one of these fields, the current row will be inactivated (by appending a row with the same id and the [active](#) field set to false). Another row with a new id will be appended to reference another component.

A component may belong to any number of [reference sets](#). A component may also be referenced by more than one member of the same [reference set](#). This is not useful in the case of a simple reference set but is relevant for some reference sets. For example, a SNOMED CT concept may map to or from more than one codes in another code system.

#### 4.1.2. Extending the Basic Reference Set Member File Format

The basic [reference set](#) file structure enables representation of subsets of SNOMED CT components. However, the reference set format is extensible, allowing it to be used for a wide range of other purposes. For more details about the requirements that reference sets can address please see the [Practical Guide to Reference Sets](#).

The basic reference set structure can be extended by adding one or more fields. Each of these fields will hold additional specific values related to each member. Three general data types are supported in the additional columns. These are

- [Integer](#)
- [String](#) and
- [Component](#) (a reference to a [SNOMED CT component](#))

Finer grained interpretation of these data types can also be specified using the a special metadata references set known as the [900000000000456007 |Reference set descriptor|](#).

The [Reference Set](#) patterns that are supported as part of the [International Edition](#) are documented in [4.2. Reference Set Types](#). Additional [reference set](#) patterns can also be created as part of an extension to support additional use case (see [4.1.2. Extending the Basic Reference Set Member File Format](#)).



### 4.1.3. Naming Conventions for Reference Sets

National Release Centres and others may create additional [reference sets](#). A [namespace](#) is required to create a new [reference set](#), as each [reference set](#) is defined by a [concept](#). The [concept's FSN](#) and a [synonym](#) are used to name the [reference set](#). Where a new [reference set](#) is created against an existing pattern, then the following naming convention should be used (where the text "*Specific name*" is replaced by the specific name of the [reference set](#)).

#### Attribute Value Reference Set

- FSN = *Specific name* attribute value reference set (foundation metadata concept )
- PT = *Specific name* attribute value map

#### Language Reference Set

For a Language:

- FSN = *Language name* [International Organization for Standardization 639-1 code *Language code*] language reference set (foundation metadata concept )
  - Example: 9000000000000507009 |English [International Organization for Standardization 639-1 code en] language reference set (foundation metadata concept)|
- PT = *Language name*
  - Example: 9000000000000507009 |English|

For a Dialect:

- FSN = *Dialect name Language name* language reference set (foundation metadata concept )
  - Example: 9000000000000508004 |Great Britain English language reference set (foundation metadata concept)|
- PT = *Dialect code Language name*
  - Example: 9000000000000508004 |GB English|

#### Annotation Reference Set

- FSN = *Specific name* annotation reference set (foundation metadata concept )
- PT = *Specific name* annotation reference set

#### Association Reference Set

- FSN = *Specific name* association reference set (foundation metadata concept )
- PT = *Specific name* association reference set

#### 4.1.4. Metadata Supporting Reference Sets

Reference sets types are identified by concepts that are subtypes of the metadata concept 900000000000455006 |reference set|. Individual reference sets of a particular type are identified and named by concepts that are subtype descendants of the concept that identifies the reference set type.

**Table 4.1.4-1: Reference Set Types in the Metadata Hierarchy (2018-01-31)**

900000000000455006	Reference set
900000000000516008	Annotation type
900000000000521006	Association type
900000000000480006	Attribute value type
705109006	Code to expression type reference set
447250001	Complex map type reference set
609430003	Concept model reference set
900000000000538005	Description format
733614007	Expansion history reference set
609331003	Extended map type reference set
733613001	Intensional definition reference set
900000000000506000	Language type
705111002	Map correlation and origin type reference set
900000000000534007	Module dependency
723564002	MRCM reference set
733618005	Ordered association type reference set
733619002	Ordered component type reference set
447258008	Ordered type reference set
900000000000512005	Query specification type
900000000000456007	Reference set descriptor
900000000000496009	Simple map
446609009	Simple type reference set

Other concepts within the metadata hierarchy are used to name additional attributes within particular types of reference sets and to provide values for those attributes.

**Table 4.1.4-2: Reference Set Attributes in Metadata Hierarchy (2018-01-31) (some omitted)**

900000000000457003	Reference set attribute
447257003	"Linked to" reference set attribute
900000000000511003	Acceptability
900000000000518009	Annotated component
900000000000519001	Annotation
900000000000532006	Association source component
900000000000533001	Association target component
900000000000458008	Attribute description
900000000000479008	Attribute order
723576002	Attribute rule
900000000000459000	Attribute type
900000000000491004	Attribute value
733616009	Authoring substrate
723571007	Cardinality
609431004	Concept model domain
609432006	Concept model range
609642003	Concept model relationship type
723573005	Concept model rule strength
723574004	Content type
900000000000535008	Dependency target
900000000000539002	Description format
900000000000510002	Description in dialect
900000000000544009	Description length
723565001	Domain constraint
733612006	Expansion substrate
706999006	Expression
900000000000514006	Generated reference set
723572000	Grouped
723570008	Guide URL
900000000000504002	Map advice
609330002	Map category value
900000000000501005	Map group
900000000000502003	Map priority
900000000000503008	Map rule
900000000000500006	Map source concept
900000000000505001	Map target
723577006	MRCM rule reference set
705116007	Original code system source for linked content value
723566000	Parent domain
447255006	Priority order reference set attribute
723567009	Proximal primitive constraint
723568004	Proximal primitive refinement
900000000000515007	Query
733615008	Query language
733617000	Query string
723575003	Range constraint
... more attributes ...	

## 4.2. Reference Set Types

This section describes a number of standard [reference set](#) types.

Each reference set type follows a pattern and that pattern is also represented in a machine readable form using a set of [Reference Set Descriptor](#) members (known as a Descriptor Template, for short). In most case, the same pattern may be used to define a number of different [reference sets](#) to serve a variety of purposes. However, there are also some highly specific [reference set](#) types that exist for a single specified purpose. These are the [Reference Set Descriptor Reference Set](#), [Module Dependency Reference Set](#) and [Description Format Reference Set](#).

In each subsection, described a [reference set](#) type in under the following subheadings:

- The purpose of the [reference set](#);
- The format of the [reference set](#) member record is detailed in a table;
- The metadata supporting the [reference set](#);
- The machine readable [reference set](#) descriptor member records for the [reference set](#) type;
- Examples of the [reference set](#) type;

Related Links

- [Reference Sets](#)
- [Unicode UTF-8 encoding](#)
- [Reference set](#)

### 4.2.1. Simple Reference Set

#### Purpose

A [446609009 |Simple type reference set|](#) allows a set of [components](#) to be specified for inclusion or exclusion for a specified purpose. This type of [reference set](#) represents an extensional definition of a subset of SNOMED CT [components](#). Thus it can be used to fully enumerate a subset of [concepts](#), [descriptions](#) or [relationships](#).

See also [Query specification reference set](#), which can be used to represent an intensional definition of a subset of SNOMED CT [components](#). In an intensional definition, the members of the subset are specified by rules rather than by enumerations (e.g. all subtypes of a specified [concepts](#)).

#### Reference Set Data Structure

A Simple [reference set](#) does not have any additional fields.

**Table 4.2.1-1: Simple Reference Set - Data Structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
<a href="#">active</a>	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO

moduleId	SCTID	Identifies the SNOMED CT module that contains this reference set member as at the specified effectiveTime . The value must be a subtype of 90000000000443000   Module (core metadata concept)   within the metadata hierarchy .	YES	NO
refsetId	SCTID	Identifies the reference set to which this reference set member belongs. A subtype descendant of: • 446609009   Simple type reference set	NO	NO
referencedComponentId	SCTID	A reference to the SNOMED CT component to be included in the reference set .	NO	NO

## Metadata

Simple References Sets are subtypes of 446609009 |Simple type reference set|in the metadata hierarchy.

**Table 4.2.1-2: Simple Reference Sets in the Metadata Hierarchy**

90000000000441003  SNOMED CT Model Component
90000000000454005  Foundation metadata concept
90000000000455006  Reference set
446609009  Simple type reference set

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ( id, effectiveTime, active, moduleId) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The table below shows the descriptor for a specific reference sets that follows the 446609009 |Simple type reference set|pattern.

**Table 4.2.1-3: Refset Descriptor rows for the Simple Reference Set Type**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
9000000000000456007  Reference set descriptor	447566000  Virtual medicinal product simple reference set	449608002  Referenced component	900000000000461009  Concept type component	0

## Example Data

**Table 4.2.1-4: Example Data for a Simple Reference Set**

refsetId	referencedComponentId (Referenced component)
447565001  Virtual therapeutic moiety simple reference set	211009  Norethandrolone preparation
447565001  Virtual therapeutic moiety simple reference set	302007  Spiramycin
447565001  Virtual therapeutic moiety simple reference set	449005  Penicillin G procaine
447565001  Virtual therapeutic moiety simple reference set	544002  Melphalan
447565001  Virtual therapeutic moiety simple reference set	669007  Vaccinia virus vaccine
447565001  Virtual therapeutic moiety simple reference set	796001  Digoxin
447565001  Virtual therapeutic moiety simple reference set	847003  D-thyroxine preparation
447565001  Virtual therapeutic moiety simple reference set	922004  Pralidoxime
447565001  Virtual therapeutic moiety simple reference set	1039008  Mercaptopurine
447565001  Virtual therapeutic moiety simple reference set	1148001  Ticarcillin

## 4.2.2. Ordered Component Reference Set

### Purpose

An [733619002 |Ordered component type reference set \(foundation metadata concept\)|](#) allows a collection of [components](#) to be defined with a specified order. This type of [reference set](#) is therefore useful for creating ordered lists and to specify groups where the components that belong to the same group share the same order.

### Data structure

An [Ordered component reference set](#) is an [Integer Component reference set](#) is used to represent ordered lists and alternative hierarchies. Its structure is shown in the following table.

**Table 4.2.2-1: Ordered component reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time $T$ is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time $T$ .	YES	YES (Full) Optional (Snapshot)

active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleId	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000</a>   <a href="#">Module (core metadata concept)</a>   within the <a href="#">metadata hierarchy</a> .	YES	NO
refsetId	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype descendant</a> of: <a href="#">900000000000443000</a>   <a href="#">Module (core metadata concept)</a>	NO	NO
referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> .	NO	NO
order	Integer	Specifies the sort <a href="#">order</a> of the list. The list is ordered by applying an ascending sort of the <a href="#">order</a> value. The value of <a href="#">order</a> =1 represents the highest priority. A value of '0' is not allowed. Duplicate values are permitted and the sort order between two members with the same order value is not defined. Note: The name "order" is a reserved word in some database environments. Please consider this when using this column.	YES	NO

## Metadata

The following metadata in the "Foundation metadata [concept](#)" [hierarchy](#) supports this [reference set](#):

**Table 4.2.2-2: Ordered Component Reference Sets in the Metadata Hierarchy**

900000000000454005   <a href="#">Foundation metadata concept</a>
900000000000455006   <a href="#">Reference set</a>
733619002   <a href="#">Ordered component type reference set</a>

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The tables below show the descriptor that defines the structure of the 733619002 |Ordered component type reference set|pattern and an example of descriptor for a specific [reference set](#) that follows this pattern.

**Table 4.2.2-3: Refset Descriptor rows for an ordered reference set**

refsetId	referencedComponentId	attributeDescription	attributeType	attributeOrder
900000000000456007  Reference set descriptor	733619002  Ordered component type reference set	449608002  Referenced component	900000000000460005  Component type	0
900000000000456007  Reference set descriptor	733619002  Ordered component type reference set	447255006  Priority order reference set attribute	900000000000478000  Unsigned integer	1

Note: The table above omits the initial four columns of data present in the release file. These follow the standards versioning pattern `id`, `effectiveTime`, `active`, `active`. Additionally, to aid understanding, the table above also shows the `term` from one of the `descriptions` associated with each of the identified `concept`. The release file only contains the `identifier`.

### Ordered reference set example

#### Fingers sorted A-Z

127053016  Thumb
136021011  Fourth finger
138873019  Second finger
108884010  Third finger
21356012  Fifth finger

#### Fingers sorted logically using an ordered component reference set

referencedComponentId	order
127053016  Thumb	1
138873019  Second finger	2
108884010  Third finger	3
136021011  Fourth finger	4
21356012  Fifth finger	5

**Table 4.2.2-4: Rational ordering of finger concepts using an ordered component reference set**

refsetId	referencedComponentId (Referenced component)	order (Attribute order)
733619002  Fingers ordered component reference set	127053016  Thumb	1
733619002  Fingers ordered component reference set	138873019  Second finger	2
733619002  Fingers ordered component reference set	108884010  Third finger	3
733619002  Fingers ordered component reference set	136021011  Fourth finger	4



refsetId	referencedComponentId (Referenced component)	order (Attribute order)
733619002   Fingers ordered component reference set	21356012   Fifth finger	5

### 4.2.3. Attribute Value Reference Set

#### Purpose

An 900000000000480006 | Attribute value type reference set | allows a value from a specified range to be associated with a [component](#). This type of [reference set](#) can be used for a range of purposes where there is a requirement to provide additional information about particular [concepts](#), [descriptions](#) or [relationships](#). For example, an 900000000000480006 | Attribute value type reference set | is used to indicate the reason why a [concepts](#) has been [inactivated](#).

#### Data Structure

An [Attribute value reference set](#) is a [component reference set](#) used to apply a tagged value to a [SNOMED CT component](#). Its structure is shown in the following table.

**Table 4.2.3-1: Attribute value reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleId	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of 900000000000443000   Module (core metadata concept)   within the <a href="#">metadata hierarchy</a> .	YES	NO
refsetId	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype descendant</a> of: 900000000000480006   Attribute value type reference set	NO	NO
referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> .	NO	NO
valueId	SCTID	The tagged value applied to the <a href="#">referencedComponentId</a> . A <a href="#">subtype</a> of 900000000000491004   Attribute value  .	Depends on specific use	NO

#### Metadata

The following metadata in the "Foundation metadata [concept](#)" [hierarchy](#) supports this [reference set](#):

**Table 4.2.3-2: Attribute Value Reference Sets in the Metadata Hierarchy**

900000000000454005	Foundation metadata concept
900000000000455006	Reference set
900000000000480006	Attribute value type
900000000000488004	Relationship refinability reference set
900000000000489007	Concept inactivation indicator reference set
900000000000490003	Description inactivation indicator reference set
900000000000547002	Relationship inactivation indicator reference set

### Reference Set Descriptor and Example Data

#### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

### Descriptor Template

The tables below show the descriptors that define examples of [reference sets](#) that follow the 900000000000480006 |Attribute value type reference set|pattern.

**Table 4.2.3-3: Refset Descriptor rows for the Concept inactivation indicator reference set**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
900000000000456007  Reference set descriptor	900000000000489007  Concept inactivation indicator reference set	449608002  Referenced component	900000000000461009  Concept type component	0
900000000000456007  Reference set descriptor	900000000000489007  Concept inactivation indicator reference set	900000000000481005  Concept inactivation value	900000000000461009  Concept type component	1

**Table 4.2.3-4: Refset Descriptor rows for the Description inactivation indicator reference set**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
900000000000456007  Reference set descriptor	900000000000490003  Description inactivation indicator reference set	449608002  Referenced component	900000000000462002  Description type component	0
900000000000456007  Reference set descriptor	900000000000490003  Description inactivation indicator reference set	900000000000493001  Description inactivation value	900000000000461009  Concept type component	1

## Example Data

**Table 4.2.3-5: Sample content from the Concept inactivation indicator reference set**

refsetId	referencedComponentId (Referenced component)	valueId (Concept inactivation value)
900000000000489007  Concept inactivation indicator reference set	105000  Poisoning by pharmaceutical excipient	900000000000482003  Duplicate
900000000000489007  Concept inactivation indicator reference set	123008  Channel catfish virus disease	900000000000487009  Moved elsewhere
900000000000489007  Concept inactivation indicator reference set	141000  Glaucoma as birth trauma	900000000000482003  Duplicate
900000000000489007  Concept inactivation indicator reference set	157000  AIDS with low vision	900000000000484002  Ambiguous
900000000000489007  Concept inactivation indicator reference set	190000  Partial hysterectomy	900000000000484002  Ambiguous
900000000000489007  Concept inactivation indicator reference set	203004  Replacement of pacemaker in brain	900000000000484002  Ambiguous
900000000000489007  Concept inactivation indicator reference set	212002  Salmonella III arizonae 53:k:z	900000000000483008  Outdated
900000000000489007  Concept inactivation indicator reference set	215000  Operative procedure on fingers	900000000000482003  Duplicate
900000000000489007  Concept inactivation indicator reference set	220000  Unspecified monoarthritis	900000000000486000  Limited
900000000000489007  Concept inactivation indicator reference set	236003  Incision of vein	900000000000484002  Ambiguous

## 4.2.4. Language Reference Set

### Purpose

A 900000000000506000 |Language type reference set| supports the representation of [language](#) and [dialects](#) preferences for the use of particular [descriptions](#). The most common use case for this type of [reference set](#) is to specify the acceptable and preferred terms for use within a particular country or region. However, the same type of [reference set](#) can also be used to represent preferences for use of [descriptions](#) in a more specific context such as a clinical specialty, organization or department.

### Data structure

A [Language reference set](#) is a [Component reference set](#) that is used to indicate which [descriptions](#) contain [terms](#) that are acceptable or preferred in a particular [language](#) or [dialect](#). Its structure is shown in the following table.

**Table 4.2.4-1: Language reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned Integer, uniquely identifying this reference set member. Different versions of a reference set member share the same id but have different effectiveTime. This allows a reference set member to be modified or made inactive (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified reference set member became the current version. The current version of this reference set member at time T is the version with the most recent effectiveTime prior to or equal to time T.	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified reference set member as at the specified effectiveTime. If active = 1 (true) the reference set member is part of the current version of the set, if active = 0 (false) the reference set member is not part of the current version of the set.	YES	NO
moduleId	SCTID	Identifies the SNOMED CT module that contains this reference set member as at the specified effectiveTime. The value must be a subtype of 900000000000443000   Module (core metadata concept)   within the metadata hierarchy.	YES	NO
refsetId	SCTID	Identifies the reference set to which this reference set member belongs. In this case, a subtype descendant of: 900000000000506000   Language type	NO	NO
referencedComponentId	SCTID	A reference to the SNOMED CT component to be included in the reference set. Refers to the description to which the acceptability value is being applied.	NO	NO
acceptabilityId	SCTID	A subtype of 900000000000511003   Acceptability   indicating whether the description is acceptable or preferred for use in the specified language or dialect.	YES	NO

## Language Reference Rules and Guidance

In a Language reference set:

- No more than one description of a specific description type associated with a single concept may have the acceptabilityId value 900000000000548007 | Preferred |.
- Every active concept should have one preferred synonym in each language.
  - This means that a language reference set should assign the acceptabilityId 900000000000548007 | Preferred | to one synonym (a description with typeId value 90000000000013009 | synonym |) associated with each concept.
  - This description is the preferred term for that concept in the specified language or dialect.
- Any description which is not referenced by an active row in the reference set is regarded as unacceptable (i.e. not a valid synonym in the language or dialect).
  - If a description becomes unacceptable, the relevant language reference set member is inactivated by adding a new row with the same id, the effectiveTime of the the change and the value active=0.
  - For this reason there is no requirement for an "unacceptable" value.

## Metadata

The following metadata supports this reference set :

**Table 4.2.4-2: Language References Sets in the Metadata Hierarchy**

900000000000454005   Foundation metadata concept
900000000000506000   Language type
900000000000507009   English

```
900000000000508004 |GB English|
900000000000509007 |US English|
```

The immediate [children](#) of [|Language type|](#) will represent languages. This level may be used to represent the "formal approved" [language](#), where a language authority is formally recognized. In most cases, this level will not identify a specific reference set. Subtype of the language level are used to represent different dialects, national or regional variants.

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Language Reference Descriptor

The table below shows an example of the descriptor for a specific [reference sets](#) that follows the [900000000000506000 |Language type reference set|](#) pattern.

**Table 4.2.4-3: Refset Descriptor rows for a language reference set**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
<a href="#">900000000000456007  Reference set descriptor </a>	<a href="#">900000000000508004  GB English </a>	<a href="#">900000000000510002  Description in dialect </a>	<a href="#">900000000000462002  Description type component </a>	0
<a href="#">900000000000456007  Reference set descriptor </a>	<a href="#">900000000000508004  GB English </a>	<a href="#">900000000000511003  Acceptability </a>	<a href="#">900000000000461009  Concept type component </a>	1

## Language Reference Set Examples

**Table 4.2.4-4: Sample content from the US English language reference set**

refsetId	referencedComponentId (Description)	acceptabilityId (Acceptability in dialect)
<a href="#">900000000000509007  US English </a>	<a href="#">42969009  Cauterization of skin {id:71693012} </a>	<a href="#">900000000000548007  Preferred </a>
<a href="#">900000000000509007  US English </a>	<a href="#">42969009  Fulguration of subcutaneous tissue {id:71695017} </a>	<a href="#">900000000000549004  Acceptable </a>

refsetId	referencedComponentId (Description)	acceptabilityId (Acceptability in dialect)
900000000000509007  US English	80146002  Appendectomy {id:132967011}	900000000000548007  Preferred
900000000000509007  US English	80146002  Excision of appendix {id:132972019}	900000000000549004  Acceptable
900000000000509007  US English	271737000  Anemia {id:406636013}	900000000000548007  Preferred
900000000000509007  US English	271737000  Absolute anemia {id:406640016}	900000000000549004  Acceptable

**Table 4.2.4-5: Sample content from the GB English language reference set**

refsetId	referencedComponentId (Description)	acceptabilityId (Acceptability in dialect)
900000000000508004  GB English	42969009  Cauterisation of skin {id:493493018}	900000000000548007  Preferred
900000000000508004  GB English	42969009  Fulguration of subcutaneous tissue {id:71695017}	900000000000549004  Acceptable
900000000000508004  GB English	80146002  Excision of appendix {id:132972019}	900000000000549004  Acceptable
900000000000508004  GB English	80146002  Appendectomy {id:132973012}	900000000000548007  Preferred
900000000000508004  GB English	271737000  Anaemia {id:406638014}	900000000000548007  Preferred
900000000000508004  GB English	271737000  Absolute anaemia {id:406641017}	900000000000549004  Acceptable

In the above examples, 80146002 |Excision of appendix| is acceptable in both US and GB English. However, 80146002 |Appendectomy| is preferred in US English and 80146002 |Appendectomy| is preferred in GB English.

## 4.2.5. Association Reference Set

### Purpose

An 900000000000521006 |Association type reference set| represents a set of unordered associations of a particular type between [components](#).

### Data structure

An [Association reference set](#) is a [reference set](#) used to represent associations between [components](#). Its structure is shown in the following table.

**Table 4.2.5-1: Association reference Set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)

effectiveTime	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full Optional (Snapshot))
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleId	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">90000000000443000   Module (core metadata concept)  </a> within the <a href="#">metadata hierarchy</a> .	YES	NO
refsetId	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype</a> descendant of: <a href="#">90000000000521006   Association type  </a>	NO	NO
referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . The source <a href="#">component</a> of the association.	NO	NO
targetComponentId	SCTID	The identifier of the target <a href="#">component</a> of the association.	NO	NO

## Metadata

The following metadata supports this [reference set](#):

**Table 4.2.5-2: Association Reference Sets in the Metadata Hierarchy**

90000000000455006   <a href="#">Reference set</a>
90000000000521006   <a href="#">Association type</a>
90000000000522004   <a href="#">Historical association</a>
90000000000523009   <a href="#">POSSIBLY EQUIVALENT TO association reference set</a>
90000000000524003   <a href="#">MOVED TO association reference set</a>
90000000000525002   <a href="#">MOVED FROM association reference set</a>
90000000000526001   <a href="#">REPLACED BY association reference set</a>
90000000000527005   <a href="#">SAME AS association reference set</a>
90000000000528000   <a href="#">WAS A association reference set</a>
90000000000529008   <a href="#">SIMILAR TO association reference set</a>
90000000000530003   <a href="#">ALTERNATIVE association reference set</a>
90000000000531004   <a href="#">REFERS TO concept association reference set</a>

## Historical Association Rules and Guidance

Each member of a [90000000000522004 |Historical association|](#) reference set represents a reference from an [inactive component](#) to other equivalent or related [components](#) that were current in the [Release Version](#) in which that [component](#) was inactivated.

Each [90000000000522004 |Historical association|](#) reference set represents a different type of association between the [components](#) referred to by the [referencedComponentId](#) and the [targetComponentId](#) as shown in [Table 4.2.5-3](#).

**Table 4.2.5-3: Association reference set types in the International Release of SNOMED CT**

Association reference set	Descriptions
900000000000523009  POSSIBLY EQUIVALENT TO association reference set	Applies to a <a href="#">concept</a> that is ambiguous. The targetComponent is an active <a href="#">concept</a> that represents one of the possible meanings of the inactive <a href="#">concept</a> . Multiple rows are used to refer to each of the possible meanings of the ambiguous <a href="#">concept</a> .
900000000000524003  MOVED TO association reference set	Applies to a <a href="#">component</a> that has been moved to (or are pending a move to) another namespace. The targetComponent identifies the target namespace (not the new <a href="#">component</a> ).
900000000000525002  MOVED FROM association reference set	Applies to a <a href="#">component</a> that has been moved to this namespace from another namespace. The targetComponent identifies the original <a href="#">component Identifier</a> in its previous namespace.
900000000000526001  REPLACED BY association reference set	Applies to an erroneous, obsolete and other <a href="#">inactive component</a> for which there is a single active replacement. The targetComponent identifies the active <a href="#">component</a> that replaces this <a href="#">component</a> .
900000000000527005  SAME AS association reference set	Applies to a <a href="#">component</a> that is a duplicate. The targetComponent identifies the active <a href="#">component</a> that this <a href="#">component</a> duplicates.
900000000000528000  WAS A association reference set	Links an inactive classification <a href="#">concept</a> such as "not otherwise specified" or "otherwise specified" with the active <a href="#">concept</a> that was formerly its most proximal supertype.
900000000000529008  SIMILAR TO association reference set	(not used currently)
900000000000530003  ALTERNATIVE association reference set	Links an inactive classification <a href="#">concept</a> derived from ICD-9 Chapter XVI "Symptoms signs and ill-defined conditions" with the most similar active <a href="#">concept</a> .
900000000000531004  REFERS TO concept association reference set	Applies to an inactive <a href="#">description</a> which is inappropriate to the <a href="#">concept</a> it is directly linked to but instead should refer to the <a href="#">concept</a> referenced by the targetComponent.

The [component](#) identified by the [targetComponentId](#) must be an instance of the same class of [component](#) as the [component](#) identified by the [referencedComponentId](#) for all |Historical association| [reference sets](#) apart from the |REFERS TO [concept](#) association [reference set](#)|.

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ( [id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix ' \_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The tables below show examples of the descriptors for specific [reference sets](#) that follow the 900000000000521006 |Association type reference set| pattern.



**Table 4.2.5-4: Refset Descriptor rows for the SAME AS association reference set**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
900000000000456007   Reference set descriptor	900000000000527005   SAME AS association reference set	900000000000532006   Association source component	900000000000460005   Component type	0
900000000000456007   Reference set descriptor	900000000000527005   SAME AS association reference set	900000000000533001   Association target component	900000000000460005   Component type	1

### Example Data

The following table holds example entries for the 900000000000526001 | REPLACED BY association reference set |.

**Table 4.2.5-5: Sample content from**

refsetId	referencedComponentId (Association source component)	targetComponentId (Association target component)
900000000000526001   REPLACED BY association reference set	100005   SNOMED RT Concept	138875005   SNOMED CT Concept
900000000000526001   REPLACED BY association reference set	212002   Salmonella III arizonae 53:k:z	398450001   Salmonella IIIb 53:k:z
900000000000526001   REPLACED BY association reference set	225005   Special care of patient with contagious disease	133895001   Care of patient with infectious disease
900000000000526001   REPLACED BY association reference set	244003   Evans and Lloyd-Thomas syndrome	66659007   Normal variation in position
900000000000526001   REPLACED BY association reference set	278009   Epidural injection of neurolytic substance, lumbar	17753007   Epidural injection of neurolytic solution, lumbar
900000000000526001   REPLACED BY association reference set	558000   Other disorder of the neurohypophysis, NEC	72442006   Disorder of posterior pituitary
900000000000526001   REPLACED BY association reference set	659001   Peptostreptococcus anaerobius	413524006   Anaerococcus tretradius
900000000000526001   REPLACED BY association reference set	696005   Chronobiologic disorder	387605007   Abnormal chronobiologic state
900000000000526001   REPLACED BY association reference set	700002   Salmonella III arizonae 50:z4,z23,z32:--	404619004   Salmonella IIIa 50:z4,z23,z32:--
900000000000526001   REPLACED BY association reference set	822000   Salmonella arizonae 53:z4,z23:--	13998005   Salmonella IV 53:z4,z23:--

### Relevant References

- Practical Guide or Reference Sets [3.2.6.3.2. Representing Historical Associations](#)
- Terminology Services Guide [4.2.3 Historical Association Reference Sets](#).

## 4.2.6. Ordered Association Reference Set

### Purpose

An 733618005 | Ordered association type reference set (foundation metadata concept) | can be used to specify ordered associations between different [components](#). These can be used to specify several interrelated subsets of components and to define alternative hierarchies for navigation while searching for an appropriate [concept](#) or [description](#).

## Data structure

An **Ordered association reference set** is a **component integer reference set** that is used to represent ordered lists of associations and alternative hierarchies. Its structure is shown in the following table.

**Table 4.2.6-1: Ordered association reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <b>Integer</b> , uniquely identifying this <b>reference set member</b> . Different versions of a <b>reference set member</b> share the same <b>id</b> but have different <b>effectiveTime</b> . This allows a <b>reference set member</b> to be modified or made <b>inactive</b> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified <b>reference set member</b> became the current version. The current version of this <b>reference set member</b> at time <i>T</i> is the version with the most recent <b>effectiveTime</b> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified <b>reference set member</b> as at the specified <b>effectiveTime</b> . If <b>active</b> = 1 (true) the <b>reference set member</b> is part of the current version of the set, if <b>active</b> = 0 (false) the <b>reference set member</b> is not part of the current version of the set.	YES	NO
moduleId	SCTID	Identifies the <b>SNOMED CT module</b> that contains this <b>reference set member</b> as at the specified <b>effectiveTime</b> . The value must be a <b>subtype</b> of 900000000000443000   Module (core metadata concept)   within the metadata <b>hierarchy</b> .	YES	NO
refsetId	SCTID	Identifies the <b>reference set</b> to which this <b>reference set member</b> belongs. In this case, a subtype descendant of: 447258008   Ordered type reference set	NO	NO
referencedComponentId	SCTID	A reference to the <b>SNOMED CT component</b> to be included in the <b>reference set</b> . Refers to the source <b>component</b> of the association.	NO	NO
targetComponentId	SCTID	The identifier of the target <b>component</b> of the association that acts as a grouper or hierarchy node, collecting together a subgroup from within the list. This field either enables <b>reference set member</b> linked into a number of subgroups. These subgroups can be nested allowing representation of alternative hierarchies. To link members into a subgroup, all components in the same subgroup should reference the same <b>component</b> . This can either be a component that represents the name of that subgroup or the first member of the subgroup. In the latter case, the first row of each subgroup will contain the same identifier in <b>referencedComponentId</b> and <b>targetComponentId</b> and with <b>order</b> =1. To link a number of <b>children concepts</b> to a single parent <b>concept</b> , one member record should exist per <b>child</b> , with the <b>referencedComponentId</b> field referencing the parent and this field referencing the <b>child concept</b> . The <b>order</b> field is then used to <b>order</b> the <b>children concepts</b> under the parent <b>concept</b> .	NO	NO
order	integer	Specifies the sort <b>order</b> of the list. The list is ordered by applying an ascending sort of the <b>order</b> value. The value of <b>order</b> =1 represents the highest priority. A value of '0' is not allowed. Duplicate values are permitted and the sort order between two members with the same order value is not defined. If the <b>targetComponentId</b> value is not 0, sorting occurs within subgroups that share the same <b>linkedTold</b> . Note: The name "order" is a reserved word in some database environments. Please consider this when using this column.	YES	NO

## Metadata

The following metadata in the "Foundation metadata [concept](#)" [hierarchy](#) supports this [reference set](#):

**Table 4.2.6-2: Ordered Association References Set in the Metadata Hierarchy**

```

900000000000454005 |Foundation metadata concept|
  900000000000455006 |Reference set|
    733618005 |Ordered association type reference set (foundation metadata concept)|
  
```

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The tables below show the descriptor that defines the structure of the [447258008](#) |Ordered type reference set| pattern and an example of descriptor for a specific [reference set](#) that follows this pattern.

**Table 4.2.6-3: Refset Descriptor rows for an ordered association type reference set**

refsetId	referencedComponentId	attributeDescription	attributeType	attribute Order
<a href="#">900000000000456007</a>  Reference set descriptor	<a href="#">733618005</a>  Ordered association type reference set (foundation metadata concept)	<a href="#">449608002</a>  Referenced component	<a href="#">900000000000460005</a>  Component type	0
<a href="#">900000000000456007</a>  Reference set descriptor	<a href="#">733618005</a>  Ordered association type reference set (foundation metadata concept)	<a href="#">900000000000533001</a>  Association target component	<a href="#">900000000000460005</a>  Component type	1
<a href="#">900000000000456007</a>  Reference set descriptor	<a href="#">733618005</a>  Ordered association type reference set (foundation metadata concept)	<a href="#">447255006</a>  Priority order reference set attribute	<a href="#">900000000000478000</a>  Unsigned integer	2

## Example


[Ordered association reference sets](#) can be used to specify and display a customized navigation hierarchy. Alternative hierarchical representations of SNOMED CT can support data entry by satisfying the

requirements of a specific use case, and addressing some of the challenges of displaying an unordered polyhierarchy (as defined by SNOMED CT's subtype structure).

The figure below shows the way a navigation hierarchy is represented. The example reference set contains a set of description components used to describe finger structures.

The | All fingers | components is linked to the | Hand |, and the | Thumb | is linked to the | All fingers component | The | Thumb | is placed first because it has the order value 1. Similarly, the components for | Second finger |, | Third finger |, | Fourth finger | and | Fifth finger | are also linked to the | All finger | component in the order specified by the order value. As shown in the figure the direction of the associations goes from the referenceComponentId to the linkedTold, so the components referenced by the linkedTold are used to form the groups specified in the hierarchy

i d	effective Time	active	moduleId	refsetId	refsetId_term	referencedComponentId	referencedComponentId_term	targetComponentId	targetComponentId_term	order
...	20160731	1	19999999103	15999999105	Associations as ordered reference set	70327001	All fingers	141819019	Hand	1
...	20160731	1	19999999103	15999999105	Associations as ordered reference set	127053016	Thumb	70327001	All fingers	1
...	20160731	1	19999999103	15999999105	Associations as ordered reference set	138873019	Second finger	70327001	All fingers	2
...	20160731	1	19999999103	15999999105	Associations as ordered reference set	108884010	Third finger	70327001	All fingers	3
...	20160731	1	19999999103	15999999105	Associations as ordered reference set	136021011	Fourth finger	70327001	All fingers	4
...	20160731	1	19999999103	15999999105	Associations as ordered reference set	21356012	Fifth finger	70327001	All fingers	5



referencedComponentId	targetComponentId	order
70327001 All fingers	141819019 Hand	1
127053016  Thumb	70327001 All fingers	1
138873019  Second finger	70327001 All fingers	2
108884010  Third finger	70327001 All fingers	3
136021011  Fourth finger	70327001 All fingers	4
21356012  Fifth finger	70327001 All fingers	5

Figure 3.2.1.5-1: Navigation hierarchy example.

## 4.2.7. Annotation Reference Set

### Purpose

An 900000000000516008 |Annotation type reference set| allows [String](#) to be associated with components for any specified purpose.

### Data structure

An [annotation reference set String reference set](#) used to apply text [annotation](#) to selected [SNOMED CT components](#).

**Table 4.2.7-1: Annotation reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
<a href="#">active</a>	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
<a href="#">moduleId</a>	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of 900000000000443000  Module (core metadata concept)  within the <a href="#">metadata hierarchy</a> .	YES	NO
<a href="#">refsetId</a>	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype</a> descendant of: 900000000000516008  Annotation type	NO	NO
<a href="#">referencedComponentId</a>	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . The <a href="#">component</a> to which the annotation is being applied.	NO	NO
<a href="#">annotation</a>	String	The text <a href="#">annotation</a> to attach to the <a href="#">component</a> identified by <a href="#">referencedComponentId</a> .	YES	NO

### Metadata

The following metadata in supports this [reference set](#) :

**Table 4.2.7-2: Annotation References Sets in the Metadata Hierarchy**

900000000000454005  Foundation metadata concept
900000000000455006  Reference set
900000000000516008  Annotation type

900000000000517004 |Associated image|

## Reference Set Descriptor and Example Data

### **i** Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The tables below show the descriptors that define the structure of the 900000000000516008 |Annotation type reference set| pattern and examples of the descriptors for specific [reference sets](#) that follow this pattern.

**Table 4.2.7-3: Descriptor Template for Annotation Reference Sets**

refsetId	referencedComponentId	attributeDescription	attributeType	attributeOrder
900000000000456007  Reference set descriptor	900000000000516008  Annotation type	900000000000518009  Annotated component	900000000000461009  Concept type component	0
900000000000456007  Reference set descriptor	900000000000516008  Annotation type	900000000000519001  Annotation	900000000000465000  String	1

The [attributeType](#) for the [Annotation](#) field can be any [descendant](#) of the " [string](#) " [concept](#) in the metadata [hierarchy](#). This [hierarchy](#) is described in more detail under the " [Reference set](#) descriptor" section.

**Table 4.2.7-4: Descriptor for the Associated Image Annotation Reference set**

refsetId	referencedComponentId	attributeDescription	attributeType	attributeOrder
900000000000456007  Reference set descriptor	900000000000517004  Associated image	900000000000518009  Annotated component	900000000000461009  Concept type component	0
900000000000456007  Reference set descriptor	900000000000517004  Associated image	900000000000520007  Image	900000000000469006  URL	1

Note that in the table above, the 900000000000469006 |URL| [concept](#) is a [descendant](#) of | [string](#) | [concept](#) in the metadata.

## Annotation Reference Set Example

As no annotation reference sets are included in the International Release, these sample rows are for illustration only.

**Table 4.2.7-5: Example of Associated image Annotation Reference Set**

refsetId	referencedComponentId	Annotation
900000000000517004  Associated image	80891009  Heart structure	http://en.wikipedia.org/wiki/Heart#mediaviewer/File:Wiki_Heart_Antomy_Ties_van_Brussel.jpg
900000000000517004  Associated image	86174004  Laparoscope	http://www.educationaldimensions.com/eLearn/endoscope/bigScope.html

In the above example, the two URLs have been used to annotate two [SNOMED CT concepts](#) with images on the web. It is not recommended that this mechanism be used to annotate [concepts](#) with text that may require translation to other [languages](#). Instead, such text should be included under an appropriate [description](#) type within the [Description](#).

## 4.2.8. Query Specification Reference Set

### Purpose

A [900000000000512005 |Query specification type reference set|](#) allows a serialised query to represent the membership of a subset of [SNOMED CT components](#). A [query](#) contained in the [reference set](#) is run against the content of [SNOMED CT](#) to produce a subset of [concepts](#), [descriptions](#) or [relationships](#). The query is referred to an intensional definition of the subset. It can be run against future releases of [SNOMED CT](#) to generate an updated set of subset members.

The members of the resulting subset may also be represented in an enumerated form as a [Simple reference set](#) . An enumerated representation of a subset is referred to as an extensional definition.

### Data structure

A [Query specification reference set](#) is a [String reference set](#) containing [query](#) that represent intensional definitions of subsets of [components](#). The result of running the [query](#) is an extensional representation of the subset of [components](#) which can be represented as a [Simple reference set](#) . Its structure is shown in the following table.

**Table 4.2.8-1: Query specification reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
<a href="#">active</a>	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO

moduleId	SCTID	Identifies the SNOMED CT module that contains this reference set member as at the specified effectiveTime . The value must be a subtype of 900000000000443000   Module (core metadata concept)   within the metadata hierarchy .	YES	NO
refsetId	SCTID	Identifies the reference set to which this reference set member belongs. In this case, a subtype descendant of: 900000000000512005   Query specification type	NO	NO
referencedComponentId	SCTID	A reference to the SNOMED CT component to be included in the reference set .	NO	NO
query	String	The serialised query that can be used to (re-)generate the reference set members. • The syntax for specifying the intensional definitions of concept subsets is specified in the Expression Constraint Language - Specification and Guide .	YES	NO

## Metadata

The following metadata in the "Foundation metadata concept " hierarchy supports this reference set :

**Table 4.2.8-2: Hierarchy of Foundation metadata concept**

900000000000454005   Foundation metadata concept
900000000000455006   Reference set
900000000000512005   Query specification type
900000000000513000   Simple query specification

## Reference Set Descriptor and Example Data

### **i** Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ( id, effectiveTime, active, moduleId) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The table below shows the descriptor that defines the structure of the 900000000000512005 | Query specification type reference set | pattern.

**Table 4.2.8-3: Descriptor Template for Query Specification Reference Sets**



refsetId	referencedComponentId	attributeDescription	attributeType	attributeOrder
900000000000456007   Reference set descriptor	900000000000512005   Query specification type reference set	900000000000514006   Generated reference set	900000000000461009   Concept type component	0
900000000000456007   Reference set descriptor	900000000000512005   Query specification type reference set	900000000000515007   Query	900000000000465000   String	1

## Example Data

In the example below, "serialised [query 1](#)" is a text [string](#) that can be used to generate members for [Reference set1](#), which is a simple member [reference set](#) (without any additional fields within its member records).

**Table 4.2.8-4: Example rows from Query Specification Reference Set**

refsetId	referencedComponentId	query
900000000000513000   Simple query specification	Target reference set	< 19829001   disorder of lung  : 116676008   associated morphology  = << 79654002   edema

## References

- See [Expression Constraint Language - Specification and Guide](#) for details of the language used to specify intensional definitions of concept subsets.

## 4.2.9. Simple Map Reference Set

### Purpose

A [900000000000496009 | Simple map reference set|](#) allows representation of simple maps between [SNOMED CT concepts](#) and values in other code systems. No constraints are put on the number of coding schemes supported, the number of codes within a particular scheme mapped to by a single [SNOMED CT concept](#) or the number of [SNOMED CT concepts](#) mapping to a particular code. However, this type of [reference set](#) is usually only appropriate where there is a close "one-to-one" mapping between [SNOMED CT concepts](#) and coded values in another code system.

### Data structure

A [Simple map reference set](#) is a [String reference set](#) used to represent one-to-one maps between SNOMED CT concepts and codes in another terminology, classification or code system. Its structure is shown in the following table.

**Table 4.2.9-1: Simple map reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)

<code>effectiveTime</code>	Time	The inclusive date or time at which this version of the identified <code>reference set member</code> became the current version. The current version of this <code>reference set member</code> at time $T$ is the version with the most recent <code>effectiveTime</code> prior to or equal to time $T$ .	YES	YES (Full Optional (Snapshot))
<code>active</code>	Boolean	The state of the identified <code>reference set member</code> as at the specified <code>effectiveTime</code> . If <code>active</code> = 1 (true) the <code>reference set member</code> is part of the current version of the set, if <code>active</code> = 0 (false) the <code>reference set member</code> is not part of the current version of the set.	YES	NO
<code>moduleId</code>	SCTID	Identifies the <code>SNOMED CT module</code> that contains this <code>reference set member</code> as at the specified <code>effectiveTime</code> . The value must be a <code>subtype</code> of <code>90000000000443000   Module (core metadata concept)  </code> within the <code>metadata hierarchy</code> .	YES	NO
<code>refsetId</code>	SCTID	Identifies the <code>reference set</code> to which this <code>reference set member</code> belongs. In this case, a <code>subtype</code> descendant of of: <code>90000000000496009   Simple map type reference set  </code>	NO	NO
<code>referencedComponentId</code>	SCTID	A reference to the <code>SNOMED CT component</code> to be included in the <code>reference set</code> . Refers to the <code>SNOMED CT concept</code> that is mapped to and/or from the other terminology or code system.	NO	NO
<code>mapTarget</code>	String	The equivalent code in the other terminology, classification or code system.	NO	NO

## Metadata

The following metadata `hierarchy` supports this `reference set`:

**Table 4.2.9-2: Simple Map Reference Sets in the Metadata Hierarchy**

90000000000454005  Foundation metadata concept
90000000000455006  Reference set
90000000000456007  Reference set descriptor
90000000000496009  Simple map
90000000000497000  CTV3 simple map
90000000000498005  SNOMED RT ID simple map

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns (`id`, `effectiveTime`, `active`, `moduleId`) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '`_term`' has been added. In the standard reference set files only the identifier is present in the column and

there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor template and examples

The tables below show the descriptors that define examples of [reference sets](#) that follow the 900000000000496009 | Simple map reference set|pattern.

**Table 4.2.9-3: Refset Descriptor rows for**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
900000000000456007   Reference set descriptor	446608001   ICD-O simple map reference set	900000000000500006   Map source concept	900000000000461009   Concept type component	0
900000000000456007   Reference set descriptor	446608001   ICD-O simple map reference set	900000000000499002   Scheme value	900000000000465000   String	1

## Simple Map Refset Examples

**Table 4.2.9-4: Sample Content from a Simple Map Reference Set**

refsetId	referencedComponentId (Map source concept)	mapTarget (Scheme value)
900000000000498005   SNOMED RT ID simple map	100005   SNOMED RT Concept	G-3000
900000000000498005   SNOMED RT ID simple map	101009   Quilonia ethiopica	L-55535
900000000000498005   SNOMED RT ID simple map	102002   Hemoglobin Okaloosa	F-D5972
900000000000498005   SNOMED RT ID simple map	103007   Squirrel fibroma virus	L-37904
900000000000498005   SNOMED RT ID simple map	104001   Excision of lesion of patella	P1-18376
900000000000498005   SNOMED RT ID simple map	105000   Poisoning by pharmaceutical excipient	DD-82950
900000000000498005   SNOMED RT ID simple map	106004   Structure of posterior carpal region	T-D8602
900000000000498005   SNOMED RT ID simple map	107008   Structure of fetal part of placenta	T-F1102
900000000000498005   SNOMED RT ID simple map	108003   Entire condylar emissary vein	T-49723
900000000000498005   SNOMED RT ID simple map	109006   Anxiety disorder of childhood OR adolescence	D9-12000

## 4.2.10. Complex and Extended Map Reference Sets

### Purpose

A 447250001 | Complex map type reference set|enables representation of maps where each [SNOMED CT concept](#) may map to one or more codes in a [target scheme](#). The type of [reference set](#) supports the general set of mapping data required to enable a [target code](#) to be selected at run-time from a number of alternate codes. It supports [target code](#) selection by accommodating the inclusion of machine readable rules and/or human readable advice. An 609331003 | Extended map type reference set|adds an additional field to allow categorization of maps.

## Data structure

A *Complex map reference set* is an [Integer - Integer - String - String - String - Component reference set](#). The pattern is currently used for the map to ICD-9-CM. Its structure is as shown in the following table, with one exception - the table includes an additional field (`mapCategoryId`) which is not used for this type of map.

An *Extended map reference set* follows the same pattern but adds one additional column. It is an [Integer - Integer - String - String - String - Component - Component reference set](#) and this pattern is currently used for maps to ICD-10. Its structure is shown in the following table.

**Table 4.2.10-1: Complex and Extended map reference sets - Data structures**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <code>id</code> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
<a href="#">active</a>	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <code>active = 1</code> (true) the <a href="#">reference set member</a> is part of the current version of the set, if <code>active = 0</code> (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
<a href="#">moduleId</a>	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000</a>   Module (core metadata concept)   within the <a href="#">metadata hierarchy</a> .	YES	NO
<a href="#">refsetId</a>	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype</a> descendant of: <a href="#">447250001</a>   Complex map type reference set   or <a href="#">609331003</a>   Extended map type reference set	NO	NO
<a href="#">referencedComponentId</a>	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . Refers to the <a href="#">SNOMED CT concept</a> that is mapped to the other terminology or code system.	NO	NO
<a href="#">mapGroup</a>	Integer	An <a href="#">Integer</a> , grouping a set of complex map records from which one may be selected as a <a href="#">target code</a> . Where a <a href="#">SNOMED CT concept</a> maps onto 'n' <a href="#">target codes</a> , there will be 'n' groups, each containing one or more complex map records.	YES	NO
<a href="#">mapPriority</a>	Integer	Within a <a href="#">mapGroup</a> , the <a href="#">mapPriority</a> specifies the <a href="#">order</a> in which complex map records should be checked. Only the first map record meeting the run - time selection criteria will be taken as the <a href="#">target code</a> within the group of alternate codes.	YES	NO
<a href="#">mapRule</a>	String	A machine-readable rule, (evaluating to either 'true' or 'false' at run-time) that indicates whether this map record should be selected within its <a href="#">mapGroup</a> .	YES	NO
<a href="#">mapAdvice</a>	String	Human-readable advice, that may be employed by the software vendor to give an end-user advice on selection of the appropriate <a href="#">target code</a> from the alternatives presented to him within the group.	YES	NO
<a href="#">mapTarget</a>	String	The <a href="#">target code</a> in the target terminology, classification or code system.	YES	NO
<a href="#">correlationId</a>	SCTID	A <a href="#">child</a> of <a href="#">447247004</a>   SNOMED CT source code to target map code correlation value   in the <a href="#">metadata hierarchy</a> , identifying the correlation between the <a href="#">SNOMED CT concept</a> and the <a href="#">target code</a> .	YES	NO

The following additional field only applies to <a href="#">609331003</a>   <a href="#">Extended map type reference set</a>				
<a href="#">mapCategoryId</a>	<a href="#">SCTID</a>	Identifies the <a href="#">SNOMED CT concept</a> in the metadata hierarchy which represents the <a href="#">MapCategory</a> for the associated map member. The categories vary for different <a href="#">target code</a> systems, each set of categories is represented by a <a href="#">subtype</a> of <a href="#">609330002</a>   <a href="#">Map category value</a>   . In the case of <a href="#">ICD-10</a> the individual category values are <a href="#">subtypes</a> of: <a href="#">447634004</a>   <a href="#">ICD-10 map category value</a>   .	YES	NO

## Map Group, Priority and Rules

Values for [mapGroup](#) are allocated on a sequential basis (for each [refsetId](#) and [referencedComponentId](#) combination) during authoring starting at 1. However, distributed [mapGroup](#) are not necessarily sequential, as some [mapGroup](#) may be created and removed during a mapping process between releases. For maps where each [SNOMED CT concept](#) only maps to at most one of a group of alternate [target codes](#), the [mapGroup](#) field are usually be set to '1'.

Values for [mapPriority](#) will be allocated on a sequential basis (within each map group) starting from '1'. For maps that do not require run - time alternatives, the [mapPriority](#) field is set to '1'.

The [mapRule](#) and [mapAdvice](#) fields enable run-time selection (within vendor's software) from a number of alternative map records within a [mapGroup](#) . Where there are no alternatives maps these columns of the release files will be empty (zero length string). Where alternative maps exist one or both of columns will be populated where relevant information is available.

Where both fields are populated, and a vendor's system is capable of processing a machine readable rule, this should take priority over the human readable advice. Where neither field is populated, a vendor's system should allow the end-user to select the appropriate [target code](#) from the alternates.

For more details on this topic in relation to the ICD-10 maps released as part of the SNOMED CT International Edition please see the [ICD-10 Mapping Technical Guide](#)

### Mapping Rule Specifications

The specific grammar and content of the rules for resolving complex mapping cases depends on the nature of the [target code](#) system or classification. In general, each map is accompanied by a rule which is tested against other data and can be evaluated to return one of the following values:

- **True** - in which case the map target applies;
- **False** - in which case the map target does not apply;
- **Indeterminate** - in cases where there is insufficient accessible data to determine whether the map target applies. In this case manual resolution of the map using the map advice provided will be required.

The mapping rules assume access to a number of variables, that can be bound to appropriate attributes in the vendor's system information model. These include the age and gender of the patient and information about coexisting situations (e.g. records of other disorders, procedures or events in the same patient record).

Detailed definitions of the mapping rules used forms part of individual specifications for maps to particular [target code](#) systems and classifications. This will initially be provided separately and will accompany the release of the relevant mapping files. For example, the set of rules used for mapping to [ICD-10](#) are included in the [ICD-10 Mapping Technical Guide](#).

### Metadata

The following metadata supports this [reference set](#):

**Table 4.2.10-2: Complex Map References Sets in the Metadata Hierarchy**

90000000000454005	Foundation metadata concept
90000000000455006	Reference set
447250001	Complex map type reference set
609331003	Extended map type reference set

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Templates

The tables below examples of the descriptors for specific [reference sets](#) that follow the [447250001 |Complex map type reference set|](#) and [609331003 |Extended map type reference set|](#) patterns.

**Table 4.2.10-3: Refset Descriptor Rows for a Complex Map Reference Set**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
90000000000456007   Reference set descriptor	447563008  ICD-9-CM equivalence complex map reference set	90000000000500006  Map source concept	90000000000461009   Concept type component	0
90000000000456007   Reference set descriptor	447563008  ICD-9-CM equivalence complex map reference set	90000000000501005  Map group	90000000000478000   Unsigned integer	1
90000000000456007   Reference set descriptor	447563008  ICD-9-CM equivalence complex map reference set	90000000000502003  Map priority	90000000000478000   Unsigned integer	2
90000000000456007   Reference set descriptor	447563008  ICD-9-CM equivalence complex map reference set	90000000000503008  Map rule	90000000000465000   String	3
90000000000456007   Reference set descriptor	447563008  ICD-9-CM equivalence complex map reference set	90000000000504002  Map advice	90000000000465000   String	4
90000000000456007   Reference set descriptor	447563008  ICD-9-CM equivalence complex map reference set	90000000000505001  Map target	90000000000465000   String	5

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
900000000000456007   Reference set descriptor	447563008  ICD-9-CM equivalence complex map reference set	447247004  SNOMED CT source code to target map code correlation value	900000000000461009   Concept type component	6

**Table 4.2.10-4: Refset Descriptor Rows for an Extended Map Reference Set**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
900000000000456007   Reference set descriptor	447562003  ICD-10 complex map reference set	900000000000500006  Map source concept	900000000000461009   Concept type component	0
900000000000456007   Reference set descriptor	447562003  ICD-10 complex map reference set	900000000000501005  Map group	900000000000478000   Unsigned integer	1
900000000000456007   Reference set descriptor	447562003  ICD-10 complex map reference set	900000000000502003  Map priority	900000000000478000   Unsigned integer	2
900000000000456007   Reference set descriptor	447562003  ICD-10 complex map reference set	900000000000503008  Map rule 	900000000000465000   String	3
900000000000456007   Reference set descriptor	447562003  ICD-10 complex map reference set	900000000000504002  Map advice	900000000000465000   String	4
900000000000456007   Reference set descriptor	447562003  ICD-10 complex map reference set	900000000000505001  Map target	900000000000465000   String	5
900000000000456007   Reference set descriptor	447562003  ICD-10 complex map reference set	447247004  SNOMED CT source code to target map code correlation value	900000000000461009   Concept type component	6
900000000000456007   Reference set descriptor	447562003  ICD-10 complex map reference set	609330002  Map category value 	900000000000461009   Concept type component	7

### Example Data

**Table 4.2.10-5: Sample Content from an Extended Map Reference Set**

refSetId	referencedC omponentId (Map source concept)	mapGr oup (Map group)	mapPri ority (Map priority )	mapRule (Map rule)	mapAdvice (Map advice)	mapTa rget (Map target)	correlationId (SNOMED CT source code to target map code correlation value)	mapCatego ryId (Map category value)
447562003   ICD-10 complex map reference set	127009   Miscarriage with laceration of cervix	1	1	TRUE	ALWAYS O03.8	O03.8	447561005  SNOMED CT source code to target map code correlation not specified	447637006   Map source concept is properly classified
447562003   ICD-10 complex map reference set	127009   Miscarriage with laceration of cervix	2	1	TRUE	ALWAYS O08.6	O08.6	447561005  SNOMED CT source code to target map code correlation not specified	447637006   Map source concept is properly classified

refSetId	referencedComponentId (Map source concept)	mapGroup (Map group)	mapPriority (Map priority)	mapRule (Map rule)	mapAdvice (Map advice)	mapTarget (Map target)	correlationId (SNOMED CT source code to target map code correlation value)	mapCategoryId (Map category value)
447562003   ICD-10 complex map reference set	140004   Chronic pharyngitis	1	1	IFA 90979004   Chronic tonsillitis (disorder)	IF CHRONIC TONSILLITIS CHOOSE J35.0 MAP OF SOURCE CONCEPT IS CONTEXT DEPENDENT	J35.0	447561005   SNOMED CT source code to target map code correlation not specified	447639009   Map of source concept is context dependent
447562003   ICD-10 complex map reference set	140004   Chronic pharyngitis	1	2	IFA 232406009   Chronic pharyngeal candidiasis (disorder)	IF CHRONIC PHARYNGEAL CANDIDIASIS CHOOSE B37.8 MAP OF SOURCE CONCEPT IS CONTEXT DEPENDENT	B37.8	447561005   SNOMED CT source code to target map code correlation not specified	447639009   Map of source concept is context dependent
447562003   ICD-10 complex map reference set	140004   Chronic pharyngitis	1	3	OTHERWISE TRUE	ALWAYS J31.2	J31.2	447561005   SNOMED CT source code to target map code correlation not specified	447637006   Map source concept is properly classified
447562003   ICD-10 complex map reference set	162004   Severe manic bipolar I disorder without psychotic features	1	1	TRUE	ALWAYS F31.1	F31.1	447561005   SNOMED CT source code to target map code correlation not specified	447637006   Map source concept is properly classified
447562003   ICD-10 complex map reference set	177007   Poisoning by sawfly larvae	1	1	TRUE	ALWAYS T63.4	T63.4	447561005   SNOMED CT source code to target map code correlation not specified	447637006   Map source concept is properly classified
447562003   ICD-10 complex map reference set	177007   Poisoning by sawfly larvae	2	1	TRUE	ALWAYS X25	X25	447561005   SNOMED CT source code to target map code correlation not specified	447637006   Map source concept is properly classified
447562003   ICD-10 complex map reference set	181007   Hemorrhagic bronchopneumonia	1	1	TRUE	ALWAYS J18.0	J18.0	447561005   SNOMED CT source code to target map code correlation not specified	447637006   Map source concept is properly classified
447562003   ICD-10 complex map reference set	183005   Autoimmune pancytopenia	1	1	TRUE	ALWAYS D61.8	D61.8	447561005   SNOMED CT source code to target map code correlation not specified	447637006   Map source concept is properly classified

## Related Links

- [ICD-10 Mapping Technical Guide](#)



## 4.2.11. Reference Set Descriptor

### Purpose

The 900000000000456007 |Reference set descriptor| is a [reference set](#) that used to specify the format of all [reference sets](#) included in a release. The data type and meaning of the referenced component and each additional field within each [reference set](#) is described by this [reference set](#) .

[Reference set](#) descriptor can be used to define

- The order of appearance of additional attributes (other than those mandatory for all [reference sets](#) );
- The name and purpose of the additional attributes;
- The data types for the additional attributes.

This allows for a [reference set](#) to be validated using the metadata embedded within the [reference set](#) descriptor in the following ways:

- the data type of its attributes may be validated against the data type declared in the [reference set](#) descriptor;
- the column order can be checked against the [reference set](#) descriptor.

### Data structure

The [Reference set descriptor reference set](#) is a [Component - Component - Integer reference set](#) that specifies the structure of reference sets. Its structure is shown in the following table.

**Table 4.2.11-1: Reference set descriptor reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleId	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of 900000000000443000   Module (core metadata concept)   within the <a href="#">metadata hierarchy</a> .	YES	NO
refsetId	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, the refsetId is always 900000000000456007   Reference set descriptor   as there is only one reference set of this type.	NO	NO
referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . Refers to the <a href="#">concept</a> that identifies the reference set (or reference set type) defined by this descriptor.	NO	NO

attributeDescription	SCTID	Specifies the name of an attribute that is used in the <a href="#">reference set</a> to which this descriptor applies. Set to a <a href="#">descendant</a> of 900000000000457003   <a href="#">Reference set attribute</a> (foundation metadata concept)   in the metadata <a href="#">hierarchy</a> , that describes the additional attribute extending the <a href="#">reference set</a> .	NO	NO
attributeType	SCTID	Specifies the data type of this attribute in the <a href="#">reference set</a> to which this descriptor applies. Set to a <a href="#">descendant</a> of 900000000000459000   <a href="#">attribute type</a> (foundation metadata concept)   in the metadata <a href="#">hierarchy</a> , that describes the type of the additional attribute extending the <a href="#">reference set</a> .	NO	NO
attributeOrder	integer	Specifies the position of this attribute in the <a href="#">reference set</a> to which this descriptor applies. A zero value identifies the <a href="#">referencedComponentId</a> within the <a href="#">reference set</a> . Other values specify an additional attributes by its position relative to the <a href="#">referencedComponentId</a> . Within a particular descriptor, <a href="#">attributeOrder</a> values for a particular <a href="#">referencedComponentId</a> must be contiguous. An unsigned <a href="#">Integer</a> , providing an ordering for the additional attributes extending the <a href="#">reference set</a> .	NO	NO

At least one row must exist for each [reference set](#) included in a release. This row must have an [attributeOrder](#) value of '0' and an [attributeType](#) of 'component type' (or one of its [descendants](#)). The [referencedComponentId](#) identifies the [reference set](#) defined by the descriptor.

There is one additional row for each additional column present in the specified [reference set](#) .

Creation of [Reference set](#) descriptor data is mandatory when creating a new [reference set](#) in the [International Release](#) or in a [National Extension](#) .

Creation of a [Reference set](#) descriptor is optional when creating a [reference set](#) in another [Extension](#). If a descriptor is not created, the descriptor of the closest [ancestor](#) of the [reference set](#) is used when validating [reference set](#) member records.

## Metadata

The following metadata in the |[Foundation metadata concept](#) | [hierarchy](#) supports the [reference set](#) descriptor [reference set](#) .

The [Reference Set](#) Descriptor [Reference Set](#) is specified by the 900000000000456007 |[Reference set descriptor concept](#) in the metadata hierarchy.

- 900000000000441003 |[SNOMED CT Model Component](#)
  - 900000000000454005 |[Foundation metadata concept](#)
    - 900000000000455006 |[Reference set](#)
      - 900000000000456007 |[Reference set descriptor](#)

**Table 4.2.11-2: Reference Set Descriptor Concept in the Metadata Hierarchy**

Values in the [Reference Set](#) are populated from:

- 900000000000454005 |[Foundation metadata concept](#)
  - 900000000000457003 |[Reference set attribute](#)
    - 900000000000458008 |[Attribute description](#)
    - 900000000000459000 |[Attribute type](#)
      - 900000000000460005 |[Component type](#)
        - 900000000000461009 |[Concept type component](#)
        - 900000000000462002 |[Description type component](#)
        - 900000000000463007 |[Relationship type component](#)
        - 900000000000464001 |[Reference set member type component](#)

- 900000000000465000 |String|
  - 900000000000466004 |Text|
    - 900000000000467008 |Single character|
    - 900000000000468003 |Text < 256 bytes|
  - 900000000000469006 |URL|
    - 900000000000470007 |HTML reference|
    - 900000000000471006 |Image reference| ...
  - 900000000000474003 |UUID|
  - 900000000000475002 |Time|
- 900000000000476001 |Integer|
  - 900000000000477005 |Signed integer|
  - 900000000000478000 |Unsigned integer|
- 900000000000460005 |Component type| ...
- 900000000000465000 |String| ...
- 900000000000476001 |Integer| ...
- 900000000000479008 |Attribute order|
- 900000000000491004 |Attribute value| ...

**Table 4.2.11-3: Reference Set Attribute Metadata Hierarchy**

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The table below shows the descriptor that defines the structure of the [900000000000456007 |Reference set descriptor|](#). Note that this descriptor is itself part of the [900000000000456007 |Reference set descriptor|](#) that it describes!

**Table 4.2.11-4: Refset Descriptor rows for**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
900000000000456007   Reference set descriptor	900000000000456007  Reference set descriptor	449608002  Referenced component	900000000000461009   Concept type component	0
900000000000456007   Reference set descriptor	900000000000456007  Reference set descriptor	900000000000458008   Attribute description	900000000000461009   Concept type component	1
900000000000456007   Reference set descriptor	900000000000456007  Reference set descriptor	900000000000459000   Attribute type	900000000000461009   Concept type component	2
900000000000456007   Reference set descriptor	900000000000456007  Reference set descriptor	900000000000479008   Attribute order	900000000000478000   Unsigned integer	3

## 4.2.12. Module Dependency Reference Set

### Purpose

The [Module dependency reference set](#) represents dependencies between different [SNOMED CT release modules](#). In each case, the dependency indicates which [targetEffectiveTime](#) of each particular [module](#) a given [sourceEffectiveTime](#) of the dependent [module](#) requires.

### Data structure

The [Module dependency reference set](#) is a [String - String reference set](#) which is used to represent dependencies between [modules](#), taking account of [module](#) versioning. Its structure is shown in the following table.

**Table 4.2.12-1: Module dependency reference set - Data Structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time $T$ is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time $T$ .	YES	YES (Full) Optional (Snapshot)
<a href="#">active</a>	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.  <b>Note:</b> A <a href="#">module dependency</a> should only be inactivated if it is found to be erroneous.	YES	NO
<a href="#">moduleId</a>	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000   Module (core metadata concept)  </a> within the <a href="#">metadata hierarchy</a> . The <a href="#">moduleId</a> for in the Module Dependency Reference Set represents the source module (i.e. the module declaring a dependency on another module). <b>Note:</b> In all other situations <a href="#">moduleId</a> is mutable. However, in the Module Dependency Reference Set a change to the <a href="#">moduleId</a> would also change the source of the dependency. Therefore, it should <b>not</b> be treated as mutable.	YES	NO

refsetId	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, always <a href="#">90000000000534007   Module dependency reference set</a> as there is only one Module Dependency Reference set.	NO	NO
referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . This refers to the target of the dependency (i.e. the module on which the module identified by moduleId depends).	NO	NO
sourceEffectiveTime	Time	The effective time of the dependent source <a href="#">module</a> (identified by <a href="#">moduleId</a> ). This specifies a version of that <a href="#">module</a> , consisting of all <a href="#">components</a> that have the same <a href="#">moduleId</a> as this <a href="#">refset member</a> in their states as at the specified <a href="#">targetEffectiveTime</a> .	YES	NO
targetEffectiveTime	Time	The effective time of the target <a href="#">module</a> required to satisfy the dependency (identified by <a href="#">referencedComponentId</a> ). This specifies a version of that <a href="#">module</a> , consisting of all <a href="#">components</a> with the <a href="#">moduleId</a> specified by <a href="#">referencedComponentId</a> in their states as at the specified <a href="#">targetEffectiveTime</a> .	YES	NO

## Rules and Guidance

### Introduction to Modules

Each row in the release files for components and reference set members has a [moduleId](#). This refers to the [module](#) that the component is maintained in. Each module is either part of the [SNOMED International Release](#) or part of a single [SNOMED CT Extension](#) . The [moduleId](#) has a [partition-id](#) which indicates whether it is part of the [SNOMED International Release](#) and, if not, its [namespace identifier](#) indicates the [SNOMED CT Extension](#) that it belongs to.

A module is simply a collection of [SNOMED CT components](#) maintained as a unit by a single organization. It is the organization 's responsibility to organize the components in each [extension](#) that it is responsible for into one or more modules, in a way that best fits its business needs.

A module is represented by a [descendant](#) of [90000000000443000 |Module|](#) in the metadata [hierarchy](#). The immediate subtype descendants of [90000000000443000 |Module|](#) represent groups of modules maintained by an organization and subtypes of these can be used to arrange that organizations modules into a number of groups. For example, all modules maintained by [SNOMED International](#) will be [children](#) of [90000000000445007 |SNOMED International maintained module|](#).

At any point in time a [component](#) must be in one, and only one module. It is possible for components and reference set members to be moved between modules (subject to constraints explained elsewhere). In this case, a new row is added to the release file with the same [id](#) but with a new [effectiveTime](#) and a new [moduleId](#).

### Introduction to Module Dependencies

Each [extension](#) must include one or more modules. Each module must be part of either the [SNOMED International Release](#) or one and only one [extension](#). A module may not move from one [extension](#) to another over time. If components or reference set members in a module are to be moved from an [extension](#) to the [SNOMED International Release](#) or to another [extension](#), they must either be added to an existing or newly created module maintained by the destination organization.

The [90000000000443000 |Module| sub-hierarchy](#) does NOT represent dependencies between module. Instead, module dependencies are modeled using the [90000000000534007 |Module dependency reference set|](#) .

At the point of release, if any [component](#) within a module has changed, then a new row must be added to the [|Module dependency reference set|](#) for each dependency of that module. The [effectiveTime](#) of the added rows must set to the date of the new release. The updated [|Module dependency reference set|](#) records indicate that some components within the module have been updated in this release. If there have been no additions, updates or inactivations of components or reference set members within a module, then a new [|Module dependency reference](#)

set| records need not be added unless there is a requirement to declare that the unchanged module is compatible with a later release of the module(s) on which it depends.

## Identifying and Versioning Module Dependencies

### id

The recommended practice is for the [refset.id](#) column to contain the same identifier for all versions of the dependencies between the same pair of modules. This approach means that at any given time only one version of each module has effective dependencies. The dependencies of earlier versions can be reviewed by reviewing a snapshot for the effectiveTime of the earlier release.

#### Value of the id column

An alternative approach has been suggested by some people in which a new identifier is allocated to each dependency of each module. This would then mean that all past dependencies would be visible in a snapshot view. It would also mean that it would be possible to release updated dependencies for an existing module version while also releasing more up-to-date versions of the same module with different dependencies. This added flexibility comes at the price of additional complexity and for the time-being the International Release modules continue to use the simpler approach in which each new version of a dependency supersedes the dependency between earlier versions of the same pair of modules.

### effectiveTime

The effectiveTime of at least one row for each pair of modules should be the same as the sourceEffectiveTime. Otherwise, there will be a period of time when a snapshot view will not show the dependencies. However, it is theoretically possible for an additional row to be added with a later effectiveTime in cases where an otherwise unchanged release of an extension, declares itself to be compatible with an updated release of the target module (in this case the effectiveTime and targetEffectiveTime are changed but the sourceEffectiveTime remains unchanged).

### active

A module dependency only needs to be inactivated if the dependency is found to be erroneous. This is because, the module dependency is specific to a particular version of the source and target module. Therefore, if that dependency was valid at the outset it remains valid indefinitely in respect of those specified module versions, even if the dependencies between subsequent versions differ.

### refsetId

Module version dependencies are represented using a single [90000000000534007 |Module dependency reference set|](#). Thus all module dependency rows have the same refsetId ( [90000000000534007 |Module dependency reference set|](#) (foundation metadata concept)).

It is the responsibility of the organization owning and maintaining a dependent module to identify all modules on which it depends. They do this by adding rows to the [90000000000534007 |Module dependency reference set|](#) within the dependent module. Because these added members must be in the dependent module, the [moduleId](#) of the [reference set](#) member record is also the identifier of the dependent (source) module.

## Module Identification

### Source Module (moduleId)

The [moduleId](#) column not only indicates that this reference set member is in the specified module, it also indicates that this is the module that is the source of the dependency. As a result, in this reference set the [moduleId](#) column is immutable (i.e Mutable=NO). This is an exception to the usual rule and implies that a member of this reference set cannot move from one module to another.

### Target Module (referencedComponentId)

The target module on which the source module depends is identified by the [referencedComponentId](#). Like the source module this is also immutable and this implies that if a module ceases to be dependent on another module, a new row inactivating the dependency can be added but the same member cannot be used to represent a different dependency (even if that dependency is a direct replacement of the inactivated dependency). However as noted above,

A module version may depend on one or more other module versions, and many module versions may have a dependency on a single module version. Cyclic module version dependencies are not allowed. If module-A depends on module-B, then module-B cannot depend on module-A.

Dependencies are not transitive and this means that dependencies cannot be inferred from a chain of dependencies. If module-A depends on module-B and module-B depends on module-C, the dependency of module-A on module-C must still be stated explicitly.

Any release should consist of a set of module versions that are certified as being compatible. Each release should also identify other module versions that it is dependent on even when these are outside the scope of the release. For example, the dependencies of modules in an Extension on the International Release must be stated.

Dependencies are specified between module versions, not just dependencies between modules. Therefore, it is possible to specify a dependency from a module released on one date to an earlier version of another module. The version of the dependent module is specified by the [sourceEffectiveTime](#) and the version of the module on which it depends is specified by the [targetEffectiveTime](#).

## Metadata

The following metadata in the "Foundation metadata [concept](#) " [hierarchy](#) supports this [reference set](#) :

**Table 4.2.12-2: Module Dependency Reference Set in the Metadata Hierarchy**

900000000000454005		Foundation metadata concept
900000000000455006		Reference set
900000000000534007		Module dependency

## Reference Set Descriptor and Example Data

### **i** Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor

The table below shows the descriptor that defines the structure of the [900000000000534007 |Module dependency reference set|](#).

**Table 4.2.12-3: Refset Descriptor rows for the Module Dependency**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
<a href="#">900000000000456007  Reference set descriptor </a>	<a href="#">900000000000534007  Module dependency </a>	<a href="#">900000000000535008  Dependency target </a>	<a href="#">900000000000461009  Concept type component </a>	0
<a href="#">900000000000456007  Reference set descriptor </a>	<a href="#">900000000000534007  Module dependency </a>	<a href="#">900000000000536009  Source effective time </a>	<a href="#">900000000000475002  Time </a>	1
<a href="#">900000000000456007  Reference set descriptor </a>	<a href="#">900000000000534007  Module dependency </a>	<a href="#">900000000000537000  Target effective time </a>	<a href="#">900000000000475002  Time </a>	2

Note: The table above omits the initial four columns of data present in the release file. These follow the standards versioning pattern [id](#), [effectiveTime](#), [active](#), [active](#). Additionally, to aid understanding, the table above also shows the [term](#) from one of the [descriptions](#) associated with each of the identified [concept](#). The release file only contains the [identifier](#).

## Example Data

Example The table below holds example entries for the [900000000000534007 |Module dependency reference set|](#) in a [snapshot view](#) of the January 2014 [SNOMED CT International Release](#).

This [SNOMED CT International Release](#) contains three modules:

- [90000000000012004 |SNOMED CT model component|](#) which has no dependencies;
- [900000000000207008 |SNOMED CT core|](#) which depends on the [90000000000012004 |SNOMED CT model component|](#); and
- [449080006 |SNOMED CT to ICD-10 rule-based mapping module|](#) which depends on both the other modules.



In this case all the 2014-01-31 modules depend on 2014-01-31 versions of the other modules. However, in some case a module may depend on an earlier version of another model (e.g. an extension module may be releases after the [SNOMED CT International Release](#) to which it applies).

Dependencies are not transitive. The fact that 449080006 |SNOMED CT to ICD-10 rule-based mapping module| is dependent on 900000000000207008 |SNOMED CT core| may seem to imply a dependency on 90000000000012004 |SNOMED CT model component|. However, in practice all dependencies must be explicitly specified, not just immediate dependencies.

**Table 4.2.12-4: Sample content from**

moduleId	refsetId	referencedComponentId (Dependency target)	sourceEffectiveTime (Source effective time)	targetEffectiveTime (Target effective time)
900000000000207008  SNOMED CT core	9000000000005340 07  Module dependency	90000000000012004  SNOMED CT model component	20140131	20140131
449080006  SNOMED CT to ICD-10 rule-based mapping module	9000000000005340 07  Module dependency	90000000000012004  SNOMED CT model component	20140131	20140131
449080006  SNOMED CT to ICD-10 rule-based mapping module	9000000000005340 07  Module dependency	900000000000207008  SNOMED CT core	20140131	20140131

### 4.2.13. Description Format Reference Set

#### Purpose

The 900000000000538005 |Description format reference set| specifies the text format and maximum length of each supported [description type](#). This permits additional [description types](#) to be specified in future in addition to the three existing [description types](#) ( [synonym](#), [fully specified name](#) and [textual definition](#)).

#### Data structure

The 900000000000538005 |Description format reference set| is a C-I ( [component- Integer](#)) [reference set](#) which is used to specify the length and format of the [terms](#) in [descriptions](#) of this [description type](#). Its structure is shown in the following table.

**Table 4.2.13-1: Description format reference set - Data structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
<a href="#">active</a>	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO

moduleId	SCTID	Identifies the SNOMED CT module that contains this reference set member as at the specified effectiveTime . The value must be a subtype of 90000000000443000   Module (core metadata concept)   within the metadata hierarchy .	YES	NO
refsetId	SCTID	Identifies the reference set to which this reference set member belongs. In this case, a subtype descendant of: 90000000000538005   Description format reference set (foundation metadata concept)	NO	NO
referencedComponentId	SCTID	A reference to the SNOMED CT component to be included in the reference set . Refers to the concept that represents the description type for which this row defines the format.	NO	NO
descriptionFormat	SCTID	A reference to a subtype of 90000000000539002   Description format (foundation metadata concept)   attribute which specifies the format of terms in descriptions of this description type .	NO	NO
descriptionLength	integer	The maximum length in bytes of the terms in descriptions of this description type .	NO	NO

## Metadata

The following metadata supports the description format reference set:

**Table 4.2.13-2: Description Format Reference Set in the Metadata Hierarchy**

90000000000454005  Foundation metadata concept
90000000000455006  Reference set
90000000000538005  Description format

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ( id, effectiveTime, active, moduleId) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor

The table below shows the descriptor that defines the structure of the 90000000000538005 |Description format reference set|.

**Table 4.2.13-3: Refset Descriptor rows for Description Format Reference Set**

refsetId	referencedComponentId (Referenced component)	attributeDescription (Attribute description)	attributeType (Attribute type)	attributeOrder (Attribute order)
900000000000456007  Reference set descriptor	900000000000538005  Description format	900000000000462002  Description type component	900000000000461009  Concept type component	0
900000000000456007  Reference set descriptor	900000000000538005  Description format	900000000000539002  Description format	900000000000461009  Concept type component	1
900000000000456007  Reference set descriptor	900000000000538005  Description format	900000000000544009  Description length	900000000000478000  Unsigned integer	2

### Example Data

This example holds the all the members of the 900000000000538005 |Description format reference set| in the [SNOMED CT International Release](#) for July 2014. Other members may added to future versions of the [International Release](#) if new [description types](#) are introduced. Owners of Extensions that support additional [description types](#) must also add members to the 900000000000538005 |Description format reference set|.

**Table 4.2.13-4: Sample Content from the Description Format Reference Set**

refsetId	referencedComponentId (Description type component)	descriptionFormat (Description format)	descriptionLength (Description length)
900000000000538005  Description format	90000000000003001  Fully specified name	900000000000540000  Plain text	255
900000000000538005  Description format	900000000000013009  Synonym	900000000000540000  Plain text	255
900000000000538005  Description format	900000000000550004  Definition	900000000000540000  Plain text	4096

Note: The tables above omit the initial four columns of data present in the release file. These follow the standards versioning pattern [id](#), [effectiveTime](#), [active](#), [active](#). Additionally, to aid understanding, the tables above also show the [term](#) from one of the [descriptions](#) associated with each of the identified [concept](#). The release file only contains the [identifier](#).

## 4.2.14. Map Correlation and Origin Reference Set

### Purpose

The [Map correlation and origin type reference set](#) is used to meet the requirements for representation of maps between codes in another code system ([other-codes](#)) and a [SNOMED CT concept](#) where the following requirements apply.

1. A requirement to indicate the degree of correlation between the SNOMED CT concept and the [other-codes](#).
2. A requirement to indicate whether a concept or code was added to either code system as a result of the mapping process and, in this case, to indicate in which code system the concept or code originated.
3. A requirement to represent the SNOMED CT attribute to which the [other-code](#) should be applied in order to capture the full specificity of the value represented by the [other-code](#).
4. No requirements for mapping rules or advice to be included with each map.

## Data Structure

**Table 4.2.14-1: Map Correlation and Origin Reference Set - Data Structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleId	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000</a>   <a href="#">Module (core metadata concept)</a>   within the <a href="#">metadata hierarchy</a> .	YES	NO
refsetId	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype</a> descendant of:   <a href="#">Map correlation and origin type reference set (foundation metadata concept)</a>	NO	NO
referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . The <a href="#">SNOMED CT concept</a> that is associated with the code in the other terminology or code system.	NO	NO
mapTarget	String	The <a href="#">other-code</a> to/from which the concept is mapped.	NO	NO
attributeId	SCTID	A reference to the <a href="#">SNOMED CT concept</a> representing the attribute to which the <a href="#">referencedComponentId</a> ( <a href="#">other-code</a> ) applies. In some cases, <a href="#">other-codes</a> may be overloaded with a meaning that combines the meaning of a specific attribute with a value applied to it in the <a href="#">SNOMED CT concept model</a> <a href="#">1</a> , in these cases accurate mapping needs to specify both aspects of the meaning. The <a href="#">attributeId</a> provides effective disambiguation in these cases. Values of <a href="#">attributeId</a> are restricted to subtypes of   <a href="#">Concept model attribute</a>  .	YES	NO
correlationId	SCTID	The correlation between the <a href="#">SNOMED CT concept</a> and the <a href="#">other-code</a> . Possible values are the following subtypes of <a href="#">447247004</a>   <a href="#">SNOMED CT source code to target map code correlation value</a>   :  <a href="#">447559001</a>   <a href="#">Broad to narrow map from SNOMED CT source code to target code</a>   <a href="#">447557004</a>   <a href="#">Exact match map from SNOMED CT source code to target code</a>   <a href="#">447558009</a>   <a href="#">Narrow to broad map from SNOMED CT source code to target code</a>   <a href="#">447560006</a>   <a href="#">Partial overlap between SNOMED CT source code and target code</a>	YES	NO
contentOriginId	SCTID	Indication of whether the concept was initially in one of the terminologies ( <a href="#">SNOMED CT</a> or <a href="#">other-codes</a> ) and added to the other as part of mapping or was in both terminologies at the outset. Values are subtypes of <a href="#">705116007</a>   <a href="#">Original code system source for linked content value</a>  .	YES	NO

## Related Links

- For further information see Using LOINC with SNOMED CT: [4.2.1 LOINC Part Map Reference Set](#).

## 4.2.15. Code to Expression Reference Set

### Purpose

The [Code to expression type reference set](#) is designed to enable associations between codes in another code system ([other-codes](#)) and [SNOMED CT concepts](#), where the following constraints apply:

1. Some of the [other-codes](#) cannot be mapped to an individual SNOMED CT [concept](#).
2. Licensing conditions (or other considerations) prevent addition of new SNOMED CT concepts to represent the same meaning as the [other-codes](#).
3. The [other-codes](#) can be logically defined using the [SNOMED concept model](#) to represent the same meaning ([sufficiently defined](#)) or a similar though less specific meaning ([primitive](#)).
4. Other requirements similar for those applicable to mapping may also apply including:
  - a. An indication of the degree of correlation between the [other-code](#) and the SNOMED CT expression.
  - b. An indication of whether the [other-code](#) was created before any single concept representation of that meaning in SNOMED CT or whether the single concept representation in SNOMED CT predated the creation of the association.

### Data Structure

The general approach to the above requirements is to associate each of the [other-codes](#) with a representation of the same logic based definition as would have been applied to a SNOMED CT concept with that meaning. However, since the [other-code](#) are not identified by an [SCTID](#), the logical definition cannot be represented using [defining relationships](#). There are two potential approaches to this, one would be to use a general purpose description logic language (e.g. [OWL](#)) and the other is to use a [SNOMED CT expression](#) to represent each definition. The [Code to expression type reference set](#) is designed to support the expression-based approach.

**Table 4.2.15-1: Code to expression type reference set - Data Structure**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleid	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000</a>   <a href="#">Module</a> (core metadata concept)   within the metadata <a href="#">hierarchy</a> .	YES	NO
refsetid	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a subtype descendant of: <a href="#">Code to expression type reference set</a>	NO	NO

referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . A subtype of <a href="#">705113004   Terminology system</a> identifying the code system from which the code in the <a href="#">mapTarget</a> field is derived. • For example: <a href="#">705114005   LOINC Code System</a>   .	NO	NO
mapTarget	String	The <a href="#">other-code</a> to/from which the concept is mapped.	NO	NO
expression	String	A <a href="#">SNOMED CT expression</a> that represents the SNOMED CT definition of the <a href="#">other-code</a> . This expression may be a <a href="#">stated</a> or <a href="#">inferred view</a> of the definition provided that documentation of each identified reference set specifies the view provided. The expression must conform to the syntax defined in the <a href="#">SNOMED CT Compositional Grammar - Specification and Guide</a> ( <a href="http://snomed.org/scg">http://snomed.org/scg</a> ).	YES	NO
definitionStatusId	SCTID	Indicates whether or not the expression contains a sufficient definition of the <a href="#">other-code</a> in the <a href="#">mapTarget</a> field. Possible values are the following subtypes of <a href="#">900000000000444006   Definition status</a>   :  <a href="#">900000000000074008   Necessary but not sufficient concept definition status</a>   <a href="#">900000000000073002   Sufficiently defined concept definition status</a>	YES	NO
correlationId	SCTID	The correlation between the SNOMED CT expression and the <a href="#">other-code</a> . Possible values are the following subtypes of <a href="#">447247004   SNOMED CT source code to target map code correlation value</a>   :  <a href="#">447559001   Broad to narrow map from SNOMED CT source code to target code</a>   <a href="#">447557004   Exact match map from SNOMED CT source code to target code</a>   <a href="#">447558009   Narrow to broad map from SNOMED CT source code to target code</a>   <a href="#">447560006   Partial overlap between SNOMED CT source code and target code</a>    When these values are applied to this reference set type, the phrase " <a href="#">SNOMED source code</a> " is interpreted as meaning " <a href="#">SNOMED expression</a> " and "target code" refers to the <a href="#">other-code</a> ..	YES	NO
contentOriginId	SCTID	Indication of whether the concept was initially in one of the terminologies (SNOMED CT or <a href="#">other-codes</a> ) and added to the other as part of mapping or was in both terminologies at the outset. Values are subtypes of <a href="#">705116007   Original code system source for linked content value</a>   .	YES	NO

refs

## Related Links

- For further information see [Using LOINC with SNOMED CT: 4.2.2 LOINC Term to Expression Reference Set](#).

## 4.2.16. MRCM Domain Reference Set

### Purpose

An [723589008 |MRCM domain reference set](#) enumerates the concept domains to which SNOMED CT attributes may be applied, and provides additional information to support these concept domains.

Each concept domain is uniquely identified by a SNOMED CT concept. When the scope of a domain covers the concepts in a particular hierarchy (or subhierarchy), the supertype concept of this hierarchy (or subhierarchy) is used to identify the domain. When a domain is defined based on membership in a reference set, the associated reference set concept is used to identify the domain. In some situations, a query may be required to define a complex domain. In these cases, the query's expansion reference set (referred to by the 'referencedComponent' of the relevant Query reference set) is used to identify the domain.

For each domain in the SNOMED CT concept model, the [723589008 |MRCM domain reference set](#) will contain exactly one member. This reference set member will include an Expression Constraint that defines the concepts in the domain, the identifier of the immediate parent domain (or domains), the domain constraint defined in terms of its proximal primitive concepts and associated mandatory refinements, a generic Domain Expression Template for both precoordinated and postcoordinated content, and a reference to the associated guidance that provides

additional human-readable text describing this domain. Please note that it is anticipated that the generic Domain Expression Templates will be specialized further for authoring of specific subdomains using specializations stored in a Template Library.

## Data Structure

An 723589008 |MRCM domain reference set| is structured as shown in the following table.

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleid	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of 900000000000443000   Module (core metadata concept)   within the <a href="#">metadata hierarchy</a> .	YES	NO
refsetid	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype</a> descendant of: 723589008   MRCM domain reference set	NO	NO
referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . A reference to the SNOMED CT concept that identifies the relevant concept domain.	NO	NO
domainConstraint	String	An expression constraint, which defines the set of concepts included in the given concept domain. This string can be parsed using the ABNF syntax defined for the <a href="#">Expression Constraint Language</a> .	YES	NO
parentDomain	String	An expression constraint, which represents the set of immediate parent domains. An immediate parent domain is a domain that is a proper superset of the given domain, and which is not a proper superset of any other parent domain.	YES	NO
proximalPrimitive Constraint	String	The domain constraint, as it would be represented for proximal primitive modelling. If the domain concept is sufficiently defined, then its proximal primitive parent will be used instead, while if the domain concept is primitive, then the concept itself is used. Additional constraints on the proximal primitive parent are also included. The expansion of the given constraint must be further filtered to find those concepts with a <a href="#">definitionStatusId</a> = 90000000000074008   Primitive  . This string can be parsed using the ABNF syntax defined for the <a href="#">Expression Constraint Language</a> .	YES	NO
proximalPrimitive Refinement	String	The template representation of any additional refinements that are required to model in the given domain using proximal primitive modelling. These mandatory refinements reflect the defining relationships of the domain concept, when it is sufficiently defined. This string can be parsed using the 'refinement' rule in the ABNF syntax defined for the <a href="#">Expression Constraint Language</a> .	YES	NO
domainTemplate ForPrecoordination	String	A general template that may be used to author precoordinated content. This template incorporates all of the mandatory attribute domain and range rules for precoordinated SNOMED CT content. This string can be parsed using the Expression Template Language (currently under development).	YES	NO

domainTemplate ForPostcoordination	String	A general template that may be used to author postcoordinated content. This template incorporates all of the mandatory attribute domain and range rules for postcoordinated SNOMED CT content. This string can be parsed using the Expression Template Language (currently under development).	YES	NO
guideURL	URL	A Uniform Resource Locator (URL) that references a web resource in which the given domain is described in further detail. This URL uses the following pattern: " <a href="http://snomed.org/dom">http://snomed.org/dom</a> <conceptId>"	YES	NO

## Metadata

The following metadata hierarchy supports this reference set:

- 900000000000454005 |Foundation metadata concept|
  - 900000000000455006 |Reference set|
    - 723564002 |MRCM reference set|
      - 723589008 |MRCM domain reference set|
        - 723560006 |MRCM domain international reference set|
- 900000000000457003 |Reference set attribute|
  - 723565001 |Domain constraint|
  - 723570008 |Guide URL|
  - 723566000 |Parent domain|
  - 723567009 |Proximal primitive constraint|
  - 723568004 |Proximal primitive refinement|
  - 723569007 |Template|
    - 723599003 |Domain template|
      - 723600000 |Domain template for precoordination|
      - 723601001 |Domain template for postcoordination|

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The table below shows the reference set descriptor for a reference set that follows the [723589008 |MRCM domain reference set|](#) pattern.



refsetId	referencedComponentId	attributeDescription	attributeType	attribute Order
900000000000456007   Reference set descriptor	723589008   MRCM domain reference set	449608002   Referenced component	900000000000461009   Concept type component	0
900000000000456007   Reference set descriptor	723589008   MRCM domain reference set	723565001   Domain constraint	707000009   SNOMED CT parsable string	1
900000000000456007   Reference set descriptor	723589008   MRCM domain reference set	723566000   Parent domain	707000009   SNOMED CT parsable string	2
900000000000456007   Reference set descriptor	723589008   MRCM domain reference set	723567009   Proximal primitive constraint	707000009   SNOMED CT parsable string	3
900000000000456007   Reference set descriptor	723589008   MRCM domain reference set	723568004   Proximal primitive refinement	707000009   SNOMED CT parsable string	4
900000000000456007   Reference set descriptor	723589008   MRCM domain reference set	723600000   Domain template for precoordination	707000009   SNOMED CT parsable string	5
900000000000456007   Reference set descriptor	723589008   MRCM domain reference set	723601001   Domain template for postcoordination	707000009   SNOMED CT parsable string	6
900000000000456007   Reference set descriptor	723589008   MRCM domain reference set	723570008   Guide URL	707000009   SNOMED CT parsable string	7

## Example Data

The table below shows some example rows from a reference set that uses the format of the [723589008 |MRCM domain reference set|](#).

Please note that the generic domain templates defined for the SNOMED CT International Edition are designed to support a proximal primitive parent authoring approach. However, domain templates included in an extension's [723589008 |MRCM domain reference set|](#) may be designed to support a proximal parent authoring approach if required.

refsetId	referenced Component Id	domain Constraint	parent Domain	proximal Primitive Constraint	proximal Primitive Refinement	domainTemplateForPrecoordination	domainTemplateForPostcoordination	guideURL
723560006   MRCM domain international reference set	71388002   Procedure (procedure)	<< 71388002   Procedure (procedure)		<< 71388002   Procedure (procedure)		[[+id(<< 71388002   Procedure (procedure)   )]]: [[0..*]] { [[0..*]] 260507000   Access   = [[+id(<< 309795001   Surgical access values (qualifier value)   )]], [[0..*]] 363699004   Direct device   = [[+id(<< 49062001   Device (physical object)   )]], [[0..*]] 363700003   Direct morphology   = [[+id(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 363701004   Direct substance   = [[+id(<< 105590001   Substance (substance)   OR << 373873005   Pharmaceutical / biologic product (product)   )]], [[0..*]] 363702006   Has focus   = [[+id(<< 404684003   Clinical finding (finding)   OR << 71388002   Procedure (procedure)   )]], [[0..*]] 363703001   Has intent   = [[+id(<< 363675004   Intents (nature of procedure values) (qualifier value)   )]], [[0..*]] 363710007   Indirect device   = [[+id(<< 49062001   Device (physical object)   )]], [[0..*]] 363709002   Indirect morphology   = [[+id(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 260686004   Method   = [[+id(<< 129264002   Action (qualifier value)   )]], [[0..*]] 260870009   Priority   = [[+id(<< 272125009   Priorities (qualifier value)   )]], [[0..*]] 405815000   Procedure device   = [[+id(<< 49062001   Device (physical object)   )]], [[0..*]] 405816004   Procedure morphology   = [[+id(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 363704007   Procedure site   = [[+id(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 405813007   Procedure site - Direct   = [[+id(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 405814001   Procedure site - Indirect   = [[+id(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 370131001   Recipient category   = [[+id(<< 125676002   Person (person)   OR << 35359004   Family (social concept)   OR <<	[[+scg(<< 71388002   Procedure (procedure)   )]]: [[0..*]] { [[0..*]] 260507000   Access   = [[+scg(<< 309795001   Surgical access values (qualifier value)   )]], [[0..*]] 363699004   Direct device   = [[+scg(<< 49062001   Device (physical object)   )]], [[0..*]] 363700003   Direct morphology   = [[+scg(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 363701004   Direct substance   = [[+scg(<< 105590001   Substance (substance)   OR << 373873005   Pharmaceutical / biologic product (product)   )]], [[0..*]] 363702006   Has focus   = [[+scg(<< 404684003   Clinical finding (finding)   OR << 71388002   Procedure (procedure)   )]], [[0..*]] 363703001   Has intent   = [[+scg(<< 363675004   Intents (nature of procedure values) (qualifier value)   )]], [[0..*]] 363710007   Indirect device   = [[+scg(<< 49062001   Device (physical object)   )]], [[0..*]] 363709002   Indirect morphology   = [[+scg(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 260686004   Method   = [[+scg(<< 129264002   Action (qualifier value)   )]], [[0..*]] 260870009   Priority   = [[+scg(<< 272125009   Priorities (qualifier value)   )]], [[0..*]] 405815000   Procedure device   = [[+scg(<< 49062001   Device (physical object)   )]], [[0..*]] 405816004   Procedure morphology   = [[+scg(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 363704007   Procedure site   = [[+scg(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 405813007   Procedure site - Direct   = [[+scg(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 405814001   Procedure site - Indirect   = [[+scg(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 370131001   Recipient category   = [[+scg(<< 125676002   Person (person)   OR << 35359004   Family (social concept)   OR <<	<a href="http://snomed.org/dom71388002">http://snomed.org/dom71388002</a>

refsetId	referenced Component Id	domain Constraint	parent Domain	proximal Primitive Constraint	proximal Primitive Refinement	domainTemplateForPrecoordination	domainTemplateForPostcoordination	guideURL
						133928008   Community (social concept)   OR << 105455006   Donor for medical or surgical procedure (person)   OR << 389109008   Group (social concept)   ]], [[0..*]] 246513007   Revision status   = [[+id(<< 261424001   Primary operation (qualifier value)   OR << 255231005   Revision - value (qualifier value)   OR << 257958009   Part of multistage procedure (qualifier value)   ]], [[0..*]] 425391005   Using access device   = [[+id(<< 49062001   Device (physical object)   )]], [[0..*]] 424226004   Using device   = [[+id(<< 49062001   Device (physical object)   )]], [[0..*]] 424244007   Using energy   = [[+id(<< 78621006   Physical force (physical force)   )]], [[0..*]] 424361007   Using substance   = [[+id(<< 105590001   Substance (substance)   )]] }	133928008   Community (social concept)   OR << 105455006   Donor for medical or surgical procedure (person)   OR << 389109008   Group (social concept)   ]], [[0..*]] 246513007   Revision status   = [[+scg(<< 261424001   Primary operation (qualifier value)   OR << 255231005   Revision - value (qualifier value)   OR << 257958009   Part of multistage procedure (qualifier value)   ]], [[0..*]] 425391005   Using access device   = [[+scg(<< 49062001   Device (physical object)   )]], [[0..*]] 424226004   Using device   = [[+scg(<< 49062001   Device (physical object)   )]], [[0..*]] 424244007   Using energy   = [[+scg(<< 78621006   Physical force (physical force)   )]], [[0..*]] 424361007   Using substance   = [[+scg(<< 105590001   Substance (substance)   )]] }	
723560006   MRCM domain international reference set	386053000   Evaluation procedure (procedure)	<< 386053000   Evaluation procedure (procedure)	71388002   Procedure (procedure)	<< 71388002   Procedure (procedure)	[[1..*]] 260686004   Method   = [[+ (<< 129265001   Evaluation - action   )]]	[[+id(<< 71388002   Procedure (procedure)   )]]: [[0..*]] { [[1..*]] 260686004   Method   = [[+id(<< 129265001   Evaluation - action   )]], [[0..*]] 246093002   Component   = [[+id(<< 123037004   Body structure   OR << 410607006   Organism   OR << 105590001   Substance   OR << 123038009   Specimen   OR << 260787004   Physical object   OR << 373873005   Pharmaceutical / biologic product   OR << 419891008   Record artifact   OR << 363787002   Observable entity   )]], [[0..*]] 116686009   Has specimen   = [[+id(<< 123038009   Specimen (specimen)   )]], [[0..*]] 370129005   Measurement method   = [[+id(<< 127789004   Laboratory procedure categorized by method (procedure)   )]], [[0..*]] 370130000   Property   = [[+id(<< 118598001   Property of measurement (qualifier value)   )]], [[0..*]] 370132008   Scale type   = [[+id(<< 30766002   Quantitative   OR << 26716007   Qualitative   OR << 117363000   Ordinal value   OR << 117365007   Ordinal or quantitative value   OR << 117362005   Nominal value   OR << 117364006   Narrative value   OR << 117444000   Text value   )]], [[0..*]] 370134009   Time aspect   = [[+id(<<	[[+scg(<< 71388002   Procedure (procedure)   )]]: [[0..*]] { [[1..*]] 260686004   Method   = [[+scg(<< 129265001   Evaluation - action   )]], [[0..*]] 246093002   Component   = [[+scg(<< 123037004   Body structure   OR << 410607006   Organism   OR << 105590001   Substance   OR << 123038009   Specimen   OR << 260787004   Physical object   OR << 373873005   Pharmaceutical / biologic product   OR << 419891008   Record artifact   OR << 363787002   Observable entity   )]], [[0..*]] 116686009   Has specimen   = [[+scg(<< 123038009   Specimen (specimen)   )]], [[0..*]] 370129005   Measurement method   = [[+scg(<< 127789004   Laboratory procedure categorized by method (procedure)   )]], [[0..*]] 370130000   Property   = [[+scg(<< 118598001   Property of measurement (qualifier value)   )]], [[0..*]] 370132008   Scale type   = [[+scg(<< 30766002   Quantitative   OR << 26716007   Qualitative   OR << 117363000   Ordinal value   OR << 117365007   Ordinal or quantitative value   OR << 117362005   Nominal value   OR << 117364006   Narrative value   OR << 117444000   Text value   )]], [[0..*]] 370134009   Time aspect   = [[+scg(<<	<a href="http://snomed.org/dom386053000">http://snomed.org/dom386053000</a>

refsetId	referenced Component Id	domain Constraint	parent Domain	proximal Primitive Constraint	proximal Primitive Refinement	domainTemplateForPrecoordination	domainTemplateForPostcoordination	guideURL
						7389001   Time frame (qualifier value)   )), [[0..*]] 260507000   Access   = [[+id(<< 309795001   Surgical access values (qualifier value)   )]], [[0..*]] 363699004   Direct device   = [[+id(<< 49062001   Device (physical object)   )), [[0..*]] 363700003   Direct morphology   = [[+id(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 363701004   Direct substance   = [[+id(<< 105590001   Substance (substance)   OR << 373873005   Pharmaceutical / biologic product (product)   )]], [[0..*]] 363702006   Has focus   = [[+id(<< 404684003   Clinical finding (finding)   OR << 71388002   Procedure (procedure)   )]], [[0..*]] 363703001   Has intent   = [[+id(<< 363675004   Intents (nature of procedure values) (qualifier value)   )]], [[0..*]] 363710007   Indirect device   = [[+id(<< 49062001   Device (physical object)   )), [[0..*]] 363709002   Indirect morphology   = [[+id(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 260686004   Method   = [[+id(<< 129264002   Action (qualifier value)   )), [[0..*]] 260870009   Priority   = [[+id(<< 272125009   Priorities (qualifier value)   )]], [[0..*]] 405815000   Procedure device   = [[+id(<< 49062001   Device (physical object)   )), [[0..*]] 405816004   Procedure morphology   = [[+id(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 363704007   Procedure site   = [[+id(<< 442083009   Anatomical or acquired body structure (body structure)   )), [[0..*]] 405813007   Procedure site - Direct   = [[+id(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 405814001   Procedure site - Indirect   = [[+id(<< 442083009   Anatomical or acquired body structure (body structure)   )), [[0..*]] 370131001   Recipient category   = [[+id(<< 125676002   Person (person)   OR << 35359004   Family (social concept)   OR << 133928008   Community (social concept)	7389001   Time frame (qualifier value)   )), [[0..*]] 260507000   Access   = [[+scg(<< 309795001   Surgical access values (qualifier value)   )]], [[0..*]] 363699004   Direct device   = [[+scg(<< 49062001   Device (physical object)   )), [[0..*]] 363700003   Direct morphology   = [[+scg(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 363701004   Direct substance   = [[+scg(<< 105590001   Substance (substance)   OR << 373873005   Pharmaceutical / biologic product (product)   )]], [[0..*]] 363702006   Has focus   = [[+scg(<< 404684003   Clinical finding (finding)   OR << 71388002   Procedure (procedure)   )]], [[0..*]] 363703001   Has intent   = [[+scg(<< 363675004   Intents (nature of procedure values) (qualifier value)   )]], [[0..*]] 363710007   Indirect device   = [[+scg(<< 49062001   Device (physical object)   )]], [[0..*]] 363709002   Indirect morphology   = [[+scg(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 260686004   Method   = [[+scg(<< 129264002   Action (qualifier value)   )), [[0..*]] 260870009   Priority   = [[+scg(<< 272125009   Priorities (qualifier value)   )]], [[0..*]] 405815000   Procedure device   = [[+scg(<< 49062001   Device (physical object)   )), [[0..*]] 405816004   Procedure morphology   = [[+scg(<< 49755003   Morphologically abnormal structure (morphologic abnormality)   )]], [[0..*]] 363704007   Procedure site   = [[+scg(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 405813007   Procedure site - Direct   = [[+scg(<< 442083009   Anatomical or acquired body structure (body structure)   )]], [[0..*]] 405814001   Procedure site - Indirect   = [[+scg(<< 442083009   Anatomical or acquired body structure (body structure)   )), [[0..*]] 370131001   Recipient category   = [[+scg(<< 125676002   Person (person)   OR << 35359004   Family (social concept)   OR << 133928008   Community (social concept)	

refsetId	referenced Component Id	domain Constraint	parent Domain	proximal Primitive Constraint	proximal Primitive Refinement	domainTemplateForPrecoordination	domainTemplateForPostcoordination	guideURL
						OR << 105455006   Donor for medical or surgical procedure (person)   OR << 389109008   Group (social concept)   ]], [[0..*]] 246513007   Revision status   = [[+id(<< 261424001   Primary operation (qualifier value)   OR << 255231005   Revision - value (qualifier value)   OR << 257958009   Part of multistage procedure (qualifier value)   ]], [[0..*]] 425391005   Using access device   = [[+id(<< 49062001   Device (physical object)   )]], [[0..*]] 424226004   Using device   = [[+id(<< 49062001   Device (physical object)   )]], [[0..*]] 424244007   Using energy   = [[+id(<< 78621006   Physical force (physical force)   )]], [[0..*]] 424361007   Using substance   = [[+id(<< 105590001   Substance (substance)   )]] }	OR << 105455006   Donor for medical or surgical procedure (person)   OR << 389109008   Group (social concept)   ]], [[0..*]] 246513007   Revision status   = [[+scg(<< 261424001   Primary operation (qualifier value)   OR << 255231005   Revision - value (qualifier value)   OR << 257958009   Part of multistage procedure (qualifier value)   ]], [[0..*]] 425391005   Using access device   = [[+scg(<< 49062001   Device (physical object)   )]], [[0..*]] 424226004   Using device   = [[+scg(<< 49062001   Device (physical object)   )]], [[0..*]] 424244007   Using energy   = [[+scg(<< 78621006   Physical force (physical force)   )]], [[0..*]] 424361007   Using substance   = [[+scg(<< 105590001   Substance (substance)   )]] }	

## 4.2.17. MRCM Attribute Domain Reference Set

### Purpose

An [723604009 |MRCM attribute domain reference set|](#) allows attributes to be associated with the domains in which they may be applied. It also allows grouping and cardinality constraints to be specified for each attribute and domain combination. For each attribute-domain rule, the strength of the rule (e.g. [723597001 |Mandatory concept model rule|](#) or [723598006 |Optional concept model rule|](#)) and the content type over which this rule applies (e.g. [723596005 |All SNOMED CT content|](#), [723594008 |All precoordinated SNOMED CT content|](#)) is also specified.

Each attribute is identified by its concept id, while each domain is identified by the same concept id used in the `referencedComponentId` of the [723589008 |MRCM domain reference set|](#).

### Data Structure

An [723604009 |MRCM attribute domain reference set|](#) is structured as shown in the following table.

Field	Data type	Purpose	Mutable	Part of Primary Key
<code>id</code>	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <code>id</code> but have different <code>effectiveTime</code> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<code>effectiveTime</code>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time $T$ is the version with the most recent <code>effectiveTime</code> prior to or equal to time $T$ .	YES	YES (Full / Optional (Snapshot))
<code>active</code>	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <code>effectiveTime</code> . If <code>active = 1</code> (true) the <a href="#">reference set member</a> is part of the current version of the set, if <code>active = 0</code> (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
<code>moduleId</code>	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <code>effectiveTime</code> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000  Module (core metadata concept) </a> within the metadata <a href="#">hierarchy</a> .	YES	NO
<code>refsetId</code>	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype descendant</a> of: <a href="#">723604009  MRCM attribute domain reference set </a>	NO	NO
<code>referencedComponentId</code>	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . A reference to the SNOMED CT attribute concept to which the attribute-domain rule defined by this member applies.	NO	NO
<code>domainId</code>	SCTID	A reference to the SNOMED CT concept that identifies the relevant concept domain.	NO	NO
<code>grouped</code>	Boolean	Whether or not the given attribute (identified by <code>referencedComponentId</code> ) is treated by a Description Logic reasoner as belonging to a relationship group, when applied to a concept in the given domain. If <code>grouped = 1</code> (true) then the given attribute (identified by <code>referencedComponentId</code> ) is treated by a Description Logic reasoner as belonging to a relationship group. If <code>grouped = 0</code> (false) then the given attribute (identified by <code>referencedComponentId</code> ) is treated by a Description Logic reasoner as not belonging to a relationship group.	YES	NO

attributeCardinality	string	The number of times the given attribute can be assigned a distinct (non-redundant) value within the definition of each concept or expression. This string can be parsed using the following ABNF rule (together with the subrules defined in the <a href="#">Expression Constraint Language</a> ): <i>attributeCardinality = minimum to maximum</i>	YES	NO
attributeInGroup Cardinality	string	The number of times the given attribute can be assigned a distinct (non-redundant) value within a single relationship group as part of the definition of a concept or expression. This string can be parsed using the following ABNF rule (together with the subrules defined in the <a href="#">Expression Constraint Language</a> ): <i>attributeCardinality = minimum to maximum</i>	YES	NO
ruleStrengthId	SCTID	A subtype of <a href="#">723573005</a>   Concept model rule strength   which specifies whether the given rule is mandatory (resulting in an error) or optional (resulting in a warning).	YES	NO
contentTypeId	SCTID	A subtype of <a href="#">723574004</a>   Content type   which indicates the type of SNOMED CT content over which this rule applies. In many cases, this will be set to <a href="#">723596005</a>   All SNOMED CT content   .	YES	NO

## Metadata

The following metadata hierarchy supports this reference set:

- [900000000000454005](#) | Foundation metadata concept |
  - [900000000000455006](#) | Reference set |
    - [723564002](#) | MRCM reference set |
      - [723604009](#) | MRCM attribute domain reference set |
        - [723561005](#) | MRCM attribute domain international reference set |
- [900000000000457003](#) | Reference set attribute |
  - [723571007](#) | Cardinality |
    - [723602008](#) | Attribute cardinality |
    - [723603003](#) | Attribute in group cardinality |
  - [723574004](#) | Content type | <sup>1</sup>
    - [723593002](#) | All new precoordinated SNOMED CT content |
      - [723594008](#) | All precoordinated SNOMED CT content |
        - [723596005](#) | All SNOMED CT content |
    - [723595009](#) | All postcoordinated SNOMED CT content |
      - [723596005](#) | All SNOMED CT content |
  - [609431004](#) | Domain |
  - [723572000](#) | Grouped |
  - [723573005](#) | Concept model rule strength |
    - [723597001](#) | Mandatory concept model rule |
    - [723598006](#) | Optional concept model rule |

---

<sup>1</sup> Please note that the [723574004](#) | Content type | hierarchy is designed using 'universal restriction' logic. The hierarchy may therefore appear to be 'upside down'. However, it was designed in this way because if an MRCM rule applies to [723596005](#) | All SNOMED CT content | then it also applies to the Content Types that are a supertype of this - including [723594008](#) | All precoordinated SNOMED CT content | and [723595009](#) | All postcoordinated SNOMED CT content | .

---

## Reference Set Descriptor and Example Data

### **i** Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The table below shows the reference set descriptor for a reference set that follows the [723604009 |MRCM attribute domain reference set|](#) pattern.

refsetId	referencedComponentId	attributeDescription	attributeType	attribute Order
<a href="#">90000000000456007   Reference set descriptor  </a>	<a href="#">723604009   MRCM attribute domain reference set  </a>	<a href="#">449608002   Referenced component  </a>	<a href="#">90000000000461009   Concept type component  </a>	0
<a href="#">90000000000456007   Reference set descriptor  </a>	<a href="#">723604009   MRCM attribute domain reference set  </a>	<a href="#">609431004   Domain  </a>	<a href="#">90000000000461009   Concept type component  </a>	1
<a href="#">90000000000456007   Reference set descriptor  </a>	<a href="#">723604009   MRCM attribute domain reference set  </a>	<a href="#">723572000   Grouped  </a>	<a href="#">90000000000478000   Unsigned integer  </a>	2
<a href="#">90000000000456007   Reference set descriptor  </a>	<a href="#">723604009   MRCM attribute domain reference set  </a>	<a href="#">723602008   Attribute Cardinality  </a>	<a href="#">707000009   SNOMED CT parsable string  </a>	3
<a href="#">90000000000456007   Reference set descriptor  </a>	<a href="#">723604009   MRCM attribute domain reference set  </a>	<a href="#">723603003   Attribute In Group Cardinality  </a>	<a href="#">707000009   SNOMED CT parsable string  </a>	4
<a href="#">90000000000456007   Reference set descriptor  </a>	<a href="#">723604009   MRCM attribute domain reference set  </a>	<a href="#">723573005   Concept model rule Strength  </a>	<a href="#">90000000000461009   Concept type component  </a>	5
<a href="#">90000000000456007   Reference set descriptor  </a>	<a href="#">723604009   MRCM attribute domain reference set  </a>	<a href="#">723574004   Content type  </a>	<a href="#">90000000000461009   Concept type component  </a>	6



## Example Data

The table below shows some example rows from a reference set that follows the format of the [723604009 |MRCM attribute domain reference set|](#).

refsetId	referencedComponent Id	domainId	grouped	attribute Cardinality	attribute InGroup Cardinality	ruleStrengthId	contentTypeId
<a href="#">723561005   MRCM attribute domain international reference set  </a>	<a href="#">255234002   After  </a>	<a href="#">404684003   Clinical finding (finding)  </a>	1	0..*	0..*	<a href="#">723597001   Mandatory concept model rule  </a>	<a href="#">723596005   All SNOMED CT content  </a>
<a href="#">723561005   MRCM attribute domain international reference set  </a>	<a href="#">255234002   After  </a>	<a href="#">272379006   Event (event)  </a>	1	0..*	0..*	<a href="#">723597001   Mandatory concept model rule  </a>	<a href="#">723596005   All SNOMED CT content  </a>
<a href="#">723561005   MRCM attribute domain international reference set  </a>	<a href="#">408729009   Finding context  </a>	<a href="#">413350009   Finding with explicit context (situation)  </a>	1	0..*	0..1	<a href="#">723597001   Mandatory concept model rule  </a>	<a href="#">723596005   All SNOMED CT content  </a>
<a href="#">723561005   MRCM attribute domain international reference set  </a>	<a href="#">272741003   Laterality  </a>	<a href="#">91723000   Anatomical structure (body structure)  </a>	0	0..1	0..0	<a href="#">723597001   Mandatory concept model rule  </a>	<a href="#">723594008   All precoordinated SNOMED CT content  </a>

## 4.2.18. MRCM Attribute Range Reference Set

### Purpose

An [723592007 |MRCM attribute range reference set|](#) allows attributes to be associated with a valid value range for a given SNOMED CT content type and rule strength. The range of each attribute is defined using an Expression Constraint. This expression constraint represents the set of concepts, expressions, or concrete values that may be used as the value of the given attribute. [1](#)

The [723592007 |MRCM attribute range reference set|](#) also provides a summary of the concept model rule associated with each attribute (including all valid domains and the given range) using an Expression Constraint representation. This attribute rule can be completely auto-generated by combining information from the [723604009 |MRCM attribute domain reference set|](#) and the [723592007 |MRCM attribute range reference set|](#).

### Data Structure

An [723592007 |MRCM attribute range reference set|](#) is structured as shown in the following table.

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleid	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000   Module (core metadata concept)  </a> within the metadata <a href="#">hierarchy</a> .	YES	NO
refsetid	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype descendant</a> of: <a href="#">723592007  MRCM attribute range reference set </a>	NO	NO
<a href="#">referencedComponentId</a>	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . A reference to the SNOMED CT attribute concept to which the range defined by this member applies.	NO	NO

rangeConstraint	string	<p>An expression constraint, which defines the set of concepts that may be used as the value of the given attribute (identified by referencedComponentId). This string can be parsed using the ABNF syntax defined for the <a href="#">Expression Constraint Language</a> .</p> <p>If ranges using concrete values are required, the <a href="#">Expression Constraint Language</a> can be extended with the keyword "TYPE", by replacing the <b>simpleExpressionConstraint</b> rule with the following two rules:</p> <pre> <b>simpleExpressionConstraint</b> = [constraintOperator ws] eclFocusConcept / typeKeyword ws conceptReference <b>typeKeyword</b> = ("t"/"T") ("y"/"Y") ("p"/"P") ("e"/"E")           </pre> <p>For example, the following range includes the set of all integers: <b>TYPE</b> 900000000000476001   Integer  </p> <p>Any descendant of 900000000000459000   Attribute type   may be used as the type of an attribute range.</p>	YES	NO
attributeRule	string	<p>An Expression Constraint that captures the domain, range and cardinality constraints for the given attribute, rule strength and content type. This string can be parsed using the ABNF syntax defined for the <a href="#">Expression Constraint Language</a> .</p> <p>If ranges with concrete values are required, the Expression Constraint Language can be extended as described above (for rangeConstraint).</p>	YES	NO
ruleStrengthId	SCTID	<p>A subtype of 723573005   Concept model rule strength   which specifies whether the given rule is mandatory (resulting in an error) or optional (resulting in a warning).</p>	YES	NO
contentTypeId	SCTID	<p>A subtype of 723574004   Content type   which indicates the type of SNOMED CT content over which this rule applies.</p>	YES	NO

## Metadata

The following metadata hierarchy supports this reference set:

- 900000000000454005 | Foundation metadata concept |
  - 900000000000455006 | Reference set |
    - 723564002 | MRCM reference set |
      - 723592007 | MRCM attribute range reference set |
        - 723562003 | MRCM attribute range international reference set |
- 900000000000457003 | Reference set attribute |
  - 723576002 | Attribute rule |
  - 723574004 | Content type |<sup>2</sup>
    - 723593002 | All new precoordinated SNOMED CT content |
      - 723594008 | All precoordinated SNOMED CT content |
        - 723596005 | All SNOMED CT content |
    - 723595009 | All postcoordinated SNOMED CT content |
      - 723596005 | All SNOMED CT content |
  - 723575003 | Range constraint |
  - 723573005 | Concept model rule strength |
    - 723597001 | Mandatory concept model rule |
    - 723598006 | Optional concept model rule |

<sup>2</sup> If ranges including concrete values (such as integers or strings) are required, the Expression Constraint Language can be extended, as described for *rangeConstraint* in the Data Structure section on this page.

2 Please note that the 723574004 |Content type| hierarchy is designed using 'universal restriction' logic. The hierarchy may therefore appear to be 'upside down'. However, it was designed in this way because if an MRCM rule applies to 723596005 |All SNOMED CT content| then it also applies to the Content Types that are a supertype of this - including 723594008 |All precoordinated SNOMED CT content| and 723595009 |All postcoordinated SNOMED CT content|.

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ( [id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The table below shows the reference set descriptor for a reference set that follows the 723592007 |MRCM attribute range reference set| pattern.

refsetId	referencedComponentId	attributeDescription	attributeType	attribute Order
900000000000456007   Reference set descriptor	723592007   MRCM attribute range reference set	449608002   Referenced component	900000000000461009   Concept type component	0
900000000000456007   Reference set descriptor	723592007   MRCM attribute range reference set	723575003   Range constraint	707000009   SNOMED CT parsable string	1
900000000000456007   Reference set descriptor	723592007   MRCM attribute range reference set	723576002   Attribute rule	707000009   SNOMED CT parsable string	2
900000000000456007   Reference set descriptor	723592007   MRCM attribute range reference set	723573005   Concept model rule strength	900000000000461009   Concept type component	3
900000000000456007   Reference set descriptor	723592007   MRCM attribute range reference set	723574004   Content type	900000000000461009   Concept type component	4

## Example Data

The table below shows some example rows from a reference set that follows the format of the [723592007 |MRCM attribute range reference set|](#).

refsetId	referencedComponentId	rangeConstraint	attributeRule	ruleStrengthId	contentTypeId
<a href="#">723562003  MRCM attribute range international reference set </a>	<a href="#">255234002  After </a>	<a href="#">&lt;&lt; 404684003  Clinical finding (finding) </a> <a href="#">OR &lt;&lt; 71388002  Procedure (procedure) </a>	<a href="#">(&lt;&lt; 404684003  Clinical finding (finding) </a> <a href="#">OR &lt;&lt; 272379006  Event (event) </a> <a href="#">):[0..*]{[0..*]</a> <a href="#">255234002  After </a> <a href="#">=(&lt;&lt; 404684003  Clinical finding (finding) </a> <a href="#">OR &lt;&lt; 71388002  Procedure (procedure) </a> <a href="#">)}}</a>	<a href="#">723597001  Mandatory concept model rule </a>	<a href="#">723596005  All SNOMED CT content </a>
<a href="#">723562003  MRCM attribute range international reference set </a>	<a href="#">408729009  Finding context </a>	<a href="#">&lt;&lt; 410514004  Finding context value (qualifier value) </a>	<a href="#">&lt;&lt; 413350009  Finding with explicit context (situation) </a> <a href="#">:[0..*]{[0..1]</a> <a href="#">408729009  Finding context </a> <a href="#">=&lt;&lt; 410514004  Finding context value (qualifier value) </a> <a href="#">}</a>	<a href="#">723597001  Mandatory concept model rule </a>	<a href="#">723596005  All SNOMED CT content </a>
<a href="#">723562003  MRCM attribute range international reference set </a>	<a href="#">272741003  Laterality </a>	<a href="#">&lt;&lt; 182353008  Side (qualifier value) </a>	<a href="#">&lt;&lt; 91723000  Anatomical structure (body structure) </a> <a href="#">:[0..1]</a> <a href="#">272741003  Laterality </a> <a href="#">=&lt;&lt; 182353008  Side (qualifier value) </a>	<a href="#">723597001  Mandatory concept model rule </a>	<a href="#">723596005  All SNOMED CT content </a>

## 4.2.19. MRCM Module Scope Reference Set

### Purpose

An [723563008 |MRCM module scope reference set|](#) specifies the set of MRCM reference sets that should be applied to the content in each module. Within a SNOMED CT Edition, the MRCM rules applied to the included modules must be consistent, to ensure data integrity within an edition is maintained.

### Data Structure

An [723563008 |MRCM module scope reference set|](#) is structured as shown in the following table.

Field	Data type	Purpose	Mutable	Part of Primary Key
<a href="#">id</a>	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
<a href="#">effectiveTime</a>	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
<a href="#">active</a>	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
<a href="#">moduleId</a>	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000  Module (core metadata concept) </a> within the <a href="#">metadata hierarchy</a> .	YES	NO
<a href="#">refsetId</a>	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, set to <a href="#">723563008  MRCM module scope reference set </a> .	NO	NO
<a href="#">referencedComponentId</a>	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . Identifies the SNOMED CT module to which the given concept model refset is applied. The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000  Module </a> within the <a href="#">metadata hierarchy</a> .	NO	NO
<a href="#">mrcmRuleRefsetId</a>	SCTID	A <a href="#">subtype</a> of <a href="#">723564002  MRCM reference set </a> that defines the concept model rules that are applied to content in the module identified by <a href="#">referencedComponentId</a> .	NO	NO

### Metadata

The following metadata hierarchy supports this reference set:

- [900000000000454005 |Foundation metadata concept|](#)
  - [900000000000455006 |Reference set|](#)
    - [723564002 |MRCM reference set|](#)
      - [723563008 |MRCM module scope reference set|](#)
- [900000000000457003 |Reference set attribute|](#)
  - [723577006 |MRCM rule reference set|](#)

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The table below shows the reference set descriptor for the [723563008 |MRCM module scope reference set|](#) pattern.

refsetId	referencedComponentId	attributeDescription	attributeType	attributeOrder
<a href="#">900000000000456007   Reference set descriptor  </a>	<a href="#">723563008   MRCM module scope reference set  </a>	<a href="#">449608002   Referenced component  </a>	<a href="#">900000000000461009   Concept type component  </a>	0
<a href="#">900000000000456007   Reference set descriptor  </a>	<a href="#">723563008   MRCM module scope reference set  </a>	<a href="#">723577006   MRCM rule reference set  </a>	<a href="#">900000000000461009   Concept type component  </a>	1

## Example Data

The table below shows some example rows from the [723563008 |MRCM module scope reference set|](#).

refsetId	referencedComponentId	mrcmRuleRefsetId
<a href="#">723563008   MRCM module scope reference set  </a>	<a href="#">900000000000207008   SNOMED CT core module (core metadata concept)  </a>	<a href="#">723560006   MRCM domain international reference set  </a>
<a href="#">723563008   MRCM module scope reference set  </a>	<a href="#">900000000000207008   SNOMED CT core module (core metadata concept)  </a>	<a href="#">723561005   MRCM attribute domain international reference set  </a>
<a href="#">723563008   MRCM module scope reference set  </a>	<a href="#">900000000000207008   SNOMED CT core module (core metadata concept)  </a>	<a href="#">723562003   MRCM attribute range international reference set  </a>

## 4.2.20. Ordered Reference Set

### Deprecation Notice

The Ordered Reference Set pattern is now deprecated as it has been replaced with two reference set types each of which is specific to one of the two distinct use cases supported by the Ordered Reference set pattern.

The recommended Reference sets to address the purposes identified below are now:

- [4.2.2. Ordered Component Reference Set](#)
  - This allows an ordered or prioritized list of components to be represented.
  - It omits the **linkedTold** field in the pattern shown below as this is not required to address this use case.
- [4.2.6. Ordered Association Reference Set](#)
  - This enables representation of alternative navigation hierarchies (in which child concepts are ordered) and also also supports representation of groups of ordered components.
  - The **linkedTold** field in the pattern shown below is replaced by the targetComponentId (this name is used to align with the [4.2.5. Association Reference Set](#) (used from unordered associations).

Deprecation does not prevent continued use of an existing reference set pattern. However it does indicate that a different solution is now specified and recommended to meet the requirements for this pattern

## Purpose

An 447258008 |Ordered type reference set|allows a collection of [components](#) to be defined with a specified given a priority ordering. This type of [reference set](#) can also be used to specify ordered associations between different [components](#). These can be used to specify several interrelated subsets of components and to define alternative hierarchies for navigation and selection of [concepts](#) or [descriptions](#).

## Data structure

An [Ordered reference set](#) is an [Integer Component reference set](#) is used to represent ordered lists and alternative hierarchies. Its structure is shown in the following table.

**Table 4.2.20-1: Ordered reference set - Data structure**

Field	Data type	Purpose
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same id but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">active</a> (i.e. removed from the active set) at a specified time.
effectiveTime	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.
moduleId	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of 900000000000443000  Module (core metadata concept) within the metadata <a href="#">hierarchy</a> .
refsetId	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, set to a <a href="#">subtype</a> of 447258008  Ordered type reference set
referenceComponentId	SCTID	The identifier of a <a href="#">SNOMED CT component</a> that is included in the ordered list of alternative hierarchy.
order	Integer	Specifies the sort <a href="#">order</a> of the list. The list is ordered by applying an ascending sort of the <a href="#">order</a> value. The value of <a href="#">order</a> =1 represents the highest priority. A value of '0' is not allowed. Duplicate values are permitted and the sort order between two members with the same order value is not defined. If the <a href="#">linkedTold</a> value is not 0, sorting occurs within subgroups that share the same <a href="#">linkedTold</a> . Note: The name "order" is a reserved word in some database environments. Please consider this when using this column.



Field	Data type	Purpose
linkedTold	SCTID	<p>The identifier of a <a href="#">SNOMED CT component</a> that acts as a grouper or hierarchy node, collecting together a subgroup from within the list.</p> <p>This field either enables <a href="#">reference set member</a> linked into a number of subgroups. These subgroups can be nested allowing representation of alternative hierarchies.</p> <p>To link members into a subgroup, all components in the same subgroup should reference the same <a href="#">component</a>. This can either be a component that represents the name of that subgroup or the first member of the subgroup. In the latter case, the first row of each subgroup will contain the same identifier in <a href="#">referencedComponentId</a> and <a href="#">linkedTold</a> and with <a href="#">order</a> =1.</p> <p>To link a number of <a href="#">children concepts</a> to a single parent <a href="#">concept</a>, one member record should exist per <a href="#">child</a>, with the <a href="#">referencedComponentId</a> field referencing the parent and this field referencing the <a href="#">child concept</a>. The <a href="#">order</a> field is then used to <a href="#">order</a> the <a href="#">children concepts</a> under the parent <a href="#">concept</a>.</p> <p>For ordered lists that do not require grouping or hierarchical arrangement the value of <a href="#">linkedTold</a> should be the digit zero (0).</p>

## Metadata

The following metadata in the "Foundation metadata [concept](#)" [hierarchy](#) supports this [reference set](#)

**Table 4.2.20-2: Ordered References Sets in the Metadata Hierarchy**

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned <a href="#">Integer</a> , uniquely identifying this <a href="#">reference set member</a> . Different versions of a <a href="#">reference set member</a> share the same <a href="#">id</a> but have different <a href="#">effectiveTime</a> . This allows a <a href="#">reference set member</a> to be modified or made <a href="#">inactive</a> (i.e. removed from the active set) at a specified time.	NO	YES (Full / Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified <a href="#">reference set member</a> became the current version. The current version of this <a href="#">reference set member</a> at time <i>T</i> is the version with the most recent <a href="#">effectiveTime</a> prior to or equal to time <i>T</i> .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . If <a href="#">active</a> = 1 (true) the <a href="#">reference set member</a> is part of the current version of the set, if <a href="#">active</a> = 0 (false) the <a href="#">reference set member</a> is not part of the current version of the set.	YES	NO
moduleId	SCTID	Identifies the <a href="#">SNOMED CT module</a> that contains this <a href="#">reference set member</a> as at the specified <a href="#">effectiveTime</a> . The value must be a <a href="#">subtype</a> of <a href="#">900000000000443000</a>   <a href="#">Module (core metadata concept)</a>   within the <a href="#">metadata hierarchy</a> .	YES	NO
refsetId	SCTID	Identifies the <a href="#">reference set</a> to which this <a href="#">reference set member</a> belongs. In this case, a <a href="#">subtype</a> descendant of: <a href="#">447258008</a>   <a href="#">Ordered type reference set</a>	NO	NO
referencedComponentId	SCTID	A reference to the <a href="#">SNOMED CT component</a> to be included in the <a href="#">reference set</a> . The component that is placed in order by this reference set row.	NO	NO
order	Integer	Specifies the sort <a href="#">order</a> of the list. The list is ordered by applying an ascending sort of the <a href="#">order</a> value. The value of <a href="#">order</a> =1 represents the highest priority. A value of '0' is not allowed. Duplicate values are permitted and the sort order between two members with the same <a href="#">order</a> value is not defined. If the <a href="#">linkedTold</a> value is not 0, sorting occurs within subgroups that share the same <a href="#">linkedTold</a> . Note: The name "order" is a reserved word in some database environments. Please consider this when using this column.	YES	NO

linkedTold	SCTID	<p>The identifier of a <a href="#">SNOMED CT component</a> that acts as a grouper or hierarchy node, collecting together a subgroup from within the list.</p> <p>This field either enables <a href="#">reference set member</a> linked into a number of subgroups. These subgroups can be nested allowing representation of alternative hierarchies.</p> <p>To link members into a subgroup, all components in the same subgroup should reference the same <a href="#">component</a>. This can either be a component that represents the name of that subgroup or the first member of the subgroup. In the latter case, the first row of each subgroup will contain the same identifier in <a href="#">referencedComponentId</a> and <a href="#">linkedTold</a> and with <a href="#">order</a> =1.</p> <p>To link a number of <a href="#">children concepts</a> to a single parent <a href="#">concept</a>, one member record should exist per <a href="#">child</a>, with the <a href="#">referencedComponentId</a> field referencing the parent and this field referencing the <a href="#">child concept</a>. The <a href="#">order</a> field is then used to <a href="#">order</a> the <a href="#">children concepts</a> under the parent <a href="#">concept</a>.</p> <p>For ordered lists that do not require grouping or hierarchical arrangement the value of <a href="#">linkedTold</a> should be the digit zero (0).</p>	YES	NO
------------	-------	---	-----	----

- 900000000000454005 |[Foundation metadata concept](#)
  - 900000000000455006 |[Reference set](#)
    - 447258008 |[Ordered type reference set](#)

## Reference Set Descriptor and Example Data

### Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns ([id](#), [effectiveTime](#), [active](#), [moduleId](#)) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '\_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

## Descriptor Template

The tables below show the descriptor that defines the structure of the 447258008 |[Ordered type reference set](#)| pattern and an example of descriptor for a [reference set](#) that follows this pattern.

**Table 4.2.20-3: Refset Descriptor rows for Ordered Reference Set**

refsetId	referencedComponentId	attributeDescription	attributeType	attributeOrder
900000000000456007   <a href="#">Reference set descriptor</a>	447258008   <a href="#">Ordered type reference set</a>	449608002   <a href="#">Referenced component</a>	900000000000460005   <a href="#">Component type</a>	0
900000000000456007   <a href="#">Reference set descriptor</a>	447258008   <a href="#">Ordered type reference set</a>	447255006   <a href="#">Priority order reference set attribute</a>	900000000000478000   <a href="#">Unsigned integer</a>	1
900000000000456007   <a href="#">Reference set descriptor</a>	447258008   <a href="#">Ordered type reference set</a>	447257003   <a href="#">"Linked to" reference set attribute</a>	900000000000460005   <a href="#">Component type</a>	2

## Example Data

**Table 4.2.20-4: Sample Content for an Ordered Reference Set**

refsetId	referencedComponentId (Referenced component)	order (Attribute order)	linkedTo ("Linked to" reference set attribute)
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	1	123946008  Disorder by body site
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	2	370117001  Disorder of system
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	3	278919001  Communication disorder
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	4	74732009  Mental disorder
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	5	39898005  Sleep disorder
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	6	370118006  Disorder of pregnancy / labor / delivery / puerperium
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	7	370119003  Fetal / neonatal / perinatal disorder
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	8	370120009  Endocrine / nutritional / metabolic disorder
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	9	370121008  Disorder of blood / lymphatics / immune system
447570008  SNOMED CT top level navigation hierarchy ordered reference set	64572001  Disease	10	281867008  Multisystem disorder

## 5. Representing SNOMED CT identifiers

SNOMED Clinical Terms Components are identified and referenced using numeric identifiers. These identifiers have the data type **SCTID** (SNOMED CT Identifier).

The **SCTID** data type is 64-bit integer which is allocated and represented in accordance with a set of rules. These rules enable each **SCTID** to refer unambiguously to a unique component. They also support separate partitions for allocation of **Identifiers** for particular types of component. In the case of **components** that originate in an **Extension**, the **SCTID** also supports separate **namespaces** that distinguish between different issuing organizations.

Details of the **SCTID** are described in the following sections:

### 5.1. SCTID Data Type

The **SCTID** data type is a 64-bit positive integer.

When rendered as a string an **SCTID** must always be represented using decimal digits and when rendered as a string has a maximum permitted length of 18 digits and a minimum length of 6 digits.

**Note:** Leading zeros are always omitted from the string rendering of an **SCTID**. For example the value "101291009" must not be rendered as "0101291009".

### 5.2. SCTID Representation

Each **SCTID** identifies a **SNOMED CT component**. The identifier itself does not contain information related to the meaning of a **concept** or **description**. This means it is not possible to infer anything about the meaning of a **concept** from the numeric value of the identifier or from the sequence of digits in that form of the identifier. The meaning of a **concept** can be determined from **relationships** to other **concepts** and from associated **descriptions** that include human readable terms.

The **SCTID** does however have a structure which includes valuable information about the nature and source of the identified component and the validity of the identifier. This structure supports the following features:

- **Check-digit** validation of the identifier.
  - The **check-digit** is the final digit in the decimal rendering of the identifier. This can be checked to minimize errors from transcription or incomplete copy-paste actions.
- Partitioning between identifiers for different types of **SNOMED CT component**.
  - A two-digit **partition-identifier** distinguishes the identifiers of different component types and prevents the same identifier from being allocated to both a **concept** and a **description**. As a result, when an **SCTID** is read from a record or other resource, it is possible to determine whether it represents a **concept**, a **relationship** or a **description**, before searching for the identified component.
- Namespaces to separate component identifiers originated by different organizations.
  - Organizations are only permitted to issue identifiers which fall within a specified namespace of potential identifier values. This prevents collisions between identifiers issues by different organizations which would otherwise result in ambiguity and errors when sharing data.
  - There are two formats used for representing namespaces.
    - Short format in which **partition-identifiers** are reserved for an organization which is permitted to issue any valid identifiers within the allocated partitions. The short format approach does not require a specific **namespace-identifier** and is only applicable to components originated and maintained by the **SNOMED International** as part of the **International Release of SNOMED CT**.
    - Long format in which the **partition-identifier** value indicates that a separate **namespace-identifier** is required to distinguish between components originated as part of an **extension** created by an appropriately authorized organization .




Figure 5.2-1: SCTID Short Format - Applicable to components originating from the International Release




Figure 5.2-2: SCTID Long Format - Applicable to components originating from a SNOMED CT Extension

**i** The [SNOMED International](#) allocates [namespace-identifiers](#) to organizations such as [Members](#) and [Affiliates](#) to enable them to create content and or derivatives in an [extension](#). The [namespace-identifiers](#) enables unique [SCTID](#) to be issued by many organizations and allow each [SCTID](#) to be traced to an authorized originating organization.

## 5.3. SCTID Constraints

The permissible value for the **SCTIDs** are limited by the following rules:

- Only positive integer values that are greater than  $10^5$  and less than  $10^{18}$  are permitted.
- The only valid **string** renderings of the identifier value are **String** of decimal digits (0-9), commencing with a non zero digit.
- The second and third digits from the right hand end of the **string** rendering of the identifier must match one of the **partition-identifier values specified in this guide**.
- The rightmost digit of the **string** rendering is a **check-digit** and must match the value calculated using the specified **check-digit computation**.



- As a result of these rules, many 64-bit integers are not valid **SCTIDs**. The value limitations enable any valid **SCTID** to be stored in either a signed or unsigned 64-bit integer.
- The rules also ensure that an **SCTID** can be distinguished from code from one of the antecedent code systems **Read Codes**(which are 4 or 5 characters in length) and legacy **Identifiers** from **SNOMED RT** and its predecessors (which always start with a letter).
- **SNOMED RT** identifiers are **SCTIDs** identical to those used in **SNOMED CT** but in some cases will now refer to **inactive concepts**. In these cases, data in the 900000000000489007 |Concept inactivation indicator reference set| and 900000000000522004 |Historical association reference set| can be used to find the identifier of the closest equivalent **active concept**.

## 5.4. Check-digit

The final digit of the **SCTID** is a check-digit.

Users should be required to type **SCTID** values but in some case during design and development it may be necessary to copy or paste identifiers. The objective of the check-digit is to detect the commonest types of error that may occur due to typographical errors on those situations or in other cases where transcription or communication mechanisms may introduce error. Examples may include high-level development such as creating or modifying protocols or pre-specified queries.

An **SCTID** is checked by using the **Verhoeff check**, which is a Dihedral D 5 Check. This detects a higher proportion of common typographical errors than either the IBM or Modulus 11 check. Unlike the Modulus 11 check it is effective on decimal strings longer than ten-digits. Furthermore its value can always be represented as a decimal digit without excluding any values.

### Related Links

- See [Check-Digit Computation](#) for detailed information about the Verhoeff check-digit algorithm and links to sample program code.
- See <http://snomed.org/verhoeff> for a sample web form that can be used to compute a check-digit or check the validity of an **SCTID**.

#### 5.4.1. SNOMED CT Identifier Check


The form below performs the **SCTID Check-Digit** computation and checking. It also identifies the namespace element of an identifier. Below the form is an expandable box including the JavaScript code used to perform these computations.

Partial Identifier (without check-digit)	<input style="width: 100%;" type="text"/>	<input type="button" value="["/>
---	---	----------------------------------

SNOMED CT Identifier	<input type="text"/>	[
Result of check		
Component type		
Namespace		

This Verhoeff checking part of this code was based on a webpage at:

- <http://www.augustana.ab.ca/~mohrj/algorithms/checkdigit.html>

 The source HTML and JavaScript code for this form is shown in [5.4.2. Check-digit Computation](#).

## 5.4.2. Check-digit Computation

The **SCTID** (see [3.1.4.2. Component features - Identifiers](#)) includes a check-digit, which is generated using Verhoeff's dihedral check. This section explains the algorithm used and includes sample source code for generating and checking the check-digit in Java Script and Microsoft Visual Basic.

### Verhoeff's Dihedral Group D5 Check

The mathematical description of this technique may appear complex but in practice it can be reduced to a pair of two-dimensional arrays, a single dimensional inverse array and a simple computational procedure. These three arrays are shown in the following tables.

- The first array contains the result of "Dihedral D5" multiplication;
- The second array consists of 8 rows of which two are defined while the rest are derived by applying the following formula:  $F(i, j) = F(i - 1, F(1, j))$ ;
- The third array consists of a single row containing the inverse of the Dihedral D5 array it identifies the location of all the zero values in the first array.

**Table 5.4.2-1: Results of Dihedral D5 multiplication**

	0	1	2	3	4	5	6	7	8	9
0	0	1	2	3	4	5	6	7	8	9
1	1	2	3	4	0	6	7	8	9	5
2	2	3	4	0	1	7	8	9	5	6
3	3	4	0	1	2	8	9	5	6	7
4	4	0	1	2	3	9	5	6	7	8
5	5	9	8	7	6	0	4	3	2	1
6	6	5	9	8	7	1	0	4	3	2
7	7	6	5	9	8	2	1	0	4	3
8	8	7	6	5	9	3	2	1	0	4
9	9	8	7	6	5	4	3	2	1	0

**Table 5.4.2-2: The full array for Function F**

	0	1	2	3	4	5	6	7	8	9
0	0	1	2	3	4	5	6	7	8	9
1	1	5	7	6	2	8	3	0	9	4
2	5	8	0	3	7	9	6	1	4	2
3	8	9	1	6	0	4	3	5	2	7
4	9	4	5	3	1	2	6	8	7	0
5	4	2	8	6	5	7	3	9	0	1
6	2	7	9	3	8	0	6	4	1	5
7	7	0	4	6	9	1	3	2	5	8

**Table 5.4.2-3: The Inverse D5 array**

0	1	2	3	4	5	6	7	8	9
0	4	3	2	1	5	6	7	8	9

The identifier is checked by starting at the rightmost digit of the identifier (the check-digit itself) and proceeding to the left processing each digit as follows:

- $Check = \text{ArrayDihedralD5} ( Check, \text{ArrayFunctionF}(( Position \text{ Modulus } 8), Digit))$

*Check* = the running value of the check-sum (starts at zero and modified by each step).

*Position* = the position of the digit (counted from the right starting at zero).

*Digit* = the value of the digit.


The final value of *Check* should be zero. Otherwise the check has failed.

When calculating the **check-digit** the same process is applied with a minor variation:

- *Position* is the position that the digit will have when the **check-digit** has been appended.
- The final value of *Check* is applied to the Inverse D5 array to find the correct **check-digit**.

**Check-digit** =  $\text{ArrayInverseD5} ( Check )$ .

## Sample Java Script for computing Verhoeff's Dihedral Check

 A live version of an HTML form and JavaScript is available in section [5.4.1. SNOMED CT Identifier Check](#).

### HTML Code for Form Calling the JavaScript below

```
<style>
p.p1 {margin: 0.0px 0.0px 0.0px 0.0px; font: 12.0px Helvetica}
span.s1 {color: #021da7}
span.s2 {color: #f9975e}
span.s3 {color: #ff9450}
span.s4 {color: #ab4500}
span.s5 {color: #a7a400}
table {border-width: 6px; border-color: #0080ff; border-collapse: collapse; border-style: ridge;}
td {border-width: 3px; border-color: #0080ff; border-collapse: collapse; padding: 6px; border-style:
ridge;}
</style>
<form action="" name="form">
  <table width="441">
```



```

<tr>
  <td width="212" height="25"> Partial Identifier <br/>(without check-digit)&nbsp; </td>
  <td width="115" height="25">
    <input name="num" size="18"/>
  </td>
  <td width="92" height="25">
    <input onclick="VerhoeffCompute()" type="button" value="Compute"/>
  </td>
</tr>
<tr>
  <td width="212" height="35"> SNOMED CT Identifier </td>
  <td width="115" height="35">
    <input name="numcd" size="18"/>
  </td>
  <td width="92" height="35">
    <input onclick="VerhoeffCheck()" type="button" value="Check"/>
  </td>
</tr>
<tr>
  <td width="212" height="23"> Result of check&nbsp; </td>
  <td width="115" height="23" colspan="2" id="out"> </td>
</tr>
<tr>
  <td width="212" height="23"> Component type </td>
  <td width="115" height="23" colspan="2" id="component"> </td>
</tr>
<tr>
  <td width="212" height="23"> Namespace </td>
  <td width="115" height="23" colspan="2" id="extnamespace"> </td>
</tr>
</table>
<p style="margin-left: 0; margin-right: 0"> This Verhoeff checking part of this code was based
on a webpage at: </p>
<ul>
  <li>
    <a href="http://www.augustana.ab.ca/~mohrj/algorithms/checkdigit.html">
      http://www.augustana.ab.ca/~mohrj/algorithms/checkdigit.html </a>
    </li>
</ul>
</form>

```

#### Java Script Code for SCTID Validation and Check-Digit Computation

```

var FnF = new Array();
FnF[0] = [0, 1, 2, 3, 4, 5, 6, 7, 8, 9];
FnF[1] = [1, 5, 7, 6, 2, 8, 3, 0, 9, 4];
for ( var i = 2; i < 8; i++ )
{
  FnF[i] = [,,,,,,,,];
  for ( var j = 0; j < 10; j++ )
    FnF[i][j] = FnF[i - 1][FnF[1][j]];
}
var Dihedral = new Array(
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9],
[1, 2, 3, 4, 0, 6, 7, 8, 9, 5],
[2, 3, 4, 0, 1, 7, 8, 9, 5, 6],

```

```
[3, 4, 0, 1, 2, 8, 9, 5, 6, 7],
[4, 0, 1, 2, 3, 9, 5, 6, 7, 8],
[5, 9, 8, 7, 6, 0, 4, 3, 2, 1],
[6, 5, 9, 8, 7, 1, 0, 4, 3, 2],
[7, 6, 5, 9, 8, 2, 1, 0, 4, 3],
[8, 7, 6, 5, 9, 3, 2, 1, 0, 4],
[9, 8, 7, 6, 5, 4, 3, 2, 1, 0] );
```

```
var InverseD5 = new Array(0, 4, 3, 2, 1, 5, 6, 7, 8, 9 );
```

```
function VerhoeffCheck()
```

```
{
  var check = 0;
  var IdValue = document.form.numcd.value;
  document.getElementById("out").innerText = "";
  document.getElementById("out").setAttribute("style","color:red;");
  document.getElementById("component").innerText = "Invalid partition";
  document.getElementById("component").setAttribute("style","color:green;");
  document.getElementById("extnamespace").innerText = "No namespace";
  document.getElementById("extnamespace").setAttribute("style","color:red;");

  for ( var i=IdValue.length-1; i >=0; i-- )
    check = Dihedral[check][FnF[(IdValue.length-i-1) % 8][IdValue.charAt(i)]];
  if ( check != 0 ) { document.getElementById("out").innerText = "Check-digit ERROR"; }
  else if ( IdValue.length < 6 ) {document.getElementById("out").innerText = "SCTID too short";}
  else if ( IdValue.length > 18 ) {document.getElementById("out").innerText = "SCTID too long";}
  else {document.getElementById("out").innerText = "Check-digit OK";
    document.getElementById("out").setAttribute("style","color:green;");
    switch ( IdValue.substr(IdValue.length-3,2))
    {
      case "00":
        document.getElementById("component").innerText = "Concept";
        document.getElementById("extnamespace").innerText = "International";
        break;
      case "01":
        document.getElementById("component").innerText = "Description";
        document.getElementById("extnamespace").innerText = "International";
        break;
      case "02":
        document.getElementById("component").innerText = "Relationship";
        document.getElementById("extnamespace").innerText = "International";
        break;
      case "03":
        document.getElementById("component").innerText = "Subset (RF1)";
        document.getElementById("extnamespace").innerText = "International";
        break;
      case "04":
        document.getElementById("component").innerText = "Cross Map Set (RF1)";
        document.getElementById("extnamespace").innerText = "International";
        break;
      case "05":
        document.getElementById("component").innerText = "Cross Map Target (RF1)";
        document.getElementById("extnamespace").innerText = "International";
        break;
      case "10":
        document.getElementById("component").innerText = "Concept";
```

```

    document.getElementById("extnamespace").innerText =IdValue.substr(IdValue.length-10,7);
    break;
  case "11":
    document.getElementById("component").innerText ="Description";
    document.getElementById("extnamespace").innerText =IdValue.substr(IdValue.length-10,7);
    break;
  case "12":
    document.getElementById("component").innerText ="Relationship";
    document.getElementById("extnamespace").innerText =IdValue.substr(IdValue.length-10,7);
    break;
  case "13":
    document.getElementById("component").innerText ="Subset (RF1)";
    document.getElementById("extnamespace").innerText =IdValue.substr(IdValue.length-10,7);
    break;
  case "14":
    document.getElementById("component").innerText ="Cross Map Set (RF1)";
    document.getElementById("extnamespace").innerText =IdValue.substr(IdValue.length-10,7);
    break;
  case "15":
    document.getElementById("component").innerText ="Cross Map Target (RF1)";
    document.getElementById("extnamespace").innerText =IdValue.substr(IdValue.length-10,7);
    break;
  default:
    document.getElementById("component").setAttribute("style","color:red;");
}
if (document.getElementById("extnamespace").innerText=='International')
{document.getElementById("extnamespace").setAttribute("style","color:green;");}
else if (IdValue.length>10)
{document.getElementById("extnamespace").setAttribute("style","color:green;");}
else {document.getElementById("extnamespace").innerText="Invalid Namespace";}
}
}
}
function VerhoeffCompute( )

{
  var IdValue = document.form.num.value; var check = 0;
  document.form.numcd.value= "";
  for ( var i = IdValue.length-1; i >=0; i-- )
  check = Dihedral[check][FnF[(IdValue.length-i) % 8][IdValue.charAt(i)]];
  document.form.numcd.value = document.form.num.value + InverseD5[check];
  VerhoeffCheck();
  document.getElementById("out").innerText = "Computed check-digit";
}

```

## Sample Visual Basic for computing Verhoeff's Dihedral Check

### Visual Basic Code for Check-Digit Computation

```

Option Explicit
Private Dihedral(9) As Variant
Private FnF(7) As Variant
Private InverseD5 As Variant
Public Function VerhoeffCheck(ByVal IdValue As String) As Boolean
'Check the supplied value and return true or false

```

```

Dim tCheck As Integer, i As Integer
VerhoeffArrayInit
For i = Len(IdValue) To 1 Step -1
tCheck = Dihedral(tCheck)(FnF((Len(IdValue) - i) Mod 8)(Val(Mid(IdValue, i, 1))))
Next
VerhoeffCheck = tCheck = 0
End Function
Public Function VerhoeffCompute(ByVal IdValue As String) As String
'Compute the check digit and return the identifier complete with check-digit
Dim tCheck As Integer, i As Integer
VerhoeffArrayInit
For i = Len(IdValue) To 1 Step -1
tCheck = Dihedral(tCheck)(FnF((Len(IdValue) - i + 1) Mod 8)(Val(Mid(IdValue, i, 1))))
Next
VerhoeffCompute = IdValue & InverseD5(tCheck)
End Function
Private Sub VerhoeffArrayInit()
'Create the arrays required
Dim i As Integer, j As Integer
'if already created exit here
If VarType(InverseD5) >= vbArray Then Exit Sub
'create the DihedralD5 array
Dihedral(0) = Array(0, 1, 2, 3, 4, 5, 6, 7, 8, 9)
Dihedral(1) = Array(1, 2, 3, 4, 0, 6, 7, 8, 9, 5)
Dihedral(2) = Array(2, 3, 4, 0, 1, 7, 8, 9, 5, 6)
Dihedral(3) = Array(3, 4, 0, 1, 2, 8, 9, 5, 6, 7)
Dihedral(4) = Array(4, 0, 1, 2, 3, 9, 5, 6, 7, 8)
Dihedral(5) = Array(5, 9, 8, 7, 6, 0, 4, 3, 2, 1)
Dihedral(6) = Array(6, 5, 9, 8, 7, 1, 0, 4, 3, 2)
Dihedral(7) = Array(7, 6, 5, 9, 8, 2, 1, 0, 4, 3)
Dihedral(8) = Array(8, 7, 6, 5, 9, 3, 2, 1, 0, 4)
Dihedral(9) = Array(9, 8, 7, 6, 5, 4, 3, 2, 1, 0)
'create the FunctionF array
FnF(0) = Array(0, 1, 2, 3, 4, 5, 6, 7, 8, 9)
FnF(1) = Array(1, 5, 7, 6, 2, 8, 3, 0, 9, 4)
'compute the rest of the FunctionF array
For i = 2 To 7
FnF(i) = Array(0, 0, 0, 0, 0, 0, 0, 0, 0, 0)
For j = 0 To 9
FnF(i)(j) = FnF(i - 1)(FnF(1)(j))
Next
Next
'Create the InverseD5 array
InverseD5 = Array("0", "4", "3", "2", "1", "5", "6", "7", "8", "9")
End Sub

```

## Reasons for using a check-digit

Although a user should rarely type the [SCTID](#), experience suggests that from time to time this will happen. A user may also copy and paste an [SCTID](#). There is a significant risk of errors in these processes and inclusion of a [check-digit](#) is intended to reduce the risk of such errors passing undetected. The choice of [check-digit](#) algorithm has been made to maximize the detection of common typographical errors. These have been analyzed by in a paper by J. Verhoeff ("Error Detecting Decimal Codes", *Mathematical Center Tract 29*, The Mathematical Center, Amsterdam, 1969) and subsequently cited in Wagner and Putter, ("Error Detecting Decimal Digits", *CACM*, Vol 32, No. 1, January 1989). These papers give a detailed categorization of the sorts of errors humans make in dealing with decimal numbers, based on a study of 12000 errors:

- single errors: a becomes b (60% to 95% of all errors).
- omitting or adding a digit (10% to 20%).
- adjacent transpositions: ab becomes ba (10% to 20%).
- twin errors: aa becomes bb (0.5% to 1.5%).
- jump transpositions: acb becomes bca (0.5% to 1.5%).
- jump twin errors: aca becomes bcb (below 1%).
- phonetic errors: a0 becomes 1a -similar pronunciation e.g. thirty or thirteen (0.5% to 1.5%).

In the explanations above, a is not equal to b, but c can be any decimal digit.

## A brief comparison of check-digit effectiveness

### The IBM Check

The check-sums used for credit cards (the IBM check) picks up the most common errors but miss some adjacent transpositions and many jump transpositions. Assuming the pattern of errors described above, on average it will miss between 4% and 5% of expected errors.

### The ISBN Check (Modulus 11)

The ISBN modulus 11 (used for [UK NHS](#) number) picks up more errors than the IBM checksum. Leaving 2% to 3% of errors undetected. However, it generates a check-sum value of 0 to 10 and thus cannot be represented as a single [check-digit](#) in about 9% of cases. The ISBN convention is to use "X" to represent the [check-digit](#) value 10 but this is incompatible with an [Integer](#) representation. The [UK NHS](#) number uses this check-sum but regards and number generating a check-sum of 10 as an invalid identifier. This approach could be applied to the [SCTID](#) but this would render 9% of possible values unusable in each partition and [namespace](#). This would prevent a simple sequence of values from being allocated as the *item identifier* within any [namespace](#). More significantly the unusable *item identifier* would differ in each [namespace](#) or partition and this would prevent simple transpositions of *item identifiers* between partitions and [namespaces](#).

Partitions could be a useful way of distinguishing developmental and released components and revising the partition and recalculating the [check-digit](#) would then be an elegant way to activate these components for a distribution version. It seems unwise to prevent future development and maintenance by using a check-sum that will prevent this.

### Verhoeff's Check

Verhoeff's check catches all single errors, all adjacent transpositions, over 95% of twin errors, over 94% of jump transpositions and jump twin errors, and most phonetic errors. Therefore, like modulus 11, the Verhoeff check reduces the undetected error rate to 2% or 3%. Unlike modulus 11, it does this using a single decimal [check-digit](#) and without limiting the range of valid numbers.

The majority of the undetected errors with both modulus 11 and Verhoeff result from additions or omissions of digits. Any [check-digit](#) method is likely to miss 10% of such errors and since these comprise 10% to 20%. The Verhoeff scheme also misses four jump twin errors involving digits with a difference of 5 (i.e. 050 vs. 505, 161 vs. 616, 272 vs. 727, and 494 vs. 949).

## 5.5. Partition Identifier

The penultimate two-digits of the [SCTID](#) (second and third from the right), are the [partition-identifier](#).

The [partition-identifier](#) indicates the nature of the component identified. This allows the [Identifier](#) of a [Description](#) to be distinguished from the [Identifier](#) of a [Concept](#).

The [partition-identifier](#) also indicates whether the [SCTID](#) contains a [namespace-identifier](#) (*long format*) or follows the *short format* applicable to [Identifiers](#) of [components](#) that originated in the [International Release](#). [Identifiers](#) of

components that originated in the [International Release](#) of [SNOMED CT](#) have one of the following [partition-identifier](#) values:

**Table 5.5-1: partition identifier Values for Short Format SCTIDs**

PartitionId	Description
00	A Concept
01	A Description
02	A Relationship

Identifiers of [components](#) that originated in an [Extension](#) have one of the following [partition identifier](#) values:

**Table 5.5-2: partition identifier Values for Long Format SCTIDs**

PartitionId	Description
10	A Concept
11	A Description
12	A Relationship

All other [partition-identifier](#) values are reserved for future use.

## 5.6. Namespace-Identifier

If the [partition-identifier](#) indicates a long format [SCTID](#), the seven-digits immediately to the left of the partition-digit are a [namespace-identifier](#). The [namespace-identifier](#) is an integer value, left padded with 0 s as necessary to ensure there are always seven digits in the value. The [namespace-identifier](#) does not hold meaning.

Each organization that is authorized to generate [SCTID](#) is allocated a [namespace-identifier](#) by the [SNOMED International](#). Each allocated namespace is represented in the [Namespace Concept](#) metadata sub-hierarchy, released as part of the [International release](#) (see details in [The Namespace hierarchy](#) ).

## 5.7. Item-Identifier Digits

The string of digits to the left of the [partition-identifier](#) (in a *short format* [SCTID](#)) or to the left of the [namespace-identifier](#) (in a *long format* [SCTID](#)) is referred to as the *item-identifier*.

These values are available to uniquely identify an individual entity within the specified partition or namespace. The same *item-identifier* can be allocated in each partition of each namespace as the [SCTID](#) is rendered unique by the [partition-identifier](#) and the [namespace-identifier](#). For components in the [International Release](#) of [SNOMED CT](#), *item-identifiers* will usually be issued in the arbitrary order in which components are added to [SNOMED Clinical Terms](#). However, due to management of the editing process the sequence of issued *item-identifiers* may be discontinuous.

### CAUTION:

In all cases, the value of an *item-identifier* on its own is meaningless. The only way to determine the meaning of an [SCTID](#) is by looking up the complete value in an appropriate distribution file.

## 5.8. Example SNOMED CT identifiers

The following examples conform to the [SNOMED CT identifier](#) specification and illustrate a range of possible [Identifiers](#) within different partitions and namespaces.


SctId	partition identifier	check-digit	Notes
100005	00 = <a href="#">concept</a> , using short format	5	The Item identifier digits 100 are the lowest permitted value. Therefore this is the lowest SctId that can be allocated to a <a href="#">concept</a> .
100014	01= <a href="#">description</a> , using short format	4	This is the lowest SctId that can be allocated to a <a href="#">description</a> .
100022	02= <a href="#">relationship</a> , using short format	2	This is the lowest SctId that can be allocated to a <a href="#">relationship</a> .
1290023401004	00= <a href="#">concept</a> , using short format	9	A valid SctId for a <a href="#">concept</a> .
1290023401015	01= <a href="#">description</a> , using short format	5	A valid SctId for a <a href="#">description</a> .
9940000001029	02= <a href="#">relationship</a> , using short format	9	A valid SctId for a <a href="#">relationship</a> .
11000001102	10= <a href="#">concept</a> , using long format	2	A valid long format SctId for a <a href="#">concept</a> in the 1000001 namespace.
10989121108	10= <a href="#">concept</a> , using long format	8	A valid long format SctId for a <a href="#">concept</a> in the 0989121 namespace.
1290989121103	10= <a href="#">concept</a> , using long format	3	A valid long format SctId for a <a href="#">concept</a> in the 0989121 namespace.
1290000001117	11= <a href="#">description</a> , using long format	7	A valid long format SctId for a <a href="#">description</a> in the 0000001 namespace.
9940000001126	12= <a href="#">relationship</a> , using long format	6	A valid long format SctId for a <a href="#">relationship</a> in the 0000001 namespace.
999999990989121104	10= <a href="#">concept</a> , using long format	4	The maximum valid SctId for a <a href="#">concept</a> in the 0989121 namespace.

## 5.9. The Namespace Hierarchy

SNOMED CT core release files include metadata [concepts](#) that represent each of the allocated [namespace-identifiers](#).

A [namespace concept](#) has the following characteristics:

- It is a [subtype child](#) of 370136006 |Namespace concept|.
- The [fully specified name](#) of the [concept](#) has the term
  - **Extension Namespace {nnnnnnn} (namespace concept)**
- A [synonym](#) associated with each [concept](#) has the term
  - **Extension Namespace {nnnnnnn}**
- Where appropriate further [synonyms](#) may be included to identify the nature of the responsible organization.

 In the terms shown above {nnnnnnn} is the seven digit namespace identifier of the responsible organization.

## Appendix A: Notes on Release Files

### Notes on modifierId

These notes provide additional information about the modifierId column in the [Relationship File](#). The modifierId column was included in the specification of the relationships file in the expectation that it would in future distinguish between different types of description logic axiom. However, in practice it has not been used. Different approaches to enhanced use of description logic are under consideration and it now seems unlikely that this column will be used as originally intended. Therefore, until further notice it is recommended that the contents of this column should be ignored.

The following notes were included in the original specification of modifierId and are retained here for consistency.

#### Original release notes on modifierId

The `modifierId` field will initially be set to 900000000000451002 |Some| to keep compatibility with the [RF1](#) release. Widening the range of this field to include other values (such as |All|) will in future increase the expressive power of [SNOMED CT](#). However, this is likely to come at the cost of an increase in reasoning complexity, leading to potential issues for classification tooling.

Notes:

1. The `modifierId` field has been included at this stage as the [RF2](#) format is likely to be stable for at least a five year period, without addition or deletion of fields. Within that period it is anticipated that other `modifierId` values will be added. Therefore, although not fully implemented at this stage, this field has been included in the initial [RF2](#) specification as it represents an integral part of the [Description Logic](#) used by [SNOMED CT](#).
2. Any expansion of [SNOMED CT](#) to include [relationships](#) with a `modifierId` set to a value other than 900000000000451002 |Some| will be discussed with [Members](#) prior to introduction.
3. Changes have been made to the "Immutability" values shown in the above table in the 2014-07-31 version. These changes reflect the fact that the values in the following columns of a uniquely identified relationship have occurred in historical data and in these cases tracking the history of these changes is of greater value than insisting on immutability.
  - `relationshipGroup`: The number can change though the logical content of the group represented should not change. Additionally no significance should be read into the `relationshipGroup` value of an inactive [relationship](#);
  - `characteristicType`: This has changed in historical data but should not change in future;
  - `modifierId`: Since there is currently only one value for this no changes are possible but if the permitted values are extended as suggested above then it is likely that changes would be required.

### RF1 Compatibility and Conversion Tools

In January 2012 the [SNOMED International](#) switched from the original [Release Format](#) (used for [SNOMED CT](#) distribution since 2002), to the more flexible and consistent [Release Format 2](#) (RF2). This means that from that date onward the primary source data for the [SNOMED CT International Release](#) is maintained and distributed in the RF2 format.

The [SNOMED International](#) recognizes that, while implementers will which to benefit from the features of the new format, there is inevitably a transitional period during which both format are in use. Therefore, the [SNOMED International](#) provides the following resources to support users whose system do not yet support [SNOMED CT Release Format 2](#):

- [Release Format 1](#) files will continue to be included in the [International Release](#) for a limited period



- These files are not the authoritative version of [SNOMED CT](#) but are generated from the authoritative RF2 data using a software utility developed for this purpose.
- The resulting RF1 data retains the functionality of the original release data but does not support any of the features of RF2. While all the clinically relevant [SNOMED CT](#) hierarchies are identical in both releases, the additional "Metadata Hierarchy" added as part of the RF2 upgrade is not included in the RF1 converted data. In addition there are some cases where Cross Maps
- The RF2 to RF1 Conversion Tool used for generating the RF1 files is also available to all [Members](#) and [Affiliate Licensees](#)
  - The "RF2 Conversion Tool" is an open source, Java-based, software tool to facilitate the conversion of [SNOMED CT](#) files released in RF2 format into RF1 format. The tool provides both a command line utility and a Graphical [User Interface](#)(GUI) to facilitate configuration, progress tracking and the maintenance of additional data whenever it is not available as part of an RF2 release.
  - The limitations of RF2 to RF1 conversion (noted above) will also apply to conversion undertaken using this tool. To enable the conversion to be completed successfully in a way that retains and replaces [Identifiers](#) consistently for the RF1 environment a set of auxiliary files (the "RF1 Compatibility Package") is also required.

The "RF2 to RF1 Conversion Tool" and the "RF1 Compatibility Package" are available for [Members](#) and [Affiliates](#) to download in the same way as the [SNOMED CT International Release](#).

 **Caution!**

These resources and tools are intended for use during a transitional period and should not be considered as a long term alternative to migration to support direct use of RF2 data within applications. As [SNOMED CT](#) continues to evolve more of the specific feature of RF2 will be used to add value to the terminology. Some of the added value delivered by RF2 is soon likely to be regarded as essential for effective solutions to user requirements.

## Appendix B. Names of Release Files, Fields and Data Types

This section lists the file and field names used in technical specifications within this guide. The scope of use of these names is limited to the tables in which they are used and the given definitions are not intended for use in any other context.

### A

- [acceptabilityId](#)
- [active](#)
- [alternateIdentifier](#)
- [annotation](#)
- [attributeDescription](#)
- [attributeOrder](#)
- [attributeType](#)

#### acceptabilityId (field)

A field in a [900000000000506000 |Language type reference set|](#) that indicates the acceptability of a [Description](#) in the language or [dialect](#) specified by that [Reference Set](#) . Values include "preferred" and "acceptable".

Note: Field name in a [900000000000506000 |Language type reference set|](#)

#### active (field)

A [Boolean](#) field that specifies whether an identified [component](#) or is an [active](#) from the point in time specified by the [effectiveTime](#) .

Note: Field name in SNOMED CT Release Format 2.

#### Related Links

- [Meaning of the active field](#)
- [2.8. Release Types](#)
- [AAA](#)

#### alternateIdentifier (field)

A field in the [Identifier file](#) containing the representation of an [Identifier](#) in another code system that is irrevocably linked to a [SNOMED CT identifier](#) .

#### Related Links

- [Identifier](#)

#### annotation (field)

An [Annotation Reference Set](#) field containing additional information linked to a [SNOMED CT component](#) .

Note: Field name in SNOMED CT Release Format 2.

#### Related Links

- [4.2.7. Annotation Reference Set](#)

## attributeDescription (field)

A reference to a [concept](#) that specifies the name and/or usage of an additional attribute in a [Refset](#). If the [attributeType](#) is component reference, the values applied to this additional attribute are restricted to [subtypes](#) of this [concept](#).

Note: Field name in a SNOMED CT Release Format 2 Reference Set Descriptor.

## attributeOrder (field)

An integer representing the position of an additional attribute in a [Refset](#). The value 0 (zero) refers to the [referencedComponentId](#). All other values refer to the position of an additional attribute relative to the [referencedComponentId](#).

Note: Field name in a SNOMED CT Release Format 2 Reference Set Descriptor.

## attributeType (field)

A reference to a [concept](#) that specifies the data type of an additional attribute in a [Refset](#).

Note: Field name in a SNOMED CT Release Format 2 Reference Set Descriptor.

## B

- [Boolean](#)

## Boolean (data type)

A datatype that represents either true or false.

Note: In [SNOMED CT release files](#) the value 0 (zero) represents "false" and the value 1 (one) represents true.

## C

- [caseSignificanceld](#)
- [characteristicTypeld](#)
- [Concept](#)
- [conceptId](#)
- [correlationId](#)

## caseSignificanceld (field)

A field in the [Description Release File](#) containing a [SNOMED CT identifier](#) that indicates whether the text of the term can be modified to by switching characters from upper to lower case (or vice-versa).

Note: Field name in SNOMED CT Release Format 2

## Related Links

- [4.1.4 Concept enumerations for caseSignificanceld](#)
- [Description](#)

## characteristicTypeld (field)

A reference to a [concept](#) that specifies the nature of a [Relationship](#). Values include "defining", "qualifying" etc.

Note: Field name in the SNOMED CT Release Format 2 relationships table.

## Concept file

The file structure used to distribute [SNOMED CT concepts](#) .

Note: Component File name in SNOMED CT Release Format 2

### Related Links

- [3.2.1. Concept File Specification Concept file](#)

## conceptId (field)

A field in the [Description file](#) that associates a [term](#) with the [concept](#) to which it applies .

Note: Field name in the [Description file](#) .

## correlationId (field)

A field in the Complex Map [Reference Set](#) containing a [SNOMED CT identifier](#) which represents the correlation between the [SNOMED CT concept](#) and the [target code](#) .

Note: Field name in SNOMED CT Release Format 2

### Related Links

- [Data structure](#)

## D

- [definitionStatusId](#)
- [Description](#)
- [descriptionFormat](#)
- [descriptionLength](#)
- [destinationId](#)
- [Dualkey](#)
- [Dualkey table](#)

## definitionStatusId (field)

A field in the [Concept Release File](#) containing a [SNOMED CT identifier](#) which specifies whether the [concept](#) is [fully defined](#) or [primitive](#) .

Note: Field name in the SNOMED CT Release Format 2 concepts table.

### Related Links

- [4.1.2 Concept enumerations for definitionStatusId](#)
- [Concept](#)

## Description file

The file structure used to distribute [SNOMED CT descriptions](#).

### Note

- Component File name in SNOMED CT Release Format 2

## Related Links

- [3.2.2. Description File Specification](#)

## descriptionFormat (field)

A [4.2.13. Description Format Reference Set](#) field reference to a [concept](#) that specifies the maximum length and format of the [term](#) fields for a particular type of [Description](#) .

Note: By default the [term](#) is a [UTF-8](#) string of up to 255 characters without markup. However, description types can be specified which are longer in length and/or contain format markup (e.g. HTML). For more details of how this is specified see the file structure specification.

## Related Links

- [4.2.13. Description Format Reference Set](#)

## descriptionLength (field)

A [4.2.13. Description Format Reference Set](#) field containing an integer which indicates the maximum length of the term string for a specified type of [Description](#) .

Note: By default the [term](#) is a [UTF-8](#) string of up to 255 characters without markup. However, description types can be specified which are longer in length and/or contain format markup (e.g. HTML). For more details of how this is specified see the file structure specification.

## Related Links

- [4.2.13. Description Format Reference Set](#)

## destinationId (field)

A field in the [Relationship Release File](#) containing a [SNOMED CT identifier](#) that refers to the [concept](#) that represents the destination (or [attribute-value](#)) of the associated [Relationship](#) .

Note: Field name in [SNOMED CT Release Format 2](#). In RF1 this field was called *ConceptId2*

## Related Links

- [Relationship](#)

## Dualkey (field)

A key used to facilitate textual searches of [SNOMED CT](#) that consists of the first three letters of a pair of words in a [Description](#). All possible pairs of words in each [Description](#) may be paired irrespective of their relative position in the [Description](#). *Dualkeys* are represented as a row in the *Dualkeys* Table.

Note: Field name in SNOMED CT toolkit

## Dualkey table

A table in which each row represents a [Dualkey](#). See [see [6.1.5.2 Word Search Tables - Summary](#) ].

Note: File or Table name in SNOMED CT toolkit

## E

- [effectiveTime](#)
- [Excluded word](#)

- [Excluded words table](#)

## effectiveTime (field)

Specifies the inclusive date at which the component version's state became the then current valid state of the component.

Note: Field name in SNOMED CT Release Format 2

## Excluded word (field)

A word that in a given [language](#) is so frequently used, or has so poor a discriminating power, that it is suggested for exclusion from the indices used to support textual searches of [SNOMED CT](#). *Excluded Words* are represented as a row in the [Excluded Words Table](#)

Note: Field name in SNOMED CT toolkit

## Excluded words table

A data table in which each row represents an [Excluded Word](#). See [see [6.1.5.2 Word Search Tables - Summary](#)].

Note: File or Table name in SNOMED CT toolkit

|

- [id](#)
- [Identifier](#)
- [identifierSchemeld](#)
- [Integer](#)

## Identifier file

The file structure used to distribute alternative [Identifiers](#) for [SNOMED CT components](#).

Note: The Identifier file is not currently used in the [SNOMED CT International Release](#) as use of the more flexible [4.2.9. Simple Map Reference Set](#) structure is preferred for links to alternative codes. The only known current use of this file is for internal identification of components during the content development process.

## Related Links

- [Identifier file](#)

## id (field)

A field that provides the unique identifier of a [component](#) ( [concept](#), [description](#) or [relationship](#)) or [reference set member](#) .

Note:

- The data type of the *id* for a [component](#) is [SCTID](#) and this identifier is used to refer to the [component](#) .
- The data type of the *id* for a [reference set member](#) is [UUID](#). This identifier is only used to support versioning of a rows ( [member](#)) in a [Reference set](#) it does not identify the Reference set itself (see [refsetId](#)) nor does it identify to a component referred to by the [Reference set](#) (see [referencedComponentId](#) ).

## identifierSchemeld (field)

A field in the RF2 [Identifier file](#) containing a [SNOMED CT identifier](#) which identifies the alternate code system.

Note: In practice, the identifier file is not used in the [SNOMED CT International Release](#) as the use of [4.2.9. Simple Map Reference Set](#) is preferred. The only current use of this file is for internal identification during the development process.

## Related Links

- [Identifier](#)

## Integer (data type)

A datatype that represents a whole number.

Note: In [SNOMED CT release file](#) specifications integers are represented as a string of decimal digits. The range of values and support for negative values may be constrained for the specification are specified for each usage of this datatype. However, unless otherwise specified, all [release file](#) fields of data type *integer* are assumed to be 32-bit signed integers.

## Related Links

- [2.3. Field Data Types](#)

## K

- [Keyword](#)

## Keyword (field)

A field containing a potential search text in one of the [WordKey Tables](#) or a word excluded for key generation in the [Excluded Words Table](#).

Note: Field name in SNOMED CT toolkit

## L

- [linkedTold](#)

## linkedTold (field)

An Ordered [Reference Set](#) field containing a [SNOMED CT identifier](#) which refers to either a sub-group of components or a child [concept](#) in the alternative hierarchy represented by the [Reference set](#). The parent of grouping component is represented by the [referencedComponentId](#).

Note: Field name in SNOMED CT Release Format 2.

## Related Links

- [4.2.20. Ordered Reference Set](#)

## M

- [mapAdvice](#)
- [mapCategoryId](#)
- [mapGroup](#)
- [mapPriority](#)
- [mapRule](#)
- [mapTarget](#)
- [modifierId](#)
- [moduleId](#)

## mapAdvice (field)

Field in a [4.2.10. Complex and Extended Map Reference Sets](#) containing human-readable advice, that may be employed by the software vendor to give an end-user advice on selection of the appropriate [target code](#) from the alternatives presented to him within the group.

## mapGroup (field)

Field in a [4.2.10. Complex and Extended Map Reference Sets](#) containing an [integer](#) that groups a set of complex map records from which one may be selected as a [target code](#). Where a [SNOMED CT concept](#) maps onto 'n' [target codes](#), there will be 'n' groups, each containing one or more complex map records.

## mapCategoryId (field)

Field in a [4.2.10. Complex and Extended Map Reference Sets](#) that identifies the [SNOMED CT concept](#) in the metadata hierarchy which represents the MapCategory for the associated map member.

Note: The categories vary for different target code systems, each set of categories is represented by a subtype of 609331003 |Map category value|. For example in the case of [ICD-10](#) the individual category values are [subtypes](#) of: 447634004 |ICD-10 Map category value|.

## mapPriority (field)

Field in a [4.2.10. Complex and Extended Map Reference Sets](#) that specifies the [order](#) in which complex map records should be checked. Only the first map record meeting the run - time selection criteria will be taken as the [target code](#) within each [mapGroup](#).

## mapRule (field)

Field in a [4.2.10. Complex and Extended Map Reference Sets](#) containing a machine-readable rule, (evaluating to either 'true' or 'false' at run-time) that indicates whether this map record should be selected within its [mapGroup](#).

## mapTarget (field)

Field in a [4.2.9. Simple Map Reference Set](#) or a [4.2.10. Complex and Extended Map Reference Sets](#) that contains the [target code\(s\)](#) to which the [SNOMED CT concept](#) represented the [referencedComponentId](#) is mapped in the [target scheme](#).

## modifierId (field)

A field in the [relationship file](#) that indicates the [description logic](#) modifier that applies to that defining [Relationship](#) (e.g. "some" or "all").

Usage: Field name in SNOMED CT Release Format 2.

## moduleId (field)

A field in each component [release file](#) which represents the development module within which it was created and is maintained.

Note: Field name in SNOMED CT Release Format 2, which is specified in [see [2.5. Module Identification](#)].

## O

- [order](#)



## order (field)

*Order ...* to be defined.

Note: Field name in SNOMED CT Release Format 2

## Q

- [query](#)

## query (field)

A field in a [4.2.8. Query Specification Reference Set](#) that contains a text string representing criteria for selection of [SNOMED CT components](#) to be included in [4.2.1. Simple Reference Set](#)

Note: A standard syntax for use in these queries is currently under development and is due for publication in late 2014.

## R

- [Reference Set](#)
- [referencedComponentId](#)
- [Reference Set \( Reference Set \)](#)
- [refsetId](#)
- [Relationship](#)
- [relationshipGroup](#)

## referencedComponentId (field)

A field in a [Reference Set](#) containing an [Identifier](#) which refers to the [component](#) to which a row in the [Reference Set](#) applies.

Note: This field is present in all types of [Reference Set](#) and, unless otherwise specified, the field data type is [SCTID](#) .

### Related Links

- [4.2. Reference Set Types](#)
- [Simple Reference Set](#)
- [The basic reference set member file format](#)

## Reference Set file

The file structure used to distribute [SNOMED CT Reference sets](#) .

### Related Links

- [3.2.1. Reference Sets](#)
- [4.2. Reference Set Types](#)

## refsetId (field)

A field in a [Reference Set](#) which uniquely [Identifier](#) which refers to the component to which a row in the [Reference Set](#) applies.

Note: This field is present in all types of [Reference Sets](#) and its data type is [SCTID](#). It links together all the members of a [Reference Set](#) and refers to a concept that names the [Reference Set](#) .

## Related Links

- [4.2. Reference Set Types](#)
- [Simple Reference Set](#)
- [The basic reference set member file format](#)

## Relationship file

The file structure used to distribute [SNOMED CT relationships](#) .

## Related Links

- [3.2.3. Relationship File Specification](#)

## relationshipGroup (field)

Field in the [Relationship File](#) is used to group [Relationships](#) together for a [concept](#). For example, where a particular type of prosthesis is inserted a joint, the [Defining characteristics](#) describing the prosthesis type would be in one group whereas those describing the location or laterality of the joint would be in another group.

## S

- [SCTID](#)
- [sourceEffectiveTime](#)
- [sourceId](#)
- [Stated Relationship File](#)
- [String](#)

## SCTID (data type)

A unique integer identifier applied to each [SNOMED CT component](#) ( [Concept](#), [Description](#), [Relationship](#) ).

Note: The value of an SCTID is structured to include an item identifier, a check-digit and a partition identifier. Depending in the value of the partition identifier it may also include a namespace identifier.

## Related Links

- [2.3. Field Data Types](#)
- [5. Representing SNOMED CT identifiers](#)

## sourceEffectiveTime (field)

A field in the Module Dependency [Reference Set](#) which specifies the [effectiveTime](#) of the version of the source module with depends on the specified version of the target module. The [effectiveTime](#) must match exactly.

Note: Field name in SNOMED CT Release Format 2

## Related Links

- [4.2.4 Module Dependency Reference Set](#)
- [4.2.12. Module Dependency Reference Set](#)

## sourceId (field)

A field in the [Relationship Release File](#) containing a [SNOMED CT identifier](#) that refers to the [concept](#) that represents the source of the associated [Relationship](#). The *sourceId* refers to the [concept](#) that is defined by the [Relationship](#) .

Note: Field name in [SNOMED CT Release Format 2](#). In RF1 this field was called *ConceptId1*

## Related Links

- [Relationship](#)

## Stated Relationship File

A distribution file containing the [stated form](#) of [SNOMED CT relationships](#) .

Notes:

1. The [stated form](#) of a [Concept](#) is the [Description Logic](#) definition that is directly edited by authors or editors. It consists of the stated [116680003 |is a| relationships](#) plus the defining [relationships](#) that exist prior to running a [classifier](#) on the logic definitions. Therefore, the [stated form](#) of a [Concept](#) is represented by a collection of [relationships](#): one or more [116680003 |Is a| relationships](#) and zero or more defining [relationships](#) .
2. The [Stated Relationships File](#) is in the same table format as the [Relationships File](#), but the value of the [characteristicTypeld](#) field is [900000000000010007 |Stated relationship \(core metadata concept\)|](#) .

## String (data type)

A datatype representing a sequence of characters.

Note: In [SNOMED CT release file](#) specifications strings are represented using [UnicodeUTF-8](#) encoding.

## Related Links

- [2.3. Field Data Types](#)
- [Appendix C. Unicode UTF-8 encoding](#)

## T

- [targetComponentId](#)
- [targetEffectiveTime](#)
- [term](#)
- [Time](#)
- [Transitive closure](#)
- [typeld](#)

## targetComponentId (field)

An Association [Reference Set](#) field containing a [SNOMED CT identifier](#) which specifies the target of the association from the source component (e.g. a [concept](#) or [Description](#)) referred to by the [referencedComponentId](#) .

Note: Field name in SNOMED CT Release Format 2.

## Related Links

- [4.2.5. Association Reference Set](#)

## targetEffectiveTime (field)

A field in the Module Dependency [Reference Set](#) which specifies the [effectiveTime](#) of the version of the target module on which the specified version of the source module depends. The [effectiveTime](#) must match exactly.

Note: Field name in SNOMED CT Release Format 2

## Related Links

- [4.2.4 Module Dependency Reference Set](#)

- [4.2.12. Module Dependency Reference Set](#)

## term (field)

A text [string](#) that represents the [concept](#) referenced by the [conceptId](#) field in the [Description file](#) .

Note:

By default the [term](#) is a [UTF-8](#) string of up to 255 characters. However, description types can be specified which are longer in length and/or contain format markup (e.g. HTML).

Field name in the [Description file](#) .

## Time (data type)

A datatype representing a date or time.

Note: In [SNOMED CT release file](#) specifications date and times are represented as strings using the ISO 8601 basic format.

- The date format used is YYYYMMDD.
- Where time is included the format is YYYYMMDDThhmmssZ. The time is separated from the date by the letter "T" and followed by the letter "Z" indicating that the timezone is UTC.

Examples:

July 31st 2012: **20120731** .

13:15 UTC on August 2nd 2012: **20120802T131500Z**

## Related Links

- [http://en.wikipedia.org/wiki/ISO\\_8601](http://en.wikipedia.org/wiki/ISO_8601)
- [2.3. Field Data Types](#)

## Transitive closure file

The file used to distribute the [transitive closure](#) of the [SNOMED CT subtype hierarchy](#) .

Note: This file is not currently distributed but can be generated from the Relationships file using a script.

## Related Links

- [3.2.5. Transitive Closure Files](#)

## typeld (field)

A field in the [Description](#) and [Relationship Release Files](#) which contains a [SNOMED CT identifier](#) that represents the type of [Description](#) or [Relationship](#) represented.

- [Description](#). **typeld** represents the type of [Description](#). [Description](#) types include [subtypes](#) of [900000000000446008](#) |[Description type \(core metadata concept\)](#)|. These include [90000000000013009](#) |[Synonym \(core metadata concept\)](#)| and [90000000000003001](#) |[Fully specified name \(core metadata concept\)](#)|. There is no *typeld* value for " [Preferred term](#) " as the [preferred term](#) is the [synonym](#) marked as "Preferred" in the appropriate [see [4.2.1 Language Reference Sets](#) ].
- [Relationship](#). **typeld** represents the type of [Relationship](#) between the [concept](#) identified by [sourceId](#) and the [concept](#) identified by [destinationId](#). [Relationship types](#) are [116680003](#) |[Is a \(attribute\)](#)| and [subtypes](#) of [410662002](#) |[Concept model attribute \(attribute\)](#)| .

Note: Field name in the [Description file](#) and in the [Relationship file](#) .

## Related Links

- [5.1.1 Defining Attributes by Hierarchy and Domain](#)
- [4.1.3 Concept enumerations for Description type](#)
- [Description](#)
- [Relationship](#)

## U

- [Unicode](#)
- [UUID \( UUID \)](#)
- [UTF 16](#)
- [UTF-8](#)
- [UUID](#)

## Unicode

A standard character set, which represents most of the characters used in the world using a 16-bit encoding.

Note: The Unicode character set can be encoded using either UTF-16 or UTF-8. UTF-16 uses two bytes for every character. UTF-8 is able to store the most commonly used characters in western alphabets using a single byte, but it requires two bytes to encode accented characters and three bytes to encode symbols used in many non-European scripts.

## UTF-16

A standard method of directly encoding [Unicode](#) using two bytes for every character.

Note: SNOMED CT release files do not use UTF-16. However, the UTF-8 representation used in release files can be converted to UTF-16.

## Related Links

- [2.3. Field Data Types](#)
- [Appendix C. Unicode UTF-8 encoding](#)

## UTF-8

A standard method of encoding [Unicode](#) characters in a way optimized for the ASCII character set. *UTF-8* is described in [see [Appendix C. Unicode UTF-8 encoding](#)].

Note: This encoding is used for release file fields of data type "String".

## Related Links

- [2.3. Field Data Types](#)
- [Appendix C. Unicode UTF-8 encoding](#)

## UUID (data type)

A datatype representing a sequence of unique [Identifier](#) encoded as a 128-bit integer.

Note: In [SNOMED CT release files](#) *UUIDs* are represented using as a string following the standard [canonical form](#). In this string form a *UUID* is represented by 32 hexadecimal digits, displayed in five groups separated by hyphens, in the form 8-4-4-4-12 for a total of 36 characters (32 digits and four hyphens).

Example: ac527bed-9c70-4aad-8fc9-015828b148d9

## Alternatives0

### Related Links

- [http://en.wikipedia.org/wiki/Universally\\_unique\\_identifier](http://en.wikipedia.org/wiki/Universally_unique_identifier)

### V

- [valueId](#)

### valueId (field)

*ValueId*... to be defined.

Note: Field name in SNOMED CT Release Format 2

### W

- [Word equivalents table](#)
- [WordBlockNumber](#)
- [WordKey table](#)
- [WordRole](#)
- [WordText](#)
- [WordType](#)

### Word equivalents table

A data table in which each row represents a [Word Equivalent](#). See [see [6.1.5.3 Word Equivalents](#) ].

Note: File or Table name in SNOMED CT toolkit

### WordBlockNumber (field)

A field in the [Word Equivalents Table](#) , which links together several rows which have an identical or similar meaning.

Note: Field name in SNOMED CT toolkit

### WordKey table

A data table relating each word used in [SNOMED CT](#) (other than [Excluded Words](#)) to the [Descriptions](#). See [see [6.1.5.2 Word Search Tables - Summary](#) ].

Note: File or Table name in SNOMED CT toolkit

### WordRole (field)

A field in the [Word Equivalents Table](#), which specifies the usual usage of this word, abbreviation or phrase, or the usage in which it has a similar meaning to the text in one or more other rows of the table that share a common [WordBlockNumber](#) .

Note: Field name in SNOMED CT toolkit

### WordText (field)

A field in the [Word Equivalents Table](#), which contains a word, phrase, acronym or abbreviation that is considered to be similar in meaning to the text in one or more other rows of the table that share a common [WordBlockNumber](#) .

Note: Field name in SNOMED CT toolkit

## WordType (field)

A field in the [Word Equivalents Table](#) , which specifies whether this row contains a word, phrase, acronym or abbreviation.

Note: Field name in SNOMED CT toolkit

## Appendix C. Unicode UTF-8 encoding

UTF-8 is an efficient encoding of Unicode character - String that recognizes the fact that the majority of text-based communications are in ASCII. It therefore optimizes the encoding of these characters.

Unicode is preferred to ASCII because it permits the inclusion of accents, scientific symbols and characters used in languages other than English. The UTF-8 format is a standard encoding that provides the most efficient means of encoding 16-bit Unicode characters in cases where the majority of characters are in the ASCII range. Both UTF-8 and the alternative UTF-16 encoding are supported by all widely used operating systems and major applications. UTF-8 was adopted as an IETF Internet Standard (it was initially adopted by IETF in 1996 to restrict some code values in 1998 and 2003). In 2008 UTF-8 became the most widely used for of encoding in web pages.

SNOMED CT uses the UTF-8 representation of characters in terms and other text fields.

Note that SNOMED CT does not use, or require use of, the Byte Order Mark (BOM) specified by the Unicode standard because all SNOMED CT release files use UTF-8.

### Summary of Unicode Encoding Rules

#### Character encoding

- ASCII characters (in the range 0-127) are encoded as a single byte.
- Greek, Hebrew, Arabic and most accented European characters are encoded as two bytes;
- Other characters are encoded as three bytes;
- The individual characters are encoded according to the following rules.

#### Single byte encoding

Characters in the range 'u+0000' to 'u+007f' are encoded as a single byte.

**Table 1: UTF-8 Single Byte Encoding**

byte 0	
0	bits 0-6

#### Two byte encoding

Characters in the range 'u+0080' to 'u+07ff' are encoded as two bytes.

**Table 2: Two byte encoding**

byte 0			byte 1			
1	1	0	bits 6-10	1	0	bits 0-5

#### Three byte encoding

Characters in the range 'u+0800' to 'u+ffff' are encoded as three bytes:

**Table 3: UTF-8 Three Byte Encoding**



byte 0				byte 1			byte 2			
1	1	1	0	bits 12-15	1	0	bits 6-11	1	0	bits 0-5

## Notes on encoding rules

The first bits of each byte indicate the role of the byte. A zero bit terminates this role information. Thus possible byte values are:

**Table 4: UTF-8 Encoding Rules**

Bits	Byte value	Role
0???????	000-127	Single byte encoding of a character
10???????	128-191	Continuation of a multi-byte encoding
110???????	192-223	First byte of a two byte character encoding
1110?????	224-239	First byte of a three byte character encoding
1111????	240-255	Invalid

## Example encoding

**Table 5: UTF-8 Encoding Example**

Character	S	C	T	®	③			
Unicode	0053	0043	0054	00AE	2462			
Bytes	01010011	01000011	01010100	11000010	10101110	11101111	10111111	10111111