



INTERSOCIAL
Connectant Persones

**Semantic interoperability
in social care**

General information

- **Period of time:** January - December 2016.
- **Main objective:** Define a common controlled vocabulary to standardize the problems and responses in the field of social care.
- **Standards used:** 
SNOMED CT
The global language of healthcare
- **Next steps:**
 - Dissemination of results.
 - Maintenance
 - Second part.



Background





Background

“Two monologues do not make a dialogue”



INTERSOCIAL
Connectant Persones

Participants

CATEDRA
de Serveis
Socials

CÀTEDRA
DE CURES
PAL·LIATIVES



Generalitat de Catalunya
Departament
de Salut



Generalitat de Catalunya
Departament de Treball,
Afers Socials i Famílies

UVIC

CÀTEDRA
TIC SALUT






INTERSOCIAL
Connectant Persones

Participants





Methodology





Results

Woman

Major opiate

Family support

Rejects formal help of SS

14 medications per day

Advanced heart failure

Falls

Widow

Revenues

Multimorbidity

Lives alone

Degenerative arthropathy

Progressive functional loss

Impediment to leave the house

Precarious economic situation

Inadequate housing

NYHA 3

Francisca's case

88 years old

Cognitive impairment



Results

131 problems

35 responses



Results

Parents

- ▶ ● Stopped work (finding)

● **Unemployed (finding)** ★ ↗

SCTID: 73438004


73438004 | Unemployed (finding) |

Without employment
Out of work
Unemployed
Unemployed (finding)
UE - Unemployed
U/E - Unemployed

Interprets → Employment status
Finding method → History taking

Children (2)

- ● Chronic unemployment (finding)
- ● Recently unemployed (finding)





Results

Parents

- ● Psychodynamic and/or supportive psychotherapeutic intervention (procedure)
- ● Psychosocial procedure (procedure)

● **Psychosocial intervention strategy (procedure)** ★ 3

SCTID: 228558003

228558003 | Psychosocial intervention strategy (procedure) |

Psychosocial intervention strategy (procedure)

Psychosocial intervention strategy

Has intent → Therapeutic intent

Children (36)

- ● Active listening (procedure)
- ● Activity scheduling (procedure)
- ● Anticipatory guidance (procedure)
- ● Behavior rehearsal technique (procedure)
- ● Calming (procedure)



Thank you



Ariadna Rius

**Standards and Interoperability Office
TicSalut Foundation**

✉ arius@ticsalut.cat

🌐 www.ticsalut.cat