

SNOMED CT Refset to ICPC-2 Map Release Notes - January 2019

Date	20190131
Document Version	1.0
Release Status	PRODUCTION

© 2019 International Health Terminology Standards Development Organisation. All rights reserved. SNOMED CT® was originally created by the College of American Pathologists.

This document forms part of the GP/FP SNOMED CT® Production package distributed by International Health Terminology Standards Development Organisation, trading as SNOMED International, and is subject to the SNOMED CT® Affiliate License, details of which may be found at <https://www.snomed.org/snomed-ct/get-snomed>

No part of this document may be reproduced or transmitted in any form or by any means, or stored in any kind of retrieval system, except by an Affiliate of SNOMED International in accordance with the SNOMED CT® Affiliate License. Any modification of this document (including without limitation the removal or modification of this notice) is prohibited without the express written permission of SNOMED International.

Any copy of this document that is not obtained directly from SNOMED International [or a Member of SNOMED International] is not controlled by SNOMED International, and may have been modified and may be out of date. Any recipient of this document who has received it by other means is encouraged to obtain a copy directly from SNOMED International [or a Member of SNOMED International]. Details of the Members of SNOMED International may be found at <http://www.snomed.org/members/>.

Access within SNOMED International member countries is provided by the national release centre in each country, via the relevant Member page(linked).

- 1 Introduction
 - 1.1 Deprecation Proposal
- 2 Background
 - 2.1 The International Classification of Primary Care, Version 2 (ICPC-2)
- 3 Release content
 - 3.1 Overview
 - 3.2 Status of content
 - 3.3 Changes to the ICPC-2 map
- 4 Implementation of the map from the GP/FP subset to ICPC-2
 - 4.1 Purpose of the map
 - 4.2 Use cases for the map from the GP/FP subset to ICPC-2 map
 - 4.2.1 Patient recall
 - 4.2.2 Data entry
 - 4.2.3 Management of legacy data
 - 4.2.4 Research
 - 4.3 Design of the map
 - 4.3.1 Map source
 - 4.3.2 Map target
 - 4.3.3 Direction of the map
 - 4.3.4 Map cardinality
 - 4.4 Benefits of using the map
 - 4.5 Implementation of the map from the GP/FP subset to ICPC-2
- 5 Implementation overview
 - 5.1 Deciding to implement the subset and map to ICPC-2
 - 5.2 Obtaining the GP/FP subset and ICPC-2 map
- 6 Effective Date and Maintenance
 - 6.1 Effective Date
 - 6.2 Feedback
- 7 Technical Notes
 - RF2 package format

1 Introduction

The SNOMED CT International General/Family Practice Reasons for encounter and Health issues reference set (hereafter called the GP/FP subset) and the map from the GP/FP subset to the International Classification of Primary Care (ICPC-2) were developed between 2010 and 2013 by the GP/FP subset and ICPC mapping project group. This project ended on December 31, 2013 after field-testing of the products was completed.

1.1 Deprecation Proposal

SNOMED International have undertaken a review of a number of the derivative products over the past 18 months (including the GP/FP refset and the map to ICPC-2), in order to gather updated requirements and evidence of usage. This has included reaching out to Members, clinical groups, other stakeholders as well as those who have downloaded either the GP/FP refset or the map to ICPC-2, and we were unable to find anyone who is using the SNOMED CT to ICPC-2 map.

In addition, in discussions with WONCA, they have confirmed that ICPC-2 is no longer being maintained by them as they are now focusing on producing and releasing ICPC-3. They see no use case for maintaining the current mapping and have recommended that this January 2019 release should be the last one.

On the basis of these discussions and investigations, a proposal has been put forward to deprecate the SNOMED CT to ICPC-2 map after this January 2019 release, and SNOMED International will shortly be pushing this through the formal deprecation process.

If you have any concerns about this because you have a use case that needs to be met, we would like to hear from you urgently.

2 Background

In December 2009 a harmonization agreement was finalized between the IHTSDO and WONCA to promote co-operation and collaboration between the two organisations.

This agreement led to the formation of the International Family Physician/General Practitioner Special Interest Group (IFP/GP SIG) under the auspices of the IHTSDO. The IFP/GP SIG was established to suggest content for the Systematized Nomenclature of Medicine – Clinical Terms (SNOMED CT®) related to general/family practice and to provide quality assurance for SNOMED CT content from the general/family practice perspective. The IHTSDO's existing Primary Care Special Interest Group was converted to the IFP/GP SIG after the agreement was signed. The agreement contained a commitment to develop a mapping program, classifying relevant content in SNOMED CT to the International Classification of Primary Care, Version 2 (ICPC-2). Under the terms of the agreement, each task or project in the mapping program was to be managed by a mapping project group, comprised of members from the IFP/GP SIG, the WONCA International Classification Committee (WICC) and the IHTSDO's Mapping Special Interest Group. A project group for this task was established in early 2010 and called the 'International GP /FP subset and ICPC mapping project group'. The release of the map from the SNOMED CT GP/FP subset to ICPC-2, described in this document, fulfils the commitment to classify relevant content from SNOMED CT to ICPC-2.

2.1 The International Classification of Primary Care, Version 2 (ICPC-2)

ICPC-2 is a classification designed for use in general/family practice around the world. ICPC-2 is developed and maintained by the Wonca International Classification Committee (WICC), representing members from over 20 countries. The copyright of ICPC is owned by Wonca. Version One of the classification was released in 1987 (ICPC-1), with the second version (ICPC-2) in 1998. The map is based on ICPC-2e-v.4.2 May 2012.

ICPC-2 contains approximately 1,300 codes and has a biaxial structure containing chapters and components. The 17 chapters are based on body systems, with additional chapters for psychological and social problems. The seven components are:

1. Symptoms and complaints
2. Diagnostic and preventive procedures
3. Medication, treatment, therapeutic procedures
4. Results
5. Administrative
6. Referrals and other reasons for encounter
7. Diagnoses and diseases.

Components 2 to 6 inclusive are collectively called 'processes of care'.

Components		A	B	D	F	H	K	L	N	P	R	S	T	U	W	X	Y	Z
1. Symptoms, complaints																		
2. Diagnostic, screening, prevention																		
3. Treatment, procedures, medication																		
4. Test results																		
5. Administrative																		
6. Other																		
7. Diagnoses, disease																		
A	General	L	Musculoskeletal				U	Urinary										
B	Blood, blood-forming	N	Neurological				W	Pregnancy, family planning										
D	Digestive	P	Psychological				X	Female genital										
F	Eye	R	Respiratory				Y	Male genital										
H	Ear	S	Skin				Z	Social										
K	Circulatory	T	Metabolic, endocrine, nutritional															

Figure 1: The structure of the International Classification of Primary Care—Version 2 (ICPC-2)

3 Release content

3.1 Overview

Note: This document provides release information about the map from the GP/FP subset to ICPC-2. Release information about the GP/FP subset can be found in the [General Practitioner/Family Practitioner \(GP/FP\) Reasons for Encounter/Health Issues SNOMED CT package Release Notes - January 2019](#).

To determine the 'relevant' SNOMED CT content for mapping to ICPC-2, a decision was made to focus on two semantic data types commonly used in general/family practice electronic health records:

- Reasons For Encounter (RFEs)
- Health Issues.

A reason for encounter was defined as:

"An agreed statement of the reason(s) why a person enters the health care system, representing the demand for care by that person. The terms written down and later classified by the provider clarify the reason for encounter and consequently the patient's demand for care without interpreting it in the form of a diagnosis. The reason for encounter should be recognized by the patient as an acceptable description of the demand for care" (WONCA Dictionary of General/Family Practice, 2003).

A health issue was defined as an:

"issue related to the health of a subject of care, as identified or stated by a specific health care party". This is further defined in the notes as "according to this definition, a health issue can correspond to a health problem, a disease, an illness" (Health Informatics – System of concepts to support continuity of care – Part 1: basic concepts (CEN/ISO FDIS 13940-1)).

These definitions were used to define the scope of a subset of SNOMED CT concepts that represented terms commonly used to populate these semantic data types. The content of this subset was subsequently mapped (or classified) to ICPC-2.

3.2 Status of content

The ICPC-2 map is a SNOMED CT module; the original Baseline Release was published following the July 2015 SNOMED CT International Edition Release.

This latest Production release of the ICPC-2 map is aligned to the SNOMED CT January 2019 International Edition.

3.3 Changes to the ICPC-2 map

As a result of changes to the SNOMED CT International Edition January 2019 release, the following concepts were changed and the corresponding target maps accordingly were updated:

Inactive as of January 2019	Inactivation status	New to map January 2019	Exists in map pre-January 2019
111939009 Dysentery (disorder)	SAME AS	46799006 Dysenteric diarrhea (disorder)	
15336001 Cold extremities (finding)	POSSIBLY EQUIVALENT TO	771542000 Cold extremity (finding)	
15911003 Cow's milk protein sensitivity (disorder)	POSSIBLY EQUIVALENT TO	782555009 Allergy to cow's milk protein (finding)	
186504007 Viral disease characterized by exanthem (disorder)	SAME AS		49882001 Viral exanthem (disorder)
191829009 Cocaine type drug dependence (disorder)	POSSIBLY EQUIVALENT TO	31956009 Cocaine dependence (disorder)	
195457004 External hemorrhoids, simple (disorder)	SAME AS		23913003 External hemorrhoids (disorder)
209493005 Sprain tendon wrist or hand (disorder)	POSSIBLY EQUIVALENT TO	722813003 Strain of tendon of wrist (disorder) 441932009 Strain of muscle and/or tendon of hand (disorder)	
238512009 Light and ultraviolet-induced dermatosis (disorder)	POSSIBLY EQUIVALENT TO	105965008 Skin disorder due to physical agent AND/OR foreign substance (disorder)	
246676003 Injection of surface of eye (finding)	POSSIBLY EQUIVALENT TO	781682005 Hyperemia of eye (finding)	
25055007 Ingrowing nail with infection (disorder)	POSSIBLY EQUIVALENT TO	773296007 Paronychia due to ingrown nail (disorder)	
253949003 Congenital clicking hip (disorder)	POSSIBLY EQUIVALENT TO	778014002 Neonatal clicking hip (finding)	
262536007 Superficial abrasion (disorder)	SAME AS	399963005 Abrasion (disorder)	
262992000 Hamstring sprain (disorder)	SAME AS	481000119104 Strain of hamstring muscle (disorder)	
267953003 Arthralgia of the lower leg (finding)	POSSIBLY EQUIVALENT TO	267954009 Arthralgia of the ankle and/or foot (finding)	
283596007 Needle stick injury (disorder)	SAME AS	10850741000119108 Accidental needle stick injury (disorder)	
286903005 Skin - benign mole and nevus (disorder)	POSSIBLY EQUIVALENT TO	239107007 Epidermal nevus (disorder)	
314496008 Contact lens related disorder (disorder)	SAME AS	443182008 Disorder of cornea associated with contact lens (disorder)	
398652001 Vasovagal attack (disorder)	SAME AS		398665005 Vasovagal syncope (disorder)
40421008 Cystocele without uterine prolapse (disorder)	POSSIBLY EQUIVALENT TO		252005008 Female cystocele (disorder)
418975000 Bite of animal (event)	POSSIBLY EQUIVALENT TO	782162007 Bite of nonhuman animal (event)	
430698003 Replacement of total knee joint (procedure)	SAME AS	609588000 Total knee replacement (procedure)	
44037003 Globus hystericus (finding)	SAME AS		267103008 Feeling of lump in throat (finding)
443871003 Papule (finding)	SAME AS		445328000 Papule of skin (finding)
46871008 Scrotal varices (disorder)	SAME AS		51070004 Varicocele (disorder)

57135007 Accident involving land transport vehicle (event)	POSSIBLY EQUIVALENT TO		214031005 [Motor vehicle traffic accident (event)]
69878008 Polycystic ovaries (disorder)	POSSIBLY EQUIVALENT TO	237055002 Polycystic ovary syndrome (disorder)	
75051000 Food intolerance (finding)	SAME AS	235719002 Intolerance to food (finding)	
88616000 Acne vulgaris (disorder)	SAME AS		11381005 [Acne vulgaris (disorder)]

4 Implementation of the map from the GP/FP subset to ICPC-2

4.1 Purpose of the map

The utility of creating maps from terminologies to classifications is well recognized. ICPC-2 is the most widely used classification in the general/family practice setting and is a related member of the World Health Organization's Family of International Classifications (WHO-FIC). ICPC-2 is both a clinical tool and an analytic tool. It groups clinical concepts together to support epidemiological studies of general/family practice. However, it does not record clinical concepts at a high level of specificity when managing individual patients. The map from the SNOMED CT GP/FP subset to ICPC-2 utilizes the capabilities of both SNOMED CT and ICPC-2 by allowing granular concepts to be recorded by GPs/FPs at the point of care using SNOMED CT, with subsequent analysis and reporting using the internationally recognized ICPC-2 classification.

4.2 Use cases for the map from the GP/FP subset to ICPC-2 map

4.2.1 Patient recall

A SNOMED CT member country introduces an incentive program whereby additional reimbursements are made to GPs/FPs who see patients with Type 2 diabetes for a minimum number of encounters and the patient meets pre-defined targets for their HbA1C level. A GP/FP in this country sets up a patient recall query in their EHR to identify patients with Type 2 diabetes who would be eligible for inclusion in this program. The GP/FP already uses the SNOMED CT GP/FP subset to enter all health issues on the problem list for each patient, so is able to utilize the in-built map to ICPC-2 to identify all patients with Type 2 diabetes or synonyms of this concept (using the ICPC-2 code T90 Diabetes, non-insulin dependent). The GP/FP extracts the data from the query, and sends patient recall letters to patients as appropriate.

4.2.2 Data entry

During an encounter in his/her general/family practice, a GP/FP sees a patient who has presented with a newly identified health issue. Using his/her EHR, the GP/FP searches for and selects the ICPC-2 code that represents the health issue presented by the patient. The ICPC-2 code for this health issue is not specific enough to adequately describe the health issue for clinical purposes. The GP/FP therefore clicks on a link to the GP/FP subset and is presented with a list of the SNOMED CT concepts from the GP/FP subset that are mapped to this ICPC-2 code. The GP/FP identifies the SNOMED CT concept he/she wishes to use to further describe the health issue, and enters this into the medical record.

4.2.3 Management of legacy data

A GP/FP has recently started using the GP/FP subset in conjunction with the map to ICPC-2, having previously used ICPC-2 alone for eight years. The GP/FP profiles his/her practice every year to identify changes in patient presentations and the health issues managed at the practice. The GP/FP utilizes the map from the subset to ICPC-2 to ensure that this exercise can continue, so that legacy data collected in ICPC-2 and new data entered using SNOMED CT can both be extracted and analyzed using ICPC-2 for practice profiling over time.

4.2.4 Research

A GP/FP is using the international SNOMED CT GP/FP subset to enter all reasons for encounter and health issues into his/her EHR. The GP/FP agrees to take part in a research study that requests data about patient health issues to be extracted from the GP/FP's EHR. The GP/FP exports the requested data, including the SNOMED CT concepts entered using the GP/FP subset and forwards the data to the organisation conducting the research study. The researchers are able to extract the SNOMED CT codes in the data and utilize the map to ICPC-2 to aggregate data from multiple GPs/FPs. This facilitates their analyses of the data, and they subsequently report results using ICPC-2, allowing comparison with other similar studies conducted in the GP/FP setting.

4.3 Design of the map

The map from the GP/FP subset to ICPC-2 is produced as a complex map reference set, where each SNOMED CT concept in the GP/FP subset is linked to one or more ICPC-2 codes as appropriate. Map code correlation was not used in the map from the SNOMED CT GP/FP subset to ICPC-2. Detail about complex map reference sets can be found in Section 5.6.2.7 of the *SNOMED CT Technical Implementation Guide*.

4.3.1 Map source

The source for this map is the GP/FP subset, as defined in the following documents:

- *General/family practice RefSet and ICPC mapping project: Scoping document (Version 1.0)*
- *General/family practice RefSet and ICPC mapping project: Requirements document (Version 1.0)*
- *General/family practice RefSet and ICPC mapping project: Methods document (Version 1.0)*
- *General/family practice RefSet and ICPC mapping project: Phase 2 project report (Version 1.0)*

Available from info@snomed.org

4.3.2 Map target

All ICPC-2 codes are in scope for the map. However, due to the content of the GP/FP subset, which focuses on reasons for encounter and health issues, the target areas covered by the map are primarily ICPC-2 codes in Component 1 (Symptoms and complaints) and Component 7 (Diagnoses and diseases).

4.3.3 Direction of the map

The map is from SNOMED CT concepts to ICPC-2 classification codes.

4.3.4 Map cardinality

The cardinality of the map from the GP/FP subset to ICPC-2 varies. The possible options are:

- Cardinality of one-to-one: indicates that the source concept in the GP/FP subset maps to one code in ICPC-2.
- Cardinality of one-to-many: indicates that the source concept in the GP/FP subset has been mapped to multiple codes in ICPC-2.

Explanation of the one-to-many cardinality:

Some rubric codes in ICPC-2 contain contextual information about patient sex or age within the code's label. In the case of patient sex, this differentiation is inherent within the structure of ICPC-2 because the chapters within the classification are based on body systems, and there are different chapters for the male genital and female genital systems. Where a single SNOMED CT concept must be classified to different ICPC-2 codes based on patient sex or age, a context-dependent rule based map has been created, allowing the user to select the correct ICPC-2 classification code in each individual circumstance.

4.4 Benefits of using the map

- The map from the GP/FP subset to ICPC-2 will allow GPs/FPs to record and retrieve clinical data using two interdependent international standards.
- The map allows users to enter data in EHRs using the granularity of SNOMED CT, and extract data from EHRs using the international standard of ICPC-2
- For those who manually allocate ICPC-2 codes during data entry, the map will provide an opportunity to obtain additional specificity in the form of SNOMED CT concepts

4.5 Implementation of the map from the GP/FP subset to ICPC-2

Implementers of the map must be aware that this is not a full map from SNOMED CT to ICPC-2. The IFP/GP Clinical reference group will have clinical oversight of planned additions and changes to the source SNOMED CT concepts and maps.

5 Implementation overview

Primarily, the map from the GP/FP subset to ICPC-2 is designed to be implemented in general/family practice electronic health records. There are a variety of ways in which the map from the GP/FP subset to ICPC-2 can be implemented, and it would be impossible to outline each possible scenario in this report. Vendors are encouraged to contact members of the IFP/GP Clinical Reference Group to discuss specific implementation scenarios.

5.1 Deciding to implement the subset and map to ICPC-2

The benefits of implementing SNOMED CT are discussed in Section 3.1 of the *SNOMED CT Technical Implementation Guide*. There may be many reasons why a decision is made to implement the map from the GP/FP Subset to ICPC-2, including:

- a national directive to use SNOMED CT in general/family practice
- desire for standardization with other levels of the health care system, creating potential for greater interoperability
- transition from legacy systems/local terminologies to a standard reference terminology.

5.2 Obtaining the GP/FP subset and ICPC-2 map

Initially, the map from the GP/FP subset to ICPC-2 was released as a 'candidate baseline' in April 2014. The July 2015 release of the map was then a baseline release. The RF2 files for the GP/FP Subset and map to ICPC-2 will be updated subsequently to, and in line with each release of the SNOMED CT International Release.

6 Effective Date and Maintenance

6.1 Effective Date

The effectiveTime for the content has been set to 20190131 (31st January 2019).

6.2 Feedback

Feedback should be sent directly to info@snomed.org, and marked as SNOMED CT to ICPC-2 feedback.

7 Technical Notes

RF2 package format

The RF2 package convention dictates that it contains all relevant files, regardless of whether or not there is content to be included in each particular release. Therefore, the package contains a mixture of files which contain both header rows and content data, and also files that are intentionally left blank (including only a header record). The reason that these files are not removed from the package is to draw a clear distinction between:

1. ...files that have been deprecated (and therefore removed from the package completely), due to the content no longer being relevant to RF2 in this or future releases, and
2. ...files that just happen to contain no data in this particular release (and are therefore included in the package but left blank, with only a header record), but are still relevant to RF2, and could therefore potentially contain data in future releases.

This allows users to easily distinguish between files that have purposefully been removed or not, as otherwise if files in option 2 above were left out of the package it could be interpreted as an error, rather than an intentional lack of content in that release