Lead Features

Overview

Documentation on application features for leads.

Lead Features

These features are available to specialists in addition to the Specialist Features.

Finding available work

From the lead dashboard, the features supports finding content that needs to be worked according to one of four tabs:

- Concepts in scope unmapped work
- Conflicts specialist concepts in conflict not yet assigned
- Review concepts on a review path not yet assigned
 QA failed QA checks that have not yet been reviewed

The list of available work can be searched/filtered or paged through. Assigning work is done by clicking at the "Claim" icon to the left of each entry. Batches of up to 100 concepts can also be claimed by using the "Claim Batch" button. As a lead, work can also be assigned to another user using the "Assign work to" picklist.

Available Work		
Concepts (398)	Conflicts (1) Review (0) QA (4)	
Assign work to:	Donna Morgan 🔻	
Batch size:	25 Assign Batch	
Filter concepts:	Search Reset 🛕	
First Previous	1 2 3 4 5 Next Last	
ld l	Preferred Name	
2 707854005 Testing for Ebola virus indicated		
2 708123007	Autopsy examination waived by Coroner	

Assigning work

Assigned work fits into the same four categories as available work for a specialist. Once assigned work can be edited by clicking on the icon to the left of each entry. Clicking on the icon to the right will return work back to the pool for assignment. Concepts can also be searched/filtered and paged from this view. There are four radio buttons for seeing assigned work in different stages of the LEADs workflow

- All all assigned work of this type
- · New assigned work that has not yet been started
- Editing assigned work that is still being edited
- Finished assigned work that is done but has not yet been submitted for the next workflow review.

Assigned Wor	k				
Concepts (2)	Conflicts (3)	Review (0)	By User	QA (0)	
Filter concepts:			Search	Reset	
	OAII ●New O	Editing OFinis	ned		
Id	Preferred Na	me			Ô
103621006	Multifocal clir	nically isolated	syndrome		*
707136009	Nevus sebac	eous (disorder)			•

There is also a "by user" tab that allows the lead to see work assigned to individual SPECIALISTs or other LEADs.

Editing assigned concepts and QA work

Exactly the same as documented in Specialist Features.

Resolving conflicts

To edit a conflict, click on the assign button to the left of the concept id in the assigned work list. You will be redirected to a multipanel page (shown below) with two major components:

Neview Necord: 703921034 Necofere Iherapy declined (situation)		Review Record: 703991004 Raloxifene therapy declined (situation)	-
Necord careed by Kelly Need	Record served by Nicola Ingrem	Review Record. 105991004 Raloxiene therapy declined (situation)	
Map Extrins: 5/1 233.2 Procedure not carried out because of patient's decision for other and unspecified researces THUE	Mag Extense 1/1 - No Inegal No Inegal 114.02	Record owned by Kelly Read	Record owned by Nicola Ingram
MAP SOURCE CONCLIPT IS PROPERLY CLASSIFIED	MAP SOURCE CONCEPT CANNOT BE CLASSIFIED WITH AVAILABLE DATA	Map Entries	Map Entries
Map Nation [By Kelly Read on 07-31-2014 08:59] SNOMED:	East here	1/1 Z53.2 Procedure not carried out because of patient's decision for other and unspecified reasons	1/1 No target No target
Procedure context: Palsand Associative procedure: Palsanfere Therapy Subject relationship context: Subject of record	. 5 ∂ Formix - 8 / ¥ € Ω ₽ ₩	TRUE MAP SOURCE CONCEPT IS PROPERLY CLASSIFIED	TRUE
[By Kelly Head on 07-31-2014 DB Mg		MAP SOURCE CONCEPT IS PROPERLY CLASSIFIED	MAP SOURCE CONCEPT CANNOT BE CLASSIFIED WITH AVAILABLE DATA
INDEX: Parland of , Instrument (because of), patient's deciden - 253.2 East here	Ernr Message. Name	Map Notes	
(하 / Formata - 8 / 및 6 Ω # ₩		[By Kelly Read on 07-31-2014 08:59] (1) SNOMED:	Start here
	(A)	Procedure context: Refused Associative procedure: Reloxifene therapy	★ Formats - B / U S Ω δ ^ρ ■
Error Message Name	(A)	Subject relationship context: Subject of record	
Group Fondback	v	[By Kelly Read on 07-31-2014 08:55] INDEX: Refusal of , treatment (because of), patient's decision - Z53.2	(4)
2 chadad - [h d Tormáx - Β / 및 5 Ω θ Μ		Start here (2)	
			Error Message: None Submit feedbask
Extract functionals		\uparrow e Formats \bullet B $I \ $ S E	
Conflict Heport Tangat code is different: 253.2 vs. No tangat	Ť		
Targat code is different. 200.2 vs. No Larget			
		(3)	
Map Record	Map Entry	Error Message: None V	
Saros Cinoșt 👻	Targat 🗸		
	Target Code (CD10, Enter larget on End Emply Target		
States Canopt V Id ENDMILLET, RESERVEN Nems Haterfore Tecray declined (attacks) Entries (bas) V		Error ivessage. Toole V Submit feedback	
States Canopi States Canopi は またのにもして、アビジバント ・ トロートのとして、アビジバント ・ トロートの ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	Target Code (Cotto, Enter target co) (Edit Entryity Target) Pedened Tares You must specify a volit or entryity target. Mapping Persensities: Mediates No ministra solution: Set address No ministra solution to minist.	Submit feedback	
Essans Greept Generation Control Control Control Generation Control Control Control Control Control Control Generation G	Target Gode (CD10, Enter Legal of (Est Employ), Haget Prefered Term You mail specify a valid or empty larget. Mapping Parameters Relation 10 million million		~
States Canopi States Canopi は またのにもして、アビジバント ・ トロートのとして、アビジバント ・ トロートの ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	Target Gole (CDR), Draw Langet on Stat Darry's Fared Professor Harr 'to hail granty's regist. Weight Premisers Description in the state of the state	Submit feedback	-
Isaan Chryst, Stanton Org, W Hern Tochten Transfer free Stanton Gene Tochten Transfer free Stanton Gene Gauge 1 (2011) (2011) (2011) (2011) Gene Stanton Million That Stanton That Stanton That Stanton	Tend for a control por union of the tanget and Phones Tennis and and a control of the tanget and Phones Tennis and and a control of the tanget and the tanget and the tanget and the tanget and the tanget and the tanget and the tanget and the tanget and the tanget and the tanget and the tanget and tanget and the tanget and the tanget and tanget and the tanget and the tanget and tanget and tanget and the tanget and the tanget and tanget and the tanget and the tanget and tanget and the tanget	Submit freetback	
States Choose V Mare The Analysis Reary Studied (shortes) Context (shortes) Context (shortes) V One Choose (shortes) V One Choose (shortes) V One Choose (shortes) V One Choose (shortes) X One Choose (shortes) X One Choose (shortes) X	Terry for a constraint of the	Sobert Feetback Group Feedback 2 checked -	
International V International International	The first state and a state st	Submit feetback Group Feedback 2 checked → (*) (*) (*) Formats → B I 및 S Ω (*) (*)	~
Alan Cardy V I December 2000 State (Alaster) Were Noted State New Year (Alaster) Were Noted State (Alaster) Were Noted State (Alaster) Noted State (Alaster	The decision is a market of the decision of th	Sobert Feetback Group Feedback 2 checked -	
Name Total Control Sector	The decision of the second secon	Scherk feetback Group Feedback 2 checked - ← ← Formats - B I ⊻ S Ω σ ^ρ ⊑ (5)	~
International In	The decision of the second sec	Submit feetback Group Feedback 2 checked → (*) (*) (*) Formats → B I 및 S Ω (*) (*)	
Alan Cardy V I December 2000 State (Alaster) Were Noted State New Year (Alaster) Were Noted State (Alaster) Were Noted State (Alaster) Noted State (Alaster	The de table is the intervent of the desting table is the desting table	Scherk feetback Group Feedback 2 checked - ← ← Formats - B I ⊻ S Ω σ ^ρ ⊑ (5)	· · · · · · · · · · · · · · · · · · ·
International In	The decision of the second sec	Suburit feedback 2 checked - Image: the promotes of the p	· · · · · · · · · · · · · · · · · · ·
International In	Here de lans, en una - al guarda de la de l	Suburt feedback 2 checked -	
International In	I here de la	Suburit feedback 2 checked - Image: the promotes of the p	· ·

The Compare Map Records widget, shown as (A) in the diagram, consists of the following components:

- 1. First specialist's record. Displays a summary of the mapping created by the first specialist.
- A "Start Here" button. Clicking this to copy the contents of this record into the lead's resolution record for modification and/or acceptance.
 Individual feedback for first specialist. To send feedback:
- a. Enter any desired feedback comments
 - b. Select an error type from the drop-down list (e.g. Invalid Target, Map Advice Improperly Applied). Note that the button text will change from "Submit Feedback" to "Submit Error". When indicating an error, the comment text section can be left blank.
 - c. Click "Submit Feedback" (or "Submit Error") to send the feedback to the specialist and start a new conversation.
- Second specialist's record and controls. The "Start Here" button and Individual Feedback components work in the same way as described in #2 and #3.
- 5. Group feedback. Use this to send feedback to both specialists, or to include other users on the project in a conversation regarding this concept's mapping.
 - a. Select one or more recipients from this list by expanding the drop-down list and clicking on desired recipients.
 - b. Enter group feedback text.
 - c. If this should be flagged specifically for Discrepancy Review, click the "Mark for Discrepancy Review" checkbox.
 - d. Click Submit Feedback to start the conversation.
- 6. Conflict Report: Shows the reasons why the two specialist records are in conflict.
 - a. Errors are shown in red; warnings are shown in yellow.
 - b. If the specified reasons for a conflict are not actually valid, click "Mark as Not in Conflict" to ensure this particular concept will not be counted for error/conflict reporting reports that may exist. This can be undone by clicking the "Unmark" button that will now display, as shown:

Conflict Repo	nt	*
[Error Ignored]	Target code is different: Z53.2 vs. No target	
Marked as not i	in conflict Unmark	

The Lead's Resolution Record, shown as (B) in the diagram, consists of an editing environment exactly identical to that described in Specialist Features. The lead can either copy a specialist's work for acceptance or modification, or start from scratch with a blank record. The record can be saved and finished normally, but publication requires action from the main dashboard, described in Publishing finished work.

Editing assigned review work

To review completed work, click on the assign button to the left of the concept id in the assigned Review list. You will be redirected to a multipanel environment similar to that described in Resolving a conflict.

Depending on which workflow path the completed work follows, the display may change slightly:

• For some workflow paths (e.g. the Fix Error Workflow Path), the second record for comparison will be a previously publication-ready record. The Conflict Report section will be displayed, but there may be no differences between the records.

For some workflow paths (e.g. the Review Project Workflow Path), there is no second record for comparison The second record panel will be blank, and the Conflict Report section will not be displayed, as shown below.

Review Record: 705140004 Assessment of physical health declined (situation)	
Record owned by Brenda Henley	
Map Entries 1/1 V64.2 Surgical or other procedure not carried out because of patient's decision	
NARROW TO BROAD MAP FROM SNOMED CT SOURCE CODE TO TARGET CODE	
Starthere	
 ♠ 𝒫 Formats ▼ B I U ♣ Ω 𝒫 E 	
Error Message: None V	
Submit feedback	
Group Feedback	>

As with conflict resolution, the Lead Review Resolution record is contained in the standard map record editing widgets and panels. The lead can choose to copy the specialist's work into their resolution record with the "Start Here" button, or start mapping from scratch in a blank record.

Publishing finished work

Unlike specialists, to formally finish work and send maps to publication-ready status, an additional step is required from the Main Dashboard. To publish content, go to the tab corresponding to the desired type of work (Conflicts, Review, or QA), and select the "Resolved" radio button. Two types of button appear, marked in the screenshot below.

С	oncepts (0)	Conflicts	(9) Review (0) By User QA (0)	
Filt	er concepts:		Search Reset	
	•	All ONe	w ©Editing ®Resolved	
	Id (2) ©	Preferred Name	Ê
~	705083008	 ✓ 	Sensation of irritation of eye proper	+
<u>~</u>	704670000	*	Loss of vertical dimension of occlusion due to worn removable partial denture	•
~	705039004	~	Conflicting attitude of caregiver	•
<u>~</u>	707100011910	2 🗸	Gastric hemorrhage due to erosive gastritis	+
<u>~</u>	705081005	×	Closed fracture of epiphyseal plate of phalanx of finger	•
<u>~</u>	367571000119	109 🗸	Hereditary focal and segmental glomerular lesions	+
<u>~</u>	129261000119	106 🖌	Lipoatrophy due to Human immunodeficency virus infection and treatment	+
~	367541000119	102 🗸	Hereditary diffuse membranous glomerulonephritis	•
~	88133006	-	Robinia viscosa poisoning	+

The two types of buttons are:

- The simple check box. Click this to publish an individual record.
 The checked checkbox. Click this to publish all resolved records

Clicking either button will display a modal (shown below) displaying map record summaries with the options to "Publish" or "Skip" individual records. To publish all eligible records, simply click "Publish All".

Pub	lish Skip	Dor
	editary diffuse membranous glomerulonephritis DMEDCT concept 367541000119102	
	Entries	
1/1	<i>N07.2</i> Hereditary nephropathy, not elsewhere classified Diffuse membranous glomerulonephritis TRUE	
•	POSSIBLE REQUIREMENT FOR ADDITIONAL CODE TO FULLY DESCRIBE DISEASE OR CONDITION	
\sim	POSSIBLE REQUIREMENT FOR AN EXTERNAL CAUSE CODE	
	MAP SOURCE CONCEPT IS PROPERLY CLASSIFIED	

Once publication is complete, click "Done" to close the modal. The map records published will no longer be in the workflow, and can now be retrieved via the Project and Concept Records pages.

Recently edited work

Exactly the same as documented in Specialist Features.

Feedback

Exactly the same as documented in Specialist Features.

Feedback Conversations

Exactly the same as documented in Specialist Features.

Project reports

Project reports are accessed from the Reports Widget on the Main Dashboard. On first loading the tool, the widget displays as shown:

Reports	
· · · · · · · · · · · · · · · · · · ·	Reset (1)
First Previous 1 2 3 4 5 Next	Last
Name	Date
Specialist productivity	12/01/2014
Mapping guidance from WHO is ambiguous	11/30/2014 (2)
Principles applied	11/30/2014
Specialist errors	11/30/2014
Specialist productivity	11/30/2014
Workflow status in release	11/30/2014
Weekly specialist productivity	11/30/2014
Specialist productivity	11/29/2014
Specialist productivity	11/28/2014
Specialist productivity	11/27/2014

where the initial components are:

- 1. A drop-down list to select a type of report. Click Reset to clear the selection.
- 2. A paged list, sorted by date, of all the reports that currently exist for this project (and definition, if selected). Clicking on these links will display the report on the right side of the panel.

Displaying reports

Clicking on a report will display the report's results on the right side of the panel:

Reports		
· · · · · · · · · · · · · · · · · · ·	Reset	Report: Specialist productivity, run 12/01/2014 (Auto-generated) (1) Count Value
First Previous 1 2 3 4 5 Next	Last	[+] 640 nin
Name	Date	[+] 12 dmo
Specialist productivity	12/01/2014	[+] 536 kli
Mapping guidance from WHO is ambiguous	11/30/2014	[+] 1 kgi (2)
Principles applied	11/30/2014	[+] 145 bhe
Specialist errors	11/30/2014	[+] 593 kre
Specialist productivity	11/30/2014	
Workflow status in release	11/30/2014	Export (3)
Weekly specialist productivity	11/30/2014	
Specialist productivity	11/29/2014	
Specialist productivity	11/28/2014	
Specialist productivity	11/27/2014	

where the labeled components are:

- 1. Report information, showing the report type, the date the report was created, and which user created the report. If the report was run automatically, the text "Auto-generated" appears.
 Report results, always structured as:
- - a. Count the number of items for this value
 - b. Value a report-specific string which can range from a simple value (e.g. user name, date range) to much more complex
 - information. This is determined by the report type.
- 3. Export button. Clicking this button produces an Excel-formatted spreadsheet.

Generating and deleting reports

When a report type is selected, two new functions appear, as shown below:

- 1. A "Generate" button. Clicking this will calculate a new report of the selected type and add it to the displayed list for viewing.
- If any of the reports appearing in the list are owned by the currently logged-in lead, an "x" will be displayed. Clicking this will delete the report. Leads cannot delete reports created automatically or by other leads; only administrators have that capability.

Specialist errors	Reset Generate	Report: Specialist	errors, run 01/13/2015 by Donna Morgan
· ·	(1)	Count	Value
First Previous 1 2 3 4 5 Next	Last (1)	[+] 85	kre
Name	Date	[+] 33	kli
Specialist errors	01/13/2015	[+] 20	nin
Specialist productivity	12/01/2014 (2	(+) 55	bhe
Mapping guidance from WHO is ambiguous	11/30/2014	Export	
Principles applied	11/30/2014		
Specialist errors	11/30/2014		
Specialist productivity	11/30/2014		
Workflow status in release	11/30/2014		
Weekly specialist productivity	11/30/2014		
Specialist productivity	11/29/2014		
Specialist productivity	11/28/2014		

QA checks

QA checks are a specialized form of reports that allow existing maps to be re-inserted into the workflow on the QA Workflow Path. The basic mechanisms are the same as described in the Project Reports section. Note that QA checks are created on demand, and no list of previously created QA checks is displayed.

1			
	Change in siblings		
	Change in default preferred name		
_	Invalid target code		
C	Change in exclusion terms		
	Invalid gender advice		
I	•	Generate	No QA Check results generated

To generate a QA report, select a QA Check Definition from the drop-down list and click "Generate". The reports will display on the right-hand side of the panel, as shown:

QA Checks		
Invalid target code Generate	QA Check:	Invalid target code (1)
	First Previou	9 1 2 3 4 5 Next Last
	Id	Name
	109664003	Arthritis of temporomandibular joint due to internal joint prosthesis
	109667005	Infectious arthritis of temporomandibular joint due to internal joint prosthesis
	13187008	Poisoning by heroin
	17542004	Accident while engaged in work-related activity
	212505002	Tetracycline poisoning (2)
	212619008	Hydantoin derivative poisoning
	212625007	Poisoning by iminostilbenes
	212706004	Poisoning by angiotensin-converting-enzyme inhibitors
	212809004	Methyl alcohol causing toxic effect
	216463005	Accidental poisoning by heroin
(3	Add to QA Work	flow Export

where the displayed components are:

- 1. The name of the QA check generated.
- 2. The paged/sorted list of mapped concepts that meet the specified QA criteria.
- 3. The QA controls:
 - a. To insert these concepts back into the workflow along the QA Workflow Path, click "Add to QA Workflow". These concepts will be available to all Specialists and Leads on this project.

b. To export the results of this QA Check (as described in Project Reports), click "Export".

Editing map project metadata

Leads have the ability to modify some metadata for map projects. To edit metadata, click on the Project Details button on the Map Projects widget from the Main Dashboard.

Map Project				
SNOMED to	ICD10			
Project Details	Map Records	SNOMEDCT Browser	Index Viewer	Show Delta

The Project Details page will display the various types of metadata specified for map projects:

Project Details		
SNOMED to ICD10 Map Records		G
Map Project Details		(3)
Map Leads (1)		
Map Specialists		
Map Advices		
First 1 2 3 Last Reset Filter (2)		
Advice (2)	Allowable for Null Target	Computed
DESCENDANTS NOT EXHAUSTIVELY MAPPED	false	true
FIFTH CHARACTER REQUIRED TO FURTHER SPECIFY THE SITE	false	false
MAP IS CONTEXT DEPENDENT FOR GENDER	false	true
MAPPED FOLLOWING IHTSDO GUIDANCE	false	false
MAPPED FOLLOWING WHO GUIDANCE	false	false
Map Relations		
Report Definitions		
QA Check Definitions		
Map Principles		

where the labeled components are:

- 1. Accordions for each type of metadata attached to a project. These are initially collapsed, and can be expanded by clicking on them.
- 2. An example of an expanded accordion, here Map Advices.
- 3. A Notepad icon which, when clicked, enables editing.

To edit project metadata, click the Notepad icon. The display will change to add functionality, as shown below. While the Map Advice metadata is used as an example, the basic functionality is the same across all widgets.

Map Advices			
First 1 2 3 Last			
Reset Filter			
Advice	Allowable for Null Target	Computed	
DESCENDANTS NOT EXHAUSTIVELY MAPPED	false	true	(1) ×
FIFTH CHARACTER REQUIRED TO FURTHER SPECIFY THE SITE	false	false	×
MAP IS CONTEXT DEPENDENT FOR GENDER	false	true	×
POSSIBLE REQUIREMENT FOR ADDITIONAL CODE TO FULLY DESCRIBE DISEASE OR CONDITION	false	false	×
POSSIBLE REQUIREMENT FOR AN EXTERNAL CAUSE CODE	false	false	×
Add Map Advice			
MAPPED FOLLOWING IHTSDO GUIDANCE			$(2)^{+}$
MAPPED FOLLOWING WHO GUIDANCE		(2) +	
Create New Map Advice (3)			
Advice Name			
Advice Detail			
Allowable for Null Target			
Is Computed			
Sutomat (4)			

where the labeled components are:

- Delete Element Click this "x" icon to remove a metadata element from a map project (here, removing a Map Advice).
 Add Element Click this "+" icon to add an existing metadata element to this map project (here, adding a Map Advice).
 Create Element Use this form to define a new metadata element (here, defining a Map Advice). The elements a Lead can edit are:

 Map Advices
 Map Relations
 Map Principles
 Preset Age Ranges
 Frort Messages

 - e. Error Messages
 - f. Scope Concepts
 - g. Scope Excluded Concepts

g. Scope Excluded Concepts
All other metadata elements must be created by an Administrator; a Lead can subsequently attach these elements to a project.
4. Submit Element – Click the "Submit" to add a new metadata element (here, a Map Advice) to the global set of Map Advices. The new element will appear in the list under "Add Map Advice", and must be formally added to the project as described in #2.

References/Links