

5.2.1.6 DEPRECATED: Annotation Reference Set

Deprecation

The use of this reference set structure is now discouraged as it requires implementers to create a new refset concept for every new annotation type. A new refset format is currently being discussed here: [SNOMED CT Annotations](#) and alternate RF2 specifications will be generated in due course.

Purpose

An 900000000000516008 | [Annotation type reference set](#) allows [String](#) to be associated with components for any specified purpose.

Data structure

An [annotation reference set](#) is a [String reference set](#) used to apply text [annotation](#) to selected [SNOMED CT components](#).


Table 5.2.1.6-1: Annotation reference set - Data structure

Field	Data type	Purpose	Mutable	Part of Primary Key
id	UUID	A 128 bit unsigned Integer , uniquely identifying this reference set member . Different versions of a reference set member share the same id but have different effectiveTime . This allows a reference set member to be modified or made inactive (i.e. removed from the active set) at a specified time.	NO	YES (Full /Snapshot)
effectiveTime	Time	The inclusive date or time at which this version of the identified reference set member became the current version. Note: In distribution files the effectiveTime should follow the short ISO date format (YYYYMMDD) and should not include the hours, minutes, seconds or timezone indicator. The current version of this reference set member at time T is the version with the most recent effectiveTime prior to or equal to time T .	YES	YES (Full) Optional (Snapshot)
active	Boolean	The state of the identified reference set member as at the specified effectiveTime . If active = 1 (true) the reference set member is part of the current version of the set, if active = 0 (false) the reference set member is not part of the current version of the set.	YES	NO
moduleId	SCT ID	Identifies the SNOMED CT module that contains this reference set member as at the specified effectiveTime . The value must be a subtype of 900000000000443000 Module (core metadata concept) within the metadata hierarchy .	YES	NO
refsetId	SCT ID	Identifies the reference set to which this reference set member belongs. In this case, a subtype descendant of: 900000000000516008 Annotation type	NO	NO
referencedComponentId	SCT ID	A reference to the SNOMED CT component to be included in the reference set . The component to which the annotation is being applied.	NO	NO
annotation	String	The text annotation to attach to the component identified by referencedComponentId .	YES	NO

Metadata

The following metadata in supports this [reference set](#) :

Table 5.2.1.6-2: Annotation References Sets in the Metadata Hierarchy



900000000000454005 Foundation metadata concept
900000000000455006 Reference set
900000000000516008 Annotation type
900000000000517004 Associated image

Reference Set Descriptor and Example Data

Notes on the tables used to show descriptors and examples

The reference set example tables on this page have been revised as follows to aid clarity and understanding:

- The first four columns which are present in all release files are not shown. The omitted columns (`id`, `effectiveTime`, `active`, `moduleId`) are used in the same way in all referenced sets to support identification, versioning and packaging. They do not directly affect the specific features of a particular reference set or reference set type.
- Reference set columns that contain SNOMED CT identifiers are expanded to show details of the concept or description referenced by that identifier. In some cases, the term is shown in the same column using the expression syntax, in other cases an additional column with a name suffix '_term' has been added. In the standard reference set files only the identifier is present in the column and there is no added column for the term. When using reference sets, the term and other details of the component are looked up from the relevant component release files.

Descriptor Template

The tables below show the descriptors that define the structure of the 900000000000516008 | Annotation type reference set| pattern and examples of the descriptors for specific [reference sets](#) that follow this pattern.

Table 5.2.1.6-3: Descriptor Template for Annotation Reference Sets

refsetId	referencedComponentId	attributeDescription	attributeType	attributeOrder
900000000000456007 Reference set descriptor	900000000000516008 Annotation type	900000000000518009 Annotated component	900000000000461009 Concept type component	0
900000000000456007 Reference set descriptor	900000000000516008 Annotation type	900000000000519001 Annotation	900000000000465000 String	1

The `attributeType` for the `Annotation` field can be any [descendant](#) of the " string " concept in the metadata [hierarchy](#). This [hierarchy](#) is described in more detail under the " Reference set descriptor" section.

Table 5.2.1.6-4: Descriptor for the Associated Image Annotation Reference set

refsetId	referencedComponentId	attributeDescription	attributeType	attributeOrder
900000000000456007 Reference set descriptor	900000000000517004 Associated image	900000000000518009 Annotated component	900000000000461009 Concept type component	0
900000000000456007 Reference set descriptor	900000000000517004 Associated image	900000000000520007 Image	900000000000469006 URL	1

Note that in the table above, the 900000000000469006 | URL| concept is a [descendant](#) of | string | concept in the metadata.

Annotation Reference Set Example

As no annotation reference sets are included in the International Release, these sample rows are for illustration only.

Table 5.2.1.6-5: Example of Associated image Annotation Reference Set

refsetId	referencedComponentId	Annotation

900000000000517004 Associated image	80891009 Heart structure	http://en.wikipedia.org/wiki/Heart#mediaviewer/File:Wiki_Heart_Antomy_Ties_van_Brussel.jpg
900000000000517004 Associated image	86174004 Laparoscope	http://www.educationaldimensions.com/eLearn/endoscope/bigScope.html

In the above example, the two URLs have been used to annotate two **SNOMED CT concepts** with images on the web. It is not recommended that this mechanism be used to annotate **concepts** with text that may require translation to other **languages**. Instead, such text should be included under an appropriate **description** type within the **Description**.